THE CHILD AND ADOLESCENT

PSYCHIATRIC ASSESSMENT

(CAPA)

Life Events and Posttraumatic Stress Modules

Child Interview
Version 5.0

ADRIAN ANGOLD, MRCPsych

Developmental Epidemiology Program
Department of Psychiatry and Behavioral Sciences, Duke University
Durham, North Carolina 27710-3454

ANTHONY COX, FRCPsych
MICHAEL PRENDERGAST, MRCPsych
MICHAEL RUTTER, MD, FRS
EMILY SIMONOFF, MRCPsych
MRC Child Psychiatry Unit
Institute of Psychiatry
London SE5 8AF England

October 2008

Definitions and questions	Coding rules	Codes

LIFE EVENTS

Events occurring in the life and environment of the subject. Life threatening events are events that have caused, or had the potential to cause, death or severe injury. The events should be those in which people actually died or were seriously injured and/or property was extensively damaged, or those events which had the potential to have these outcomes. MOST EVENTS SHOULD HAVE BEEN NOTED IN THE INTERVIEW BY THIS POINT. FOR EACH EVENT THAT OCCURRED, ASK ABOUT ATTRIBUTION AND PAINFUL RECALL. IF PAINFUL RECALL PRESENT AS ABOUT AVIODANCE, AND HYPERAROUSAL.

Attributions: Subject states that life event has contributed to a problem or symptom already identified. Painful Recall: Subject experiences unwanted, painful and distressing recollections, memories, thoughts, or images of life event. May include repetitive play or trauma-specific reenactment. Avoidance: Subject avoids situations, thoughts, or feelings that might provoke painful recall. Hyperarousal: Symptoms of anxiety or increased arousal not present before the trauma (or exacerbated by the trauma) that may include difficulty falling or staying asleep, hypervigilance (increased general level of awareness and alertness toward the subject's surroundings, in the absence of imminent danger which may be manifested by an exaggerated startle response, jumpiness, scanning the environment for danger). Some individuals report irritability, anger or difficulty concentrating or completing tasks. IF PAINFUL RECALL, AVOIDANCE, AND HYPERAROUSAL SCREEN ALL POSTIIVE, NOTE ON THE PTSD SCREEN PAGE (CHECKLIST). NOTE: IF MORE THAN ONE EVENT IS CHECKED ON THE PTSD SCREEN PAGE (CHECKLIST), THE PTSD SECTION WILL BE COMPLETED TWICE: ONCE FOR THE LIFE EVENT GROUP B OR GROUP A THAT THE SUBJECT DESCRIBES AS THE MOST UPSETTING IN THE LAST 3 MONTHS, AND SECONDLY FOR THE LIFE EVENT IN GROUP B THAT THE SUBJECT DESCRIBES AS THE MOST UPSETTING EVENT EVER.

Coding rules

Codes

GROUP A EVENTS

NEW CHILD(REN) LIVING IN HOME

New child(ren) (less than 18 years of age) who have come to live in the home permanently during the primary period. May be newborn or adopted child, foster child, or child(ren) of a previous relationship.

CODE ID # OF SIBLING FROM FAMILY SECTION.

Have any children come to live in your home in the last 3 months?

Who is that?
When did s/he come to live with you?
Does your "parent" look after him/her?

Who is that?
When did s/he come to live with you?

Who is that?
When did s/he come to live with you?

NEW CHILD(REN) LIVING IN HOME

0 = Absent

2 = Present

CKA0I90
Intensity

NEW CHILD #1 IN HOME

1 = Sibling #1

2 = Sibling #2

3 = Sibling #3

4 = Sibling #4

5 = Sibling #5

6 = Sibling #6

7 = Sibling #7

8 = Sibling #8

9 = Sibling #9

CKA0I01

ONSET OF NEW CHILD #1

CKA0O01

/ /

NEW CHILD #2 IN HOME

1 = Sibling #1

2 = Sibling #2

3 = Sibling #3

4 = Sibling #4

5 = Sibling #5

6 = Sibling #6

7 = Sibling #7

8 = Sibling #8

9 = Sibling #9

CKA0I02

ONSET OF NEW CHILD #2

CKA0O02

/ /

NEW CHILD #3 IN HOME

1 = Sibling #1

2 = Sibling #2

3 = Sibling #3

4 = Sibling #4

5 = Sibling #5

6 = Sibling #6

CKA0I03

Definitions and questions	Coding rules	Codes
	7 = Sibling #7	
	8 = Sibling #8	
	9 = Sibling #9	
	ONSET OF CHILD #3	CKA0O03
		/ /
IF "NEW CHILD(REN) LIVING IN HOME" NOT PRESENT, SKIP TO "PARENTAL SEPARATION", (PAGE 6).		

NEW CHILD(REN) LIVING IN HOME - ATTRIBUTION

In the last 3 months, has this "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKA0I99 Intensity

CKA0X01

CKA0X02

CKA0X03

CKA0X04

CKA0X05

CKA0X06

NEW CHILD(REN) LIVING IN HOME: PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKA1I01 Intensity

IF PAINFUL RECALL PRESENT, COMPLETE AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "PARENTAL SEPARATION", (PAGE 6).

Definitions and questions	Coding rules	Codes

NEW CHILD(REN) LIVING IN HOME - AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKA1I02
Intensity

NEW CHILD(REN) LIVING IN HOME - HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKA1I03
Intensity

PARENTAL SEPARATION

Parental figures have separated durning the primary period. One parental figure has moved out of the house, apparently permanently. Either parent may have begun divorce proceedings.

Have your "parents" split up in the last 3 months?

What happened?
Are you planning to get back together again?

PARENTAL SEPARATION

0 = Absent

2 = Present

CKA2I01
Intensity

CKA2O01
Onset

/ /

PARENT WHO HAS MOVED OUT

0 = Male parental figure

2 = Female parental figure

CKA2I02

IF PARENTAL SEPARATION PRESENT, COMPLETE. OTHERWISE, SKIP TO "EVER: PARENTAL DIVORCE", (PAGE 9).

Definitions and questions	Coding rules	Codes

PARENTAL SEPARATION - ATTRIBUTION

In the last 3 months have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

CKA1I99
Intensity

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTION TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

CKA2X01

CKA2X02

CKA2X03

PARENTAL SEPARATION - PAINFUL RECALL

In the last 3 months have thoughts or pictures of "life event" come into your mind?

Even when you didnt want them to?

What was that like?
Have you had any nightmares about the event?

IF PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "EVER: PARENTAL DIVORCE", (PAGE 9).

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKA3I01
Intensity

Definitions and questions

Coding rules

Codes

Definitions and questions	Coding rules	Codes

PARENTAL SEPARATION - AVOIDANCE

Do certain things/thoughts remind you of "life event"?

What things?
Do you try to aviod these things/thoughts?

AVIODANCE SCREEN

0 = Absent

2 = Present

CKA3I02
Intensity

PARENTAL SEPARATION - HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKA3I03
Intensity

EVER: PARENTAL DIVORCE

Parental figures have ever completed divorce proceedings.

Code dates of up to three other divorces between parental figures with whom child has lived.

Have your parents ever been divorced?

EVER: PARENTAL DIVORCE

0 = Absent

2 = Present

Ever:CKA4E01
Intensity

EVER: PARENTAL DIVORCE #1

Ever:CKH8O01

/ /

EVER: PARENTAL DIVORCE #2

Ever:CKH8O02

/ /

EVER: PARENTAL DIVORCE #3

Ever:CKH8O03

/ /

PARENTAL DIVORCE

Parental figures have completed divorce proceedings in the last 3 months.

Have your "parents" finalized their divorce in the last 3 months?

When did that happen?

0 = Absent

2 = Divorce finalized in last three months.

CKA4I01
Intensity

ONSET: DIVORCE IN LAST THREE MONTHS

CKA4O01

/ /

IF "PARENTAL DIVORCE" NOT PRESENT, SKIP TO "NEW PARENTAL FIGURE", (PAGE 12).

Definitions and questions	Coding rules	Codes

PARENTAL DIVORCE - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what ways?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

CKA2I99
Intensity

CKA4X01

CKA4X02

CKA4X03

PARENTAL DIVORCE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKA5I01
Intensity

IF PARENTAL DIVORCE PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "NEW PARENTAL FIGURE", (PAGE 12).

Definitions and questions	Coding rules	Codes

PARENTAL DIVORCE-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKA5I02
Intensity

PARENTAL DIVORCE-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have youe had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKA5I03
Intensity

NEW PARENTAL FIGURE

New Parental figure moved into the child's home during the last 3 months and has been there as least one month, due to remarriage or establishment of apparently permanent relationship.

Did a new "parent" move into your home in the last 3 months?

Is s/he there to stay?

NEW PARENTAL FIGURE

0 = Absent

2 = Present

CKA6I01
Intensity

CKA6O01
Onset

/ /

IF NEW PARENTAL FIGURE PRESENT, COMPLETE ATTRIBUTION AND PAINFUL RECALL. OTHERWISE, SKIP TO "PLACES LIVED IN LAST 5 YEARS", (PAGE 15).

Definitions and questions	Coding rules	Codes

NEW PARENTAL FIGURE - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

CKA3IXX 00
Intensity

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

CKA6X01

1 = School non-attendance.

2 = Separation anxiety.

CKA6X02

3 = Worries/anxiety.

4 = Obsessions/compulsions.

CKA6X03

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

NEW PARENTAL FIGURE - PAINFUL RECALL

In the last 3 months have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKA7I01
Intensity

IF NEW PARENTAL FIGURE PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "PLACES LIVED IN LAST 5 YEARS", (PAGE 15).

Definitions and questions	Coding rules	Codes

NEW PARENTAL FIGURE - AVOIDANCE

Do certain things/thoughs remind you of "life event"?

What things?
Do you try to aviod these things/thoughts?

AVIODANCE SCREEN

0 = Absent

2 = Present

CKA7I02
Intensity

NEW PARENTAL FIGURE - HYPERAROUSAL

Have you had any trouble sleeping?

Since "life event", have you been more jumpy or irritable?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKA7I03
Intensity

PLACES LIVED IN LAST 5 YEARS

Subject moved, with or without change of family structure.

REMEMBER TO CODE PARENTAL SEPARATION, CHANGE OF SCHOOL, LOSS OF FRIENDS, ETC. IN RELEVANT SECTIONS.

How many places have you lived in the last 5 years?

How many places has s/he lived in the last 5 years?

When was the last time that s/he moved?

Date of last move in last 5 years

MOVING HOUSE

0 = Absent

2 = Present

CKA9E01
Intensity

PLACES LIVED IN LAST 5 YEARS-CODE NUMBER OF PLACES LIVED IN LAST 5 YEARS

CKA9F01

DATE OF LAST MOVE IN LAST FIVE YEARS

CKA9O01

/ /

MOVING HOUSE

Subject moved, with or without change of family structure.

REMEMBER TO CODE PARENTAL SEPARATION, CHANGE OF SCHOOL, LOSS OF FRIENDS, ETC. IN RELEVANT SECTIONS.

Have you moved to a new place in the last 3 months?

Is your home in the same neighborhood?
When did you move?

MOVING HOUSE

0 = Absent

2 = Present, without change of family structure.

3 = Present, with change of family structure.

CKA8I01
Intensity

CKA8O01
Onset

/ /

IF MOVING NOT PRESENT, SKIP TO "CHANGE OF SCHOOL", (PAGE 19).

Definitions and questions   Coding rules   Codes

Definitions and questions | Coding rules | Codes

MOVING HOUSE - ATTRIBUTION

In the last 3 months have thoughts or pictures of "life event" come into your mind?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

CKA8ABC 00
Intensity

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

CKA8X01

1 = School non-attendance.

2 = Separation anxiety.

CKA8X02

3 = Worries/anxiety.

4 = Obsessions/compulsions.

CKA8X03

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

MOVING HOUSE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKB0I01
Intensity

IF "MOVING HOUSE" PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "CHANGE OF SCHOOL", (PAGE 19).

Definitions and questions

Coding rules

Codes

Definitions and questions	Coding rules	Codes

MOVING HOUSE-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKB0IO2
Intensity

MOVING HOUSE-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKB0IO3
Intensity

CHANGE OF SCHOOL

Subject changed schools. Change may be routine because subject was promoted (e.g. elementary to middle school, or iddle school to high scool) or non-routine, either because of moving, family choice, necessity, or expulsion from previous school.

Have you changed schools in the last 3 months?

When did you last change schools?

Why was that?
When did you leave the old school?
When did/do you start at the new school?
Will any friends from your old school be at the new school?
Do you know nayone at the new school?

CHANGE OF SCHOOL

0 = No

1 = Routine change with other schoolmates including friends

2 = Routine change but not friends from former school at new school

3 = Non-routine change

CKB1I01
Intensity

CKB1O01
Onset

/ /

IF CHANGE OF SCHOOL NOT PRESENT, SKIP TO "LOSS OF BEST FRIEND THROUGH MOVING", (PAGE 22).

Definitions and questions | Coding rules | Codes

CHANGE OF SCHOOLS - ATTRIBUTION

In the las 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

CKB1I99
Intensity

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

CKB1X01

1 = School non-attendance.

2 = Separation anxiety.

CKB1X02

3 = Worries/anxiety.

4 = Obsessions/compulsions.

CKB1X03

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

CHANGE OF SCHOOLS-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKB2I01
Intensity

IF CHANGE OF SCHOOLS PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "LOSS OF BEST FRIEND THROUGH MOVING", (PAGE 22).

CHANGE OF SCHOOLS-AVOIDANCE

Do certain things/thoughts remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKB2IO2
Intensity

CHANGE OF SCHOOLS-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

IF ALL SCREENS ARE POSITIVE, PLACE CHECKMARK ON PTSD CHECKLIST.

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKB2IO3
Intensity

LOSS OF BEST FRIEND THROUGH MOVING

Move by subject or significant other resulted in the end of a close relationship, with significant figure no longer available for sharing confidences and doing things together. Do not include friendships maintained after move through phone calls, letters, and/or visits.

CODE BOY/GIRLFRIEND SEPARATELY

Have you lost contact with someone you cared about in the last 3 months because one of them moved?

Who moved?
Do you still have some contact with him/her?

IF LOSS OF BEST FRIEND THROUGH MOVING NOT PRESENT, SKIP TO "BREAKUP WITH BEST FRIEND", (PAGE 25).

LOSS OF BEST FRIEND THROUGH MOVING

0 = Absent

2 = Present

CKB3IO1
Intensity

CKB3O01
Onset

/ /

LOSS OF BEST FRIEND THROUGH MOVING - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKB2ABC 00
Intensity

CKB3X01

CKB3X02

CKB3X03

CKB3X04

CKB3X05

CKB3X06

LOSS OF BEST FRIEND THROUGH MOVE- PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKB4I01
Intensity

IF LOSS OF BEST FRIEND THROUGH MOVING PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "BREAKUP WITH BEST FRIEND", (PAGE 25).

Definitions and questions	Coding rules	Codes

LOSS OF BEST FRIEND THROUGH MOVING-AVOIDANCE

Do certain things/thoughts remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKB4IO2
Intensity

LOSS OF BEST FRIEND THROUGH MOVE-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKB4IO3
Intensity

BREAKUP WITH BEST FRIEND

Loss of a best friend through conflict or quarrel. Loss should seem permanent.

CODE BREAKUP WITH BOYFRIEND/GIRLFRIEND SEPARATELY. IF MORE THAN ONE BREAKUP, CODE THE ONE SUBJECT SAID WAS THE MOST UPSETTING.

Have you ended a relationship with a best friend in the last 3 months?

Who was that?
What happened?

BREAKUP WITH BEST FRIEND

0 = Absent

2 = Present

CKB5IO1
Intensity

CKB5O01
Onset

/ /

IF BREAKUP WITH BEST FRIEND PRESENT CONTINUE, OTHERWISE, SKIP TO "BREAKUP WITH BOY/GIRLFRIEND", (PAGE 28).

Definitions and questions   Coding rules   Codes

BREAKUP WITH BEST FRIEND-ATTRIBUTION

Loss of a best friend throught conflict or quarrel. Loss should seem permanent.

Have you broken up with a best friend in the last 3 months?

Who was that?
What happened?

ATTRIBUTION

0 = Absent

2 = Present

CKB5ABC 00
Intensity

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

CKB5X01

1 = School non-attendance.

2 = Separation anxiety.

CKB5X02

3 = Worries/anxiety.

4 = Obsessions/compulsions.

CKB5X03

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

BREAKUP WITH BEST FRIEND-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKB6I01
Intensity

IF BREAKUP WITH BEST FRIEND PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "BREAKUP WITH BOY/GIRLFRIEND", (PAGE 28).

Definitions and questions | Coding rules | Codes

BREAKUP WITH BEST FRIEND-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKB6IO5
Intensity

BREAKUP WITH BEST FRIEND-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKB6IO600
Intensity

BREAKUP WITH BOY/GIRLFRIEND

Relationships with boy/girlfriend ends because of conflict, "falling out of love", or geographical move. Do not include love relationships that turn into regular friendships without conflict, or love relationships maintained by phone calls, letters, and/or visits.

IF MORE THAN ONE BREAKUP IN THE LAST 3 MONTHS, CODE THE ONE MOST IMPORTANT TO THE SUBJECT.

Have you broken up with a boy/girlfriend in the last 3 months?

What happened?
Have you broken up for good?
Are you still friends?

BREAKUP WITH BOY/GIRLFRIEND

0 = No

2 = Yes

CKB7IO1
Intensity

CKB7O01
Onset

/ /

IF BREAKUP PRESENT, COMPLETE ATTRIBUTION AND PAINFUL RECALL. OTHERWISE, SKIP TO "LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT", (PAGE 31).

Definitions and questions	Coding rules	Codes

BREAKUP WITH BOY/GIRLFRIEND - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

CKB7ABC 00
Intensity

CKB7X01

CKB7X02

CKB7X03

BREAKUP WITH BOY/GIRLFRIEND - PAINFUL RECALL

In the last 3 months have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?
What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKB8I01
Intensity

IF BREAKUP WITH BOY/GIRLFRIEND PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT", (PAGE 31).

Definitions and questions	Coding rules	Codes

BREAKUP WITH BOY/GIRLFRIEND - AVOIDANCE

Do certain things/thoughts remind you of "life event"?

What things?
Do you try to avoid these thing/thoughts?

ATTRIBUTION

0 = Absent

2 = Present

CKB8I02
Intensity

BREAKUP WITH BOY/GIRLFRIEND - HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

ATTRIBUTION

0 = Absent

2 = Present

CKB8I03
Intensity

LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT

Subject lives, attends school/college/university or works in an area seen as chronically unsafe or threatening.

CODE DISCRETE THREATENING EVENTS WITNESSED BY SUBJECT SEPARATELY.

Do you live or go to school in an unsafe place?

Or work in an unsafe place?

What is it like?
Have you been afraid that you might be hurt?
Or that you would die?

LIVES, ATTENDS SCHOOL/COLLEGE/UNIVERSITY, OR WORKS IN CHRONICALLY UNSAFE ENVIRONMENT

0 = Absent

2 = Present

CKB9I01
Intensity

CKB9O01
Onset

/ /

MONTHS

CKB9D01
Duration

IF "LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT" NOT PRESENT, SKIP TO "PARENTAL ARREST", (PAGE 34).

Definitions and questions

Coding rules

Codes

LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKB9I99
Intensity

CKB9X01

CKB9X02

CKB9X03

LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT- PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you doesn't want them to?

What was that like?
Have you had any nightmares about the event?

IF PAINFUL RECALL PRESENT, ASK ABOUT AVOIDANCE AND HYPERAROUSAL. OTHERWISE , SKIP TO "PARENTAL ARREST", (PAGE 34).

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKC0I01
Intensity

Definitions and questions   Coding rules   Codes

LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKC0IO2
Intensity

LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKC0IO3
Intensity

PARENTAL ARREST

Either of subject's parental figures is arrested.

IF MORE THAN ONE ARREST, CODE THE MOST UPSETTING.

Have either of your "parents" been arrested in the last 3 months?

What happened?
Was it for something serious?

PARENTAL ARREST

0 = No

2 = Yes

CKC1I01
Intensity

CKC1O01
Onset

/ /

IF PARENTAL ARREST PRESENT, COMPLETE ATTRIBUTION AND PAINFUL RECALL. OTHERWISE, SKIP TO "REDUCTION IN STANDARD OF LIVING", (PAGE 37).

Definitions and questions | Coding rules | Codes

PARENTAL ARREST - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

CKC1I99
Intensity

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

CKC1X01

1 = School non-attendance.

2 = Separation anxiety.

CKC1X02

3 = Worries/anxiety.

4 = Obsessions/compulsions.

CKC1X03

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

PARENTAL ARREST - PAINFUL RECALL

In the last 3 months have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKC2I01
Intensity

IF PARENTAL ARREST PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "REDUCTION IN STANDARD OF LIVING", (PAGE 37).

Definitions and questions   Coding rules   Codes

PARENTAL ARREST -AVOIDANCE

Do certain things/thoughts remind you of "life event"?

What things?

Do you try to aviod these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKC2I02
Intensity

PARENTAL ARREST -HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKC2I03
Intensity

REDUCTION IN STANDARD OF LIVING

Noticeable reduction of family standard of living as evidenced by inability to pay bills, need to sell things, need to move (including moving in with relatives), going on welfare or food stamps, inadequate food, clothing, heat. May be result of changes in household status and needs such as parental separation or divorce, death, taking in additional dependents, high medical bills or loss of household income due to cutback in hours, layoff or loss of job, inability to find employment, under-employment, loss of unemployment benefits, depletion of savings, etc.

Has your family's income been less than usual in the last 3 months?

What changes have resulted?
Why have things changed?
When did the change occur?

IF "REDUCTION IN STANDARD OF LIVING" NOT PRESENT, SKIP TO "FORCED SEPARATION FROM HOME", (PAGE 40).

REDUCTION IN STANDARD OF LIVING

0 = Absent

2 = Present, without change of family structure.

3 = Present, with change of family structure.

CKC3I01
Intensity

DATE OF CHANGE IN FINANCIAL STATUS

CKC3O01

/ /

Definitions and questions | Coding rules | Codes

REDUCTION IN STANDARD OF LIVING - ATTRIBUTION

In the last 3 months, has this "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKC3I99
Intensity

CKC3X01

CKC3X02

CKC3X03

REDUCTION IN STANDARD OF LIVING- PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKC4I01
Intensity

IF REDUCTION IN STANDARD OF LIVING PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "FORCED SEPARATION FROM HOME", (PAGE 40).

Definitions and questions	Coding rules	Codes

REDUCTION IN STANDARD OF LIVING-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKC4I02
Intensity

REDUCTION IN STANDARD OF LIVING-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKC4I03
Intensity

FORCED SEPARATION FROM HOME

Subject has to be away from home for at least one week at a time, against his/her weill. Include visits to grandparents, other relatives, friends, if necessitated by aduly needs (e.g. mother in hospital) not child's wishes. Do not include absences if accompanied by parental figures, or camp, even if subject is reluctant to go.

In the last 3 months have you had to go and stay away from home, when s/he would rather have stayed at home?

When was that?
Why did you have to go away?
How long were you gone?
Was a parent with you?
Or your "sibling"?

CODE NUMBER OF SEPARATIONS LASTING AT LEAST A WEEK

CODE NUMBER OF DAYS IN ALL SEPARATIONS

FORCED SEPARATION FROM HOME

0 = No

2 = Yes

CKC5I01
Intensity

CKC5O01
Onset

/ /

NUMBER OF SEPARATIONS

CKC5F01

DAYS

CKC5D01
Duration

IF FORCED SEPARATION FROM HOME PRESENT, COMPLETE OTHERWISE, SKIP TO "DIAGNOSIS OF PHYSICAL ILLNESS", (PAGE 44).

Definitions and questions | Coding rules | Codes

FORCED SEPARATION FROM HOME - ATTRIBUTION

In the last 3 months, has this affected any of the problems we've been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

CKC5XYZ 00
Intensity

ATTRIBUTION

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

CKC5X01

CKC5X02

CKC5X03

FORCED SEPARATION FROM HOME-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKC6I01
Intensity

IF "FORCED SEPARATION FROM HOME" PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "DIAGNOSIS OF PHYSICAL ILLNESS", (PAGE 44).

FORCED SEPARATION FROM HOME-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

FORCED SEPARATION FROM HOME-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKC6I02
Intensity

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKC6I03
Intensity

Definitions and questions	Coding rules	Codes

GROUP B EVENTS

DIAGNOSIS OF PHYSICAL ILLNESS

Diagnosis of an illness carrying current risk of death or chronic disability (e.g. cancer, AIDS, diabetes, MS).

NB: Asthma requiring more than 24 hour hospitalization.

Have you ever gotten very sick?

Have you been in the hospital?

When did that happen?
What illness did/do you have?
When did you get better?
Are you going to get better?
Have you had it in the last 3 months?
Has it gotten worse?

IF "DIAGNOSIS OF PHYSICAL ILLNESS" NOT PRESENT, SKIP TO "ACCIDENT", (PAGE 47).

DIAGNOSIS OF PHYSICAL ILLNESS

0 = Absent

2 = Present

Specify

DIAGNOSIS OF PHYSICAL ILLNESS

0 = Absent

2 = Diagnosis of illness, or recurrence of illness in remission, in last 3 months.

Ever:CKC7E01
Intensity

Ever:CKC7O01
Onset

/ /

CKC7I01
Intensity

CKC7O02
Onset

/ /

Definitions and questions	Coding rules	Codes

DIAGNOSIS OF PHYSICAL ILLNESS - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKC7I99
Intensity

CKC7X01

CKC7X02

CKC7X03

DIAGNOSIS OF PHYSICAL ILLNESS-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you has any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKC8I01
Intensity

IF DIAGNOSIS OF PHYSICAL ILLNESS PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "ACCIDENT", (PAGE 47).

Definitions and questions	Coding rules	Codes

DIAGNOSIS OF PHYSICAL ILLNESS-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKC8I02
Intensity

DIAGNOSIS OF PHYSICAL ILLNESS-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKC8I03
Intensity

ACCIDENT

Serious physical harm caused involuntarily by self or others (e.g. car accident, boating accident, other accident) that is life-threatening or carries risk of long-term disfigurement or disability. Code accidents involving fire under Fire.

IF ACCIDENT IN LAST 3 MONTHS OR IF RESULTS OF PREVIOUS ACCIDENT STILL POSE THREAT TO LIFE, DISFIGUREMENT, OR DISABILITY, COMPLETE ATTRIBUTION AND SCREENS. OTHERWISE SKIP TO DEATH OF LOVED ONE.

Have you ever been in a serious accident?

Or been badly hurt in an accident?

What happened?
Could you have died?
Did it change the way your body looks or works?
Are you still affected by it?

ACCIDENT

0 = Absent

2 = Present

Ever:CKC9E01
Intensity

Ever:CKC9V01
Frequency

Ever:CKC9O01
Onset

/ /

SERIOUS ACCIDENT: PRIMARY PERIOD

0 = Absent

2 = Present

CKC9I01
Intensity

CKC9O02
Onset

/ /

IF ACCIDENT IN LAST 3 MONTHS OR IF RESULT OF PREVIOUS ACCIDENT STILL POSE THREAT OR DISABILITY, COMPLETE. OTHERWISE, SKIP TO "PREGNANCY (GIRLS) - FIRST PREGNANCY", (PAGE 52).

Definitions and questions

Coding rules

Codes

ACCIDENT: ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

CKC2I99
Intensity

ATTRIBUTION

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

CKC9X01

CKC9X02

CKC9X03

CKC9X04

CKC9X05

CKC9X06

ACCIDENT-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have youe had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKD0I01
Intensity

IF ACCIDENT PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "PREGNANCY (GIRLS) - FIRST PREGNANCY", (PAGE 52).

ACCIDENT-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKD0IO2
Intensity

ACCIDENT-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKD0IO3
Intensity

IF SUBJECT IS FEMALE COMPLETE. OTHERWISE, SKIP TO "MAKES SOMEONE PREGNANT (BOYS)", (PAGE 65).

Definitions and questions	Coding rules	Codes

PREGNANCY (GIRLS) - FIRST PREGNANCY

Subject ever pregnant.

Have you ever been pregnant?

When did you find out you were pregnant?
When did you get pregnant?
How did you find out?
Were you planning to get pregnant?
Did you want to be pregnant?

DATE OF CONCEPTION.

PREGNANCY

0 = No

2 = Yes

DATE OF AWARENESS - (GIRLS) FIRST PREGNANCY

INTENTIONALITY

1 = Planned pregnancy

2 = Pregnancy unplanned, wanted

3 = Pregnancy unplanned, unwanted

Ever:CKD1E11
Intensity

Ever:CKD1O11
Onset
/ /

Ever:CKD1O12
/ /

Ever:CKD1X11

IF SUBJECT IS EVER PREGNANT (GIRLS), COMPLETE SECTION ON UP TO THREE PREGNANCIES. OTHERWISE, SKIP TO "DEATH OF LOVED ONE", (PAGE 78).

Definitions and questions | Coding rules | Codes

PREMATURE TERMINATION OF PREGNANCY (GIRLS) - FIRST PREGNANCY

Pregnancy ends for a reason other than birth (e.g. miscarriage, abortion).

What happened when you found out you were pregnant?

Who decided what should happen?
Were your parents involved?
The father of the child?
IF ABORTION, ASK:

Do you feel OK about how the decsion was made?

DATE OF TERMINATION.

PREMATURE TERMINATION OF PREGNANCY

0 = No

2 = Miscarriage

3 = Abortion

Ever:CKD2E11
Intensity

Ever:CKD2O11
Onset

/ /

WEEK OF PREGNANCY WHEN TERMINATED

Ever:CKD2X11

INVOLVEMENT IN ABORTION DECISION

0 = Subject's decision, with or without consultation with other(s).

2 = Other(s) made decision, with subject's agreement.

3 = Other(s) made decision against subject's own wishes.

Ever:CKD2X12

Definitions and questions | Coding rules | Codes

CHILDBIRTH (GIRLS) - FIRST PREGNANCY

Pregnancy ends in childbirth, or is expected to end in childbirth.

IF SUBJECT STILL PREGNANT, CODE AND SKIP TO MOST UPSETTING PREGNANCY.

Did you have the baby?

When was that?
What happened with the child?

DATE OF PLACEMENT WITH OTHERS.

CHILDBIRTH

1 = Still Pregnant

2 = Stillbirth

3 = Perinatal death

4 = Live birth, mother or both kept child

5 = Live birth, father kept child

6 = Live birth, child adopted/cared for by another family member

7 = Live birth, child in foster care

8 = Live birth, child released for extra-familial adoption

Ever:CKD3E11
Intensity

DATE OF BIRTH OF CHILD

Ever:CKD3O11

/ /

DATE OF PLACEMENT - (GIRLS) - FIRST PREGNANCY

Ever:CKD4O11

/ /

INVOLVEMENT IN PLACEMENT DECISION

0 = Subject's decision

2 = Other(s) made decision, with subject's agreement.

3 = Other(s) made decision against subject's own wishes.

Ever:CKD4I11

PREGNANCY (GIRLS) - SECOND PREGNANCY

Subject ever pregnant.

Have you ever been pregnant?

When did you find our you were pregnant?
When did you get pregnant?
How did you find out?
Were you planning to get pregnant?
Did you want to be pregnant?

PREGNANCY

0 = No

2 = Yes

Ever:CKD1E21
Intensity

Ever:CKD1O21
Onset

/ /

DATE OF AWARENESS - (GIRLS) - SECOND PREGNANCY

Ever:CKD1O22

/ /

INTENTIONALITY

1 = Planned pregnancy

2 = Pregnancy unplanned, wanted

3 = Pregnancy unplanned, unwanted

Ever:CKD1X21

IF PREGNANT A SECOND TIME, COMPLETE. OTHERWISE, SKIP TO "PREGNANCY (GIRLS) - ATTRIBUTION", (PAGE 62).

Definitions and questions

Coding rules

Codes

PREMATURE TERMINATION OF PREGNANCY (GIRLS) - SECOND PREGNANCY

Pregnancy ends for reason other than birth (e.g. miscarriage, abortion).

What happened when you found out you were pregnant?

Who decided that should happen?
Were your parents involved?
The father of the child?
IF ABORTION, ASK:

Do you feel OK about how the decision was made?

PREMATURE TERMINATION OF PREGNANCY

0 = No

2 = Miscarriage

3 = Abortion

Ever:CKD2E21
Intensity

Ever:CKD2O21
Onset

/ /

Ever:CKD2X21
Frequency

INVOLVEMENT IN ABORTION DECISION

0 = Subject's decision, with or without consultation with other(s).

2 = Other(s) made decision, with subject's agreement.

3 = Other(s) made decision against subject's own wishes.

Ever:CKD2X22

Definitions and questions | Coding rules | Codes

CHILDBIRTH (GIRLS) - SECOND PREGNANCY

Pregnancy ends in childbirth, or is expected to end in childbirth.

IF SUBJECT STILL PREGNANT, CODE AND SKIP TO MOST UPSETTING PREGNANCY.

Did you have the baby?

When was that?
What happened with the child?

CHILDBIRTH

1 = Still Pregnant

2 = Stillbirth

3 = Perinatal death

4 = Live birth, mother or both kept child

5 = Live birth, father kept child

6 = Live birth, child adopted/cared for by another family member

7 = Live birth, child in foster care

8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT - (GIRLS) SECOND PREGNANCY

INVOLVEMENT IN PLACEMENT DECISION

0 = Subject's decision

2 = Other(s) made decision, with subject's agreement.

3 = Other(s) made decision against subject's own wishes.

Ever:CKD3E21
Intensity

Ever:CKD3O21
Onset

/ /

Ever:CKD4O21

/ /

Ever:CKD4I21

Definitions and questions	Coding rules	Codes

PREGNANCY (GIRLS) - THIRD PREGNANCY

Subject ever pregnant.

Have you ever been pregnant?

When did you get pregnant?
How did you find out?
Were you planning to get pregnant?
Did you want to be pregnant?

PREGNANCY

0 = No

2 = Yes

Ever:CKD1E31
Intensity

Ever:CKD1O31
Onset

/ /

DATE OF AWARENESS - (GIRLS) - THIRD PREGNANCY

Ever:CKD1O32

/ /

INTENTIONALITY

1 = Planned pregnancy

2 = Pregnancy unplanned, wanted

3 = Pregnancy unplanned, unwanted

Ever:CKD1X31

IF PREGNANT THIRD TIME, COMPLETE SECTION. OTHERWISE, SKIP TO "MOST UPSETTING PREGNANCY", (PAGE 61).

Definitions and questions | Coding rules | Codes

PREMATURE TERMINATION OF PREGNANCY (GIRLS) - THIRD PREGNANCY

Pregnancy ends for reason other than birth (e.g. miscarriage, abortion).

What happened when you found out you were pregnant?

Who decided what should happen?
Were your parents involved?
The father of the child?
IF ABORTION, ASK:

Do you feel OK about how the decision was made?

PREMATURE TERMINATION OF PREFGNANCY

0 = No

2 = Miscarriage

3 = Abortion

INVOLVEMENT IN ABORTION DECISION

0 = Subject's decision, with or without consultation with other(s).

2 = Other(s) made decision, with subject's agreement.

3 = Other(s) made decision against subject's own wishes.

Ever:CKD2E31
Intensity

Ever:CKD2O31
Onset

/ /

Ever:CKD2X31
Frequency

Ever:CKD2X32

Coding rules

Codes

CHILDBIRTH (GIRLS) THIRD PREGNANCY

Pregnancy ends in childbrith, or is expected to end in childbirth.

Did you have the baby?

When was that?
What happened wtih the child?

CHILDBIRTH

1 = Still Pregnant

2 = Stillbirth

3 = Perinatal death

4 = Live birth, mother or both kept child

5 = Live birth, father kept child

6 = Live birth, child adopted/cared for by another family member

7 = Live birth, child in foster care

8 = Live birth, child released for extra-familial adoption

Ever:CKD3E31
Intensity

Ever:CKD3O31
Onset

/ /

DATE OF PLACEMENT - (GIRLS) - THIRD PREGNANCY

Ever:CKD4O31

/ /

INVOLVEMENT IN PLACEMENT DECISION

0 = Subject's decision

2 = Other(s) made decision, with subject's agreement.

3 = Other(s) made decision against subject's own wishes.

Ever:CKD4I31

IF MORE THAN ONE PREGNANCY ASK. OTHERWISE, SKIP TO "PREGNANCY (GIRLS) - ATTRIBUTION", (PAGE 62).

MOST UPSETTING PREGNANCY

What part of the pregnancy was the most upsetting for you?

IF SUBJECT EVER PREGNANT, COMPLETE ATTRUBUTION AND PAINFUL RECALL ON THE PART OF THE PREGNANCY THAT WAS THE MOST UPSETTING TO THE SUBJECT

UPSETTING PART OF PREGNANCY

0 = No upsetting part

2 = Finding out girl was pregnant

3 = Miscarriage

4 = Decision to have abortion

5 = Having abortion

6 = Stillbirth or perinatal death

7 = Birth

8 = Placement decision

9 = Whole experience

Ever:CKD5I01
Intensity

Ever:CKD5O01
Onset

/ /

Definitions and questions	Coding rules	Codes

PREGNANCY (GIRLS) - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

In what way?
Which ones?

PREGNANCY (GIRLS) - ATTRIBUTION

0 = No

2 = Yes

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTION TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

IIOT506
Intensity

CKD5X01

CKD5X02

CKD5X03

CKD5X04

CKD5X05

CKD5X06

CKD5X07

CKD5X08

CKD5X09

CKD5X10

CKD5X11

CKD5X12

CKD5X13

CKD5X14

Definitions and questions	Coding rules	Codes

CKD5X15

CKD5X16

CKD5X17

PREGNANCY (GIRLS) - PAINFUL RECALL

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Even when you didn't want them to?

What was that like?
Have you had any nightmareas about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKD6I01
Intensity

IF PREGNANCY PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "DEATH OF LOVED ONE", (PAGE 78).

Definitions and questions

Coding rules

Codes

PREGNANCY (GIRLS) - AVOIDANCE

Do certain things/thoughts remind you of "life event"?

What things?
Do ypi try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKD6I02
Intensity

PREGNANCY (GIRLS) - HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKD6I03
Intensity

IF SUBJECT IS MALE COMPLETE. OTHERWISE,, SKIP TO "DEATH OF LOVED ONE", (PAGE 78).

MAKES SOMEONE PREGNANT (BOYS)

Have you ever gotten a girl pregnant?

When did you find out she was pregnant?
When did she get pregnant?
How did you find out?
Were you planning to get her pregnant?
Did she want to be pregnant?

IF EVER PRESENT, COMPLETE SECTION ON UP TO THREE PREGNANCIES. OTHERWISE, SKIP TO "DEATH OF LOVED ONE", (PAGE 78).

MAKES SOMEONE PREGNANT

0 = No

2 = Yes

DATE OF AWARENESS - MAKES SOMEONE PREGNANT (BOYS)

INTENTIONALITY

1 = Planned pregnancy

2 = Pregnancy unplanned, wanted

3 = Pregnancy unplanned, unwanted

Ever:CKD7E11
Intensity

Ever:CKD7O11
Onset

/ /

Ever:CKD7O12

/ /

Ever:CKD7X11

Definitions and questions   Coding rules   Codes

PREMATURE TERMINATION OF PREGNANCY (BOYS) - FIRST PREGNANCY

What happened when she got pregnant?
Is she still pregnant?

Did she have the baby?
Who decided what should happen?
Were you involved in the decision?
IF ABORTION, ASK:

Do you feel OK about how the decision was made?

PREMATURE TERMINATION OF PREGNANCY

0 = No

2 = Miscarriage

3 = Abortion

Ever:CKD8E11
Intensity

Ever:CKD8O11
Onset

/ /

Ever:CKD8X11
Frequency

INVOLVEMENT IN ABORTION DECISION

0 = Aware an part of the decision process.

2 = Informed but not involved in the decision though willing to be.

3 = Not informed until after termination, or not involved.

4 = Refused to be involved.

Ever:CKD8X12

Definitions and questions | Coding rules | Codes

CHILDBIRTH (BOYS) - FIRST PREGNANCY

Did she have the baby?
When was that?
What happened with the child?
Do you get to see the baby at all?

Do you want to?
How often do you see him/her?

CHILDBIRTH

1 = Still Pregnant

2 = Stillbirth

3 = Perinatal death

4 = Live birth, mother or both kept child

5 = Live birth, father kept child

6 = Live birth, child adopted/cared for by another family member

7 = Live birth, child in foster care

8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT - MAKES SOMEONE PREGNANT (BOYS)

CONTACT WITH CHILD

0 = Lives with and helps care for child

1 = Sees child at least once a week

2 = Sees child at least once a month

3 = Sees child less than once a month

4 = Never sees child

Ever:CKD9E11
Intensity

Ever:CKD9O11
Onset
/ /

Ever:CKEOO11
/ /

Ever:CKEOI11

Definitions and questions   Coding rules   Codes

MAKES SOMEONE PREGNANT (BOYS) - SECOND PREGNANCY

Subject became aware that he has ever made a girl pregnant.

Have you ever gotten a girl pregnant?

When did he find out she was pregnant?
When did she get pregnant?
How did you find out?
Were you planning to get her pregnant?
Did she want to be pregnant?

MAKES SOMEONE PREGNANT

0 = Absent

2 = Present

Ever:CKD7E21
Intensity

Ever:CKD7O21
Onset

/ /

DATE OF AWARENESS - MAKES SOMEONE PREGNANT (BOYS) - SECOND PREGNANCY

Ever:CKD7O22

/ /

INTENTIONALITY

0 = Planned Pregnancy

2 = Pregnancy unplanned, wanted

3 = Pregnancy unplanned, unwanted

Ever:CKD7X21

IF PRESENT, COMPLETE SECTION ON UP TO THREE PREGNANCIES. OTHERWISE, SKIP TO "MAKES SOMEONE PREGNANT (BOYS) - ATTRIBUTION", (PAGE 75).

Definitions and questions | Coding rules | Codes

PREMATURE TERMINATION OF PREGNANCY (BOYS) - SECOND PREGNANCY

Pregnancy ends for reason other than birth (e.g. miscarriage abortion).

What happened when she got pregnant?

Is she still pregnant?
Did she have the baby?
Who decided what should happen?
Were you involved in the decision?
IF ABORTION, ASK:

Do you feel OK about how the decision was made?

PREMATURE TERMINATION OF PREGNANCY

0 = No

2 = Miscarriage

3 = Abortion

Ever:CKD8E21
Intensity

Ever:CKD8O21
Onset

/ /

Ever:CKD8X21
Frequency

INVOLVEMENT IN ABORTION DECISION

0 = Aware an part of the decision process.

2 = Informed but not involved in the decision though willing to be.

3 = Not informed until after termination, or not involved.

4 = Refused to be involved.

Ever:CKD8X22

Definitions and questions   Coding rules   Codes

CHILDBIRTH (BOYS) - SECOND PREGNANCY

Pregnancy ends in childbirth or is expected to end in childbirth.

Did she have the baby?
When was that?
What happened with the child?

CHILDBIRTH

1 = Still Pregnant

2 = Stillbirth

3 = Perinatal death

4 = Live birth, mother or both kept child

5 = Live birth, father kept child

6 = Live birth, child adopted/cared for by another family member

7 = Live birth, child in foster care

8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT

CONTACT WITH CHILD

0 = Lives with and helps care for child

1 = Sees child at least once a week

2 = Sees child at least once a month

3 = Sees child less than once a month

4 = Never sees child

Ever:CKD9E21
Intensity

Ever:CKD9O21
Onset

/ /

Ever:CKE0O21

/ /

Ever:CKE0I21

MAKES SOMEONE PREGNANT (BOYS) - THIRD PREGNANCY

Subject became aware that he has ever made a girl pregnant.

Have you ever gotten a girl pregnant?

When did he find out she was pregnant?
When did she get pregnant?
How did you find out?
Were you planning to get her pregnant?
Did she want to be pregnant?

IF THIRD PREGNANCY PRESENT, COMPLETE SECTION. OTHERWISE, SKIP TO "MOST UPSETTING PREGNANCY (BOYS)", (PAGE 74).

EVER: MAKES SOMEONE PREGNANT

0 = Absent

2 = Present

DATE OF AWARENESS - THIRD PREGNANCY

INTENTIONALITY

0 = Planned Pregnancy

2 = Pregnancy unplanned, wanted

3 = Pregnancy unplanned, unwanted

Ever:CKD7E31
Intensity

Ever:CKD7O31
Onset

/ /

Ever:CKD7O32

/ /

Ever:CKD7X31

Definitions and questions	Coding rules	Codes

PREMATURE TERMINATION OF PREGNANCY (BOYS) - THIRD PREGNANCY

Pregnancy ends for reason other than birth (e.g. miscarriage, abortion).

What happened when she got pregnant?

Is she still pregnant?
Did she have the baby?
Who decided what should happen?
Were you involved in the decision?
IF ABORTION, ASK:

Do you feel OK about how the decision was made?

PREMATURE TERMINATION OF PREGNANCY

0 = No

2 = Miscarriage

3 = Abortion

Ever:CKD8E31
Intensity

Ever:CKD8O31
Onset

/ /

Ever:CKD8X31
Frequency

INVOLVEMENT IN ABORTION DECISION

0 = Aware an part of the decision process.

2 = Informed but not involved in the decision though willing to be.

3 = Not informed until after termination, or not involved.

4 = Refused to be involved.

Ever:CKD8X32

Definitions and questions | Coding rules | Codes

CHILDBIRTH (BOYS) - THIRD PREGNANCY

Pregnancy ends in childbirth or is expected to end in childbirth.

Did she have the baby?
When was that?
What happened with the child?
Do you get to see the baby at all?

Do you want to?
How often do you see him/her?

CHILDBIRTH

1 = Still Pregnant

2 = Stillbirth

3 = Perinatal death

4 = Live birth, mother or both kept child

5 = Live birth, father kept child

6 = Live birth, child adopted/cared for by another family member

7 = Live birth, child in foster care

8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT - CHILDBIRTH (BOYS) - THIRD PREGNANCY

CONTACT WITH CHILD

0 = Lives with and helps care for child

1 = Sees child at least once a week

2 = Sees child at least once a month

3 = Sees child less than once a month

4 = Never sees child

Ever:CKD9E31
Intensity

Ever:CKD9O31
Onset

/ /

Ever:CKEOO31

/ /

Ever:CKEOI31

IF MORE THAN ONE PREGNANCY, ASK MOST UPSETTING PREGNANCY (BOYS), SKIP TO "MAKES SOMEONE PREGNANT (BOYS) - ATTRIBUTION", (PAGE 75).

Definitions and questions

Coding rules

Codes

MOST UPSETTING PREGNANCY (BOYS)

IF MORE THAN ONE PREGNANCY, ASK WHICH PREGNANCY WAS THE MOST UPSETTING.

What part of that pregnancy was the most upsetting for you?

UPSETTING PART OF PREGNANCY

0 = No upsetting part

2 = Finding out girl was pregnant

3 = Miscarriage

4 = Decision to have abortion

5 = Having abortion

6 = Stillbirth or perinatal death

7 = Birth

8 = Placement decision

9 = Whole experience

Ever:CKE1I01
Intensity

Ever:CKE1O01
Onset

/ /

MAKES SOMEONE PREGNANT (BOYS) - ATTRIBUTION

In the last 3 months has "life event" affected anything we've talked about?

Which ones?
In what way?

PRESENT 2

0 = Absent

2 = Present

abcx111
Intensity

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

CKE1X01

1 = School non-attendance.

2 = Separation anxiety.

CKE1X02

3 = Worries/anxiety.

4 = Obsessions/compulsions.

CKE1X03

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

MAKES SOMEONE PREGNANT (BOYS) - PAINFUL RECALL

In the last 3 months have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKE2I01
Intensity

IF MAKES SOMEONE PREGNANT PAINFULL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "DEATH OF LOVED ONE", (PAGE 78).

Definitions and questions	Coding rules	Codes

MAKES SOMEONE PREGNANT (BOYS) - AVOIDANCE

Do certain things/thoughts remind you of "life event"?

What things?
In what way?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKE2IO2
Intensity

MAKES SOMEONE PREGNANT (BOYS) - HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKE2IO3
Intensity

Definitions and questions	Coding rules	Codes

DEATH OF LOVED ONE

Death of someone close to the subject: biological parent, other parental figure, other relative with whom subject has close ties, other adult who has played a significant role in the child's life, subjects own child, or pet.

IF MORE THEN 2 DEATHS, CODE DEATH OR PARENTAL FIGURE AND ANOTHER THAT THE SUBJECT DESCRIBES AS THE MOST UPSETTING

Has anyone close to you died?

Who was that?
What happened?
When did it happen?
What did s/he die of?

DEATH OF LOVED ONE #1: RELATIONSHIP TO SUBJECT

0 = Absent

1 = Biological parent.

2 = Step/adoptive/foster parent.

3 = Other parental figure.

4 = Grandparent

5 = Aunt or uncle.

6 = Close unrelated adult.

8 = Other close related adult.

Ever:CKE3E01
Intensity

EVER: DATE OF DEATH LOVED ONE #1

Ever:CKE3O01

/ /

CAUSE OF DEATH - 1

Ever:CKE3X01

1 = Physical illness.

2 = Accident

3 = Suicide

4 = Natural disaster (flood, earthquake).

5 = Fire

6 = War or terrorism.

7 = Riots or urban violence.

8 = Noxious agent.

9 = Physical violence.

10 = Physical abuse.

11 = Captivity

DEATH OF LOVED ONE #2: RELATIONSHIP TO SUBJECT

Ever:CKE4E01

0 = Absent

1 = Biological parent.

2 = Step/adoptive/foster parent.

3 = Other parental figure.

4 = Grandparent

5 = Aunt or uncle.

6 = Close unrelated adult.

8 = Other close related adult.

EVER: DATE OF DEATH OF LOVED ONE #2

Ever:CKE4O01

/ /

Definitions and questions

Coding rules

Codes

CAUSE OF DEATH - 2

1 = Physical illness.

2 = Accident

3 = Suicide

4 = Natural disaster (flood, earthquake).

5 = Fire

6 = War or terrorism.

7 = Riots or urban violence.

8 = Noxious agent.

9 = Physical violence.

10 = Physical abuse.

11 = Captivity

Ever:CKE4X01

IF DEATH OF ADULT LOVED ONE NOT PRESENT, SKIP TO "DEATH OF SIBLING OR PEER", (PAGE 83).

DEATH OF LOVED ONE - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKE3X09
Intensity

CKE3X02

CKE3X03

CKE3X04

CKE3X05

CKE3X06

CKE3X07

DEATH OF LOVED ONE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any disturbing memories of the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKE5I01
Intensity

Definitions and questions   Coding rules   Codes

**IF DEATH OF LOVED ONE PAINFUL
RECALL PRESENT, ASK AVOIDANCE
AND HYPERAROUSAL. OTHERWISE,
SKIP TO "DEATH OF SIBLING OR
PEER", (PAGE 83).**

DEATH OF LOVED ONE-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

DEATH OF LOVED ONE-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKE5IO2
Intensity

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKEIOO3
Intensity

Definitions and questions	Coding rules	Codes

DEATH OF SIBLING OR PEER

Death of subject's sibling, close friend or other peer.

IF MORE THAN 2 DEATHS, CODE THOSE THAT THE SUBJECT REPORTS AS MOST UPSETTING.

Has a friend of you ever died?

Or one of your brothers or sisters or cousins?
Who was that?
What happened?
When did it happen?
What did s/he die of?
Have you known anyone around your age who has committed suicide?

What happened?
When did it happen?

DEATH OF A CHILD

0 = Absent

1 = Biological child

2 = Adoptive child

3 = Step or foster child

4 = Cousin or other close child

5 = Non-biological child living in the home

6 = Childhood friend from school

Ever:CKE6E01
Intensity

ONSET: DEATH OF A SIBLING OR PEER #1

Ever:CKE6O01

/ /

DEATH OF A SIBLING OR PEER: CAUSE OF DEATH

1 = Physical illness.

2 = Accident

3 = Suicide

4 = Natural disaster (flood, earthquake).

5 = Fire

6 = War or terrorism.

7 = Riots or urban violence.

8 = Noxious agent.

9 = Physical violence.

10 = Physical abuse.

11 = Captivity

Ever:CKE6X01

DEATH OF A SIBLING OR PEER

0 = Absent

1 = Biological Sibling

2 = Step/Adopted/Foster Sibling

3 = Close Friend

4 = Other Friend

5 = Acquaintance at school

6 = Other related child

Ever:CKE7E01

ONSET: DEATH OF A SIBLING OR PEER #2

Ever:CKE7O01

/ /

DEATH OF A SIBLING OR PEER #2: CAUSE OF DEATH

1 = Physical illness.

Ever:CKE7X01

Definitions and questions	Coding rules	Codes
	2 = Accident	
	3 = Suicide	
	4 = Natural disaster (flood, earthquake).	
	5 = Fire	
	6 = War or terrorism.	
	7 = Riots or urban violence.	
	8 = Noxious agent.	
	9 = Physical violence.	
	10 = Physical abuse.	
	11 = Captivity	

IF DEATH OF A SIBLLING PRESENT, COMPLETE ATTRIBUTION AND PAINFUL RECALL FOR THE MOST UPSETTING DEATH. OTHERWISE, SKIP TO "NATURAL DISASTER", (PAGE 88).

DEATH OF A SIBLING OR PEER - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKE6I99
Intensity

CKE6X02

CKE6X03

CKE6X04

CKE6X05

CKE6X06

CKE6X07

DEATH OF A SIBLING OR PEER-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKE8I01
Intensity

Coding rules

Codes

IF DEATH OF A SIBLING PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "NATURAL DISASTER", (PAGE 88).

Definitions and questions

Coding rules

Codes

DEATH OF A SIBLING OR PEER-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKE8IO2
Intensity

DEATH OF A SIBLING OR PEER-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKE8IO3
Intensity

NATURAL DISASTER

Events not caused by intentional human actions (e.g. floods, hurricanes, tornadoes) in which people actually died or were badly injured or property was extensively damaged, or there was serious risk of these outcomes.

Have you ever been in a terrible storm, tornado, or hurricane?

Or an earthquake?

Or a flood?

What happened?
How bad was it?
Were people killed?
Were you afraid that people would be killed or badly hurt?
Or that you would die or be badly hurt?
When did that happen?

IF NATURAL DISASTER PRESENT COMPLETE. OTHERWISE, SKIP TO "FIRE", (PAGE 91).

NATURAL DISASTER

0 = No

2 = Storm

3 = Tornado

4 = Hurricane

5 = Earthquake

6 = Flood

7 = More than one type.

NATURAL DISASTER

0 = No

2 = Storm

3 = Tornado

4 = Hurricane

5 = Earthquake

6 = Flood

7 = More than one type.

Ever:CKE9E01
Intensity

Ever:CKE9O01
Onset

/ /

Ever:CKE9V01
Frequency

CKE9I01
Intensity

CKE9O02
Onset

/ /

CKE9F01
Frequency

NATURAL DISASTER - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKE9I99
Intensity

CKE9X01

CKE9X02

CKE9X03

CKE9X04

CKE9X05

CKE9X06

NATURAL DISASTER: PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into you mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKF0I01
Intensity

IF NATURAL DISASTER PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "FIRE", (PAGE 91).

Definitions and questions	Coding rules	Codes

NATURAL DISASTER: AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKF0IO2
Intensity

NATURAL DISASTER: HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKF0IO3
Intensity

FIRE

Fire, either accidentally or deliberately set, in which people actually died or were badly injured or property was extensively damaged, or there was serious risk of these outcomes.

Have you ever been in a terrible fire?

What happened?
How bad was it?
Were people killed?
Were you afraid that people would be killed or badly hurt?
Or that you would die or be badly hurt?
When did that happen?
How do you think that the fire started?

Was it an accident?

FIRE

0 = Absent

2 = Accidental fire.

3 = Intentionally set fire.

Ever:CKF1E01
Intensity

Ever:CKF1V01
Frequency

Ever:CKF1O01
Onset

/ /

FIRE

0 = Absent

2 = Accidental fire.

3 = Intentionally set fire.

CKF1I01
Intensity

CKF1O02
Onset

/ /

IF "FIRE" NOT PRESENT, SKIP TO "WAR OR TERRORISM", (PAGE 94).

Definitions and questions	Coding rules	Codes

FIRE - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKF1I99
Intensity

CKF1X01

CKF1X02

CKF1X03

CKF1X04

CKF1X05

CKF1X06

FIRE: PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKF2I01
Intensity

**IF FIRE PAINFUL RECALL PRESENT,
ASK AVOIDANCE AND
HYPERAROUSAL. OTHERWISE, SKIP
TO "WAR OR TERRORISM", (PAGE 94).**

FIRE: AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKF2I02
Intensity

FIRE: HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKF2I03
Intensity

WAR OR TERRORISM

Subject has lived for at least a day in an area in which civil law was disrupted (e.g. a country at war or an area in which civil war or terrorism has disrupted normal life).

Have you ever been in a war?

Or somewhere where armies or terrorists were fighting?

What happened?
When did that happen?
What did you see?
Were people killed?
Were you afraid that people would be killed?
Were you afraid that you might be hurt?
Or that you would die?
How long were you there?

WAR OR TERRORISM

0 = No

2 = Yes

Ever:CKF3E01
Intensity

Ever:CKF3O01
Onset

/   /

DAYS

Ever:CKF3D01
Duration

WAR OR TERRORISM

0 = No

2 = Yes

CKF3I01
Intensity

CKF3O02
Onset

/   /

DAYS

CKF3D02
Duration

IF WAR OR TERRORISM NOT PRESENT, SKIP TO "WITNESS TO EVENT THAT CAUSED, OR HAD POTENTIAL TO CAUSE, DEATH OR SEVERE INJURY", (PAGE 99).

Definitions and questions

Coding rules

Codes

Definitions and questions	Coding rules	Codes

WAR OR TERRORISM - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKF3I99
Intensity

CKF3X01

CKF3X02

CKF3X03

CKF3X04

CKF3X05

CKF3X06

WAR OR TERRORISM: PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKF4I01
Intensity

Coding rules Codes

IF WAR OR TERRORISM PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "WITNESS TO EVENT THAT CAUSED, OR HAD POTENTIAL TO CAUSE, DEATH OR SEVERE INJURY", (PAGE 99).

WAR OR TERRORISM: AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKF4I02
Intensity

WAR OR TERRORISM: HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKF4I03
Intensity

Definitions and questions	Coding rules	Codes

WITNESS TO EVENT THAT CAUSED, OR HAD POTENTIAL TO CAUSE, DEATH OR SEVERE INJURY

Person saw or heard but was not the object of an event with potential for life threat or severe physical injury. Include seeing someone shot or killed, hearing someone raped or beaten in an adjacent room, seeing another person killed or severely injured in an accident.

Do not include events seen in movies or on the news.

Have you ever seen or heard something really terrible happen to anyone?

Like someone dying?
Or being badly hurt?
Or being beaten up?
What happened?
Have you ever seen or heard someone in your family hurting or beating up someone else in your family?

WITNESS TO EVENT

0 = Absent

2 = Present, to stranger.

3 = Present, to acquaintance.

4 = Present, to friend.

5 = Present, to family member.

Ever:CKF5E01
Intensity

Ever:CKF5O01
Onset

/ /

PERPETRATOR

0 = No perpetrator.

2 = Unknown perpetrator.

3 = Acquaintance

4 = Friend

5 = Family member.

Ever:CKF5X01

WITNESS TO EVENT

0 = Absent

2 = Present, to stranger.

3 = Present, to acquaintance.

4 = Present, to friend.

5 = Present, to family member.

CKF5I01
Intensity

CKF5O02
Onset

/ /

PERPETRATOR

0 = No perpetrator.

2 = Unknown perpetrator.

3 = Acquaintance

4 = Friend

5 = Family member.

CKF5X02

Definitions and questions

Coding rules

Codes

IF WITNESS TO EVENT THAT CAUSED, OR HAD POTENTIAL TO CAUSE, DEATH OR SEVERE INJURY NOT PRESENT, SKIP TO "LEARNED ABOUT EVENT POSSIBLY CAUSING SEVERE INJURY OR DEATH", (PAGE 104).

Definitions and questions	Coding rules	Codes

WITNESS TO EVENT-ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKF5I99
Intensity

CKF5X04

CKF5X05

CKF5X06

CKF5X07

CKF5X08

CKF5X09

WITNESS TO EVENT-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKF6I01
Intensity

IF WITNESS TO EVENT PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "LEARNED ABOUT EVENT POSSIBLY CAUSING SEVERE INJURY OR DEATH", (PAGE 104).

Coding rules Codes

WITNESS TO EVENT-AVOIDANCE

Do certain things remind you of "life event"?

What happened?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKF6I02
Intensity

WITNESS TO EVENT-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKF6I03
Intensity

Definitions and questions | Coding rules | Codes

LEARNED ABOUT EVENT POSSIBLY CAUSING SEVERE INJURY OR DEATH

Person learned about, but did not see or hear, an event with serious potential for life threat or severe physical injury to a loved one (e.g. first or second degree relative or close personal friend).

Has someone you really care about ever had anything really terrible happen to them?

Or been badly hurt?
Or been beaten up?
What happened?

LEARNED ABOUT EVENT

0 = Absent

2 = Present, to friend

3 = Present, to 2nd degree relative

4 = Present, to 1st degree relative

Ever:CKF7E01
Intensity

Ever:CKF7O01
Onset

/ /

EVER: PERPETRATOR

0 = No perpetrator.

2 = Unknown perpetrator.

3 = Acquaintance

4 = Friend

5 = Family member.

Ever:CKF7X01

LEARNED ABOUT EVENT

0 = Absent

2 = Present, to friend

3 = Present, to 2nd degree relative

4 = Present, to 1st degree relative

CKF7I01
Intensity

CKF7O02
Onset

/ /

PERPETRATOR

0 = No perpetrator.

2 = Unknown perpetrator.

3 = Acquaintance

4 = Friend

5 = Family member.

CKF7X02

IF LEARNED ABOUT EVENT POSSIBLY CAUSING SEVERE INJURY OR DEATH NOT PRESENT, SKIP TO "LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT", (PAGE 108).

Definitions and questions

Coding rules

Codes

Definitions and questions	Coding rules	Codes

LEARNED ABOUT EVENT - ATTRIBUTION

In the last 3 months, has this affected any of the problems we've been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

CKF7E02
Intensity

ATTRIBUTION OF LIFE EVENT AS CONTRIBUTING TO PROBLEM WITH:

CKF7X03

1 = School non-attendance.

2 = Separation anxiety.

CKF7X04

3 = Worries/anxiety.

4 = Obsessions/compulsions.

CKF7X05

5 = Depression

6 = Mania

CKF7X06

7 = Physical symptoms.

8 = Food-related behavior.

CKF7X07

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

CKF7X08

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

LEARNED ABOUT EVENT-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKF8I01
Intensity

**IF LEARNED ABOUT EVENT PAINFUL
RECALL PRESENT, ASK AVOIDANCE
AND HYPERAROUSAL. OTHERWISE,
SKIP TO "LEARNED ABOUT
EXPOSURE TO NOXIOUS AGENT",
(PAGE 108).**

LEARNED ABOUT EVENT-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKF8I02
Intensity

LEARNED ABOUT EVENT-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKF8I03
Intensity

LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT

Person learned about exposure to noxious agent such as chemicals, environmental contaminants, infectious agents such as HIV, or other poisons capable of causing death or severe physical injury. Include radiation exposure after a nuclear power plant accident or accidental ingestion of a toxic substance like pesticide. Do not include fluoridated water or common illnesses like chicken pox.

Have you ever had contact with anything that you thought might make you sick or die?

Like chemicals, radiation, or other poisons?
Or to a disease that you could die from?

How did that happen?

EXPOSURE TO NOXIOUS AGENT

0 = No

2 = Yes, exposure to chemical

3 = Yes, exposure to infectious agent

Ever:CKF9E01
Intensity

Ever:CKF9O01
Onset

/ /

EXPOSURE TO NOXIOUS AGENT

0 = No

2 = Yes, exposure to chemical

3 = Yes, exposure to infectious agent

CKF9I01
Intensity

CKF9O02
Onset

/ /

IF LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT ABSENT, SKIP TO "CAUSING DEATH OR SEVERE HARM", (PAGE 112).

Definitions and questions	Coding rules	Codes

LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT - ATTRIBUTION

Which ones?
In what way?

ATTRIBUTION OF LIFE EVENT AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

CKF9X01

CKF9X02

CKF9X03

CKF9X04

CKF9X05

CKF9X06

In the last 3 months, has this affected any of the problems we've been talking about?

ATTRIBUTION

0 = Absent

2 = Present

CKF9E02
Intensity

LEARNED ABOUT EXPOSURE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKG0I01
Intensity

IF LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "CAUSING DEATH OR SEVERE HARM", (PAGE 112).

LEARNED ABOUT EXPOSURE-AVOIDANCE

Do certain things remind you of "life event"?

What happened?
Do you try to avoid these things/thoughts?

LEARNED ABOUT EXPOSURE-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKG0IO2
Intensity

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKG0IO3
Intensity

CAUSING DEATH OR SEVERE HARM

Person caused an event resulting in death or severe physical injury.

Include causing a car accident, shooting or otherwise injuring another person, i.e. starting a fire. Do not include delusional guilt over events not under subject's control.

Have you or someone you were with ever hurt another person badly?

Or caused another person to die?

What happened?
Did you mean to hurt him/her?
Was it an accident?

CAUSING DEATH OR SEVERE HARM

0 = Absent

2 = Severe Harm

3 = Death

Ever:CKG1E01
Intensity

Ever:CKG1O01
Onset

/ /

PERSON HURT

2 = Stranger

3 = Acquaintance

4 = Friend

5 = Family member

Ever:CKG1X01

INTENTIONALITY

0 = Harm was accidental.

2 = Intended to hurt.

3 = Intended to kill.

Ever:CKG1X02

CAUSING DEATH OR SEVERE HARM

0 = Absent

2 = Severe Harm

3 = Death

CKG1I01
Intensity

CKG1O02
Onset

/ /

PERSON HURT

2 = Stranger

3 = Acquaintance

4 = Friend

5 = Family member

CKG1X03

INTENTIONALITY

0 = Harm was accidental.

2 = Intended to hurt.

3 = Intended to kill.

CKG1X04

IF CAUSING DEATH OR SEVERE INJURY NOT PRESENT, SKIP TO "VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)", (PAGE 117).

Definitions and questions	Coding rules	Codes

CAUSING DEATH OR SEVERE HARM - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKG1I99
Intensity

CKG1X05

CKG1X06

CKG1X07

CKG1X08

CKG1X09

CKG1X10

CAUSING DEATH OR SEVERE HARM-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKG2I01
Intensity

IF CAUSING DEATH OR SEVERE HARM PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)", (PAGE 117).

Definitions and questions   Coding rules   Codes

CAUSING DEATH OR SEVERE HARM-AVOIDANCE

Do certain things remind you of "life event"?

What happened?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKG2IO2
Intensity

CAUSING DEATH OR SEVERE HARM-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKG2IO3
Intensity

Definitions and questions

Coding rules

Codes

VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)

Subject has been the victim of physical violence, with one or more people using force against the subject with potential to cause death or serious injury. Force may have been used in order to get something (e.g. mugging, robbery), or to intimidate or frighten subject, or for its own sake (assault, fight, torture). Victim may have been threatened with a weapon.

Code physical abuse by family member separately.

Has anyone ever hit or hurt you badly?

Has anyone ever robbed or mugged you?

Or beaten you up really badly?
What happened?
Did they threaten you with a weapon?
Why did they do it?
Do you know who did it?

When was the first time?

VICTIM OF PHYSICAL VIOLENCE

0 = Absent

2 = Some physical injury (e.g., black eye, cuts), or force with potential for such.

3 = Serious injury (e.g., broken limb, unconsciousness, hospitalization), or force with potential for such.

Ever:CKG3E01
Intensity

Ever:CKG3V01
Frequency

Ever:CKG3O01
Onset

/ /

PERSON USING FORCE

2 = Known peer.

3 = Known non-familial adult.

4 = Unknown adult.

5 = Unknown peer.

6 = More than one person.

Ever:CKG3X01

THREATENED WITH WEAPON

0 = Absent

2 = Weapon used to threaten but not to hurt victim.

3 = Weapon used to threaten and injure victim.

Ever:CKG3E02

VICTIM OF PHYSICAL VIOLENCE

0 = Absent

2 = Some physical injury (e.g., black eye, cuts), or force with potential for such.

3 = Serious injury (e.g., broken limb, unconsciousness, hospitalization), or force with potential for such.

CKG3I01
Intensity

CKG3F01
Frequency

CKG3O02
Onset

/ /

Definitions and questions	Coding rules	Codes

PERSON USING FORCE

2 = Known peer.

3 = Known non-familial adult.

4 = Unknown adult.

5 = Unknown peer.

6 = More than one person.

CKG3X02

THREATENED WITH WEAPON

0 = Absent

2 = Weapon used to threaten but not to hurt victim.

3 = Weapon used to threaten and injure victim.

CKG3I02

IF VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE) NOT PRESENT, SKIP TO "VICTIM OF PHYSICAL ABUSE", (PAGE 122).

Definitions and questions	Coding rules	Codes

**VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)
- ATTRIBUTION**

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKG3I99
Intensity

CKG3X03

CKG3X04

CKG3X05

CKG3X06

CKG3X07

CKG3X08

VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKG4I01
Intensity

IF PHYSICAL VIOLENCE (NOT ABUSE) PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "VICTIM OF PHYSICAL ABUSE", (PAGE 122).

Definitions and questions | Coding rules | Codes

VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKG4IO2
Intensity

VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKG4IO3
Intensity

VICTIM OF PHYSICAL ABUSE

Subject has been the victim of physical abuse by a member of the family.

Has anyone in your family ever hit or hurt you badly?

Or beaten you up really badly?
What happened?
Did they threaten you with a weapon?
Why did they do it?

VICTIM OF PHYSICAL ABUSE

0 = Absent

2 = Some physical injury (e.g., black eye, cuts), or force with potential for such.

3 = Serious injury (e.g., broken limb, unconsciousness, hospitalization), or force with potential for such.

Ever:CKG5E01
Intensity

Ever:CKG5O01
Onset

/ /

Ever:CKG5X01

PERSON USING FORCE

1 = Parent #1

2 = Parent #2

3 = Other Parent #1

4 = Other Parent #2

5 = Grandparent (including step grandparent).

6 = Other adult family member.

7 = Sibling in the home.

8 = Sibling not in the home.

9 = Babysitter/Daycare provider.

10 = Unrelated child (peer) living in the home

11 = Other

12 = Spouse or Romantic Partner

Specify

Ever:CKG5V01
Frequency

THREATENED WITH WEAPON

0 = Absent

2 = Weapon used to threaten but not to hurt victim.

3 = Weapon used to threaten and injure victim.

Ever:CKG5E02

VICTIM OF PHYSICAL ABUSE PP

0 = Absent

2 = Some physical injury (e.g., black eye,

CKG5I01
Intensity

Definitions and questions	Coding rules	Codes

cuts), or force with potential for such.

3 = Serious injury (e.g., broken limb, unconsciousness, hospitalization), or force with potential for such.

CKG5O02
Onset

/ /

PERSON USING FORCE

CKG5X02

1 = Parent #1

2 = Parent #2

3 = Other Parent #1

4 = Other Parent #2

5 = Grandparent (including step grandparent).

6 = Other adult family member.

7 = Sibling in the home.

8 = Sibling not in the home.

9 = Babysitter/Daycare provider.

10 = Unrelated child (peer) living in the home

11 = Other

12 = Spouse or Romantic Partner

CKG5F01
Frequency

THREATENED WITH WEAPON

CKG5I02

0 = Absent

2 = Weapon used to threaten but not to hurt victim.

3 = Weapon used to threaten and injure victim.

IF SUBJECT NOT A VICTIM OF PHYSICAL ABUSE, SKIP TO "CAPTIVITY", (PAGE 128).

Definitions and questions	Coding rules	Codes

SEEKING HELP (PHYSICAL ABUSE)

Three forms of supportive response are coded: listening, which could provide social support and emotional relief; personal intervention, which is personally attempting to prevent the reoccurrence of the situation; or intervention involving a professional agency, which might be phoning the police, contacting appropriate services, referring the subject to such services, or removing the subject from what s/he experiences as an unsafe environment. Unsupportive responses include unwillingness to listen, reluctance to get involved, denial of the truth of the story, and threatening the subject if anyone else ever told.

Did you ever tell anyone about these things?

Someone you age?
A family member?
An adult outside your family?
Did s/he help?

What happened?
What did s/he do?
Did you feel s/he/they could have done more?

SEEKING HELP (PHYSICAL ABUSE)

0 = Absent

2 = Present

Ever:CKG6X99
Intensity

SUPPORTIVE REPONSE

2 = Listening

3 = Personal intervention.

4 = Intervention involving professional agency.

Ever:CKG6X01

SUPPORTIVE RESPONSE

2 = Listening

3 = Personal intervention.

4 = Intervention involving professional agency.

Ever:CKG6X02

SUPPORTIVE RESPONSE

2 = Listening

3 = Personal intervention.

4 = Intervention involving professional agency.

Ever:CKG6X03

UNSUPPORTIVE RESPONSE

2 = Unwillingness to listen.

3 = Reluctance to get involved.

4 = Denial of truth of story.

5 = Threaten subject if ever tell anyone.

Ever:CKG6X04

UNSUPPORTIVE RESPONSE

2 = Unwillingness to listen.

3 = Reluctance to get involved.

4 = Denial of truth of story.

5 = Threaten subject if ever tell anyone.

Ever:CKG6X05

UNSUPPORTIVE RESPONSE

2 = Unwillingness to listen.

3 = Reluctance to get involved.

4 = Denial of truth of story.

5 = Threaten subject if ever tell anyone.

Ever:CKG6X06

Definitions and questions	Coding rules	Codes

VICTIM OF PHYSICAL ABUSE - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKG6I99
Intensity

CKG6X07

CKG6X08

CKG6X09

CKG6X10

CKG6X11

CKG6X12

VICTIM OF PHYSICAL ABUSE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any disturbing memories of the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKG7I01
Intensity

Coding rules   Codes

IF SEEKING HELP (PHYSICAL ABUSE) PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "CAPTIVITY", (PAGE 128).

VICTIM OF PHYSICAL ABUSE-AVOIDANCE

Do certain things/thoughts remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKG7IO2
Intensity

VICTIM OF PHYSICAL ABUSE-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKG7IO3
Intensity

Definitions and questions

Coding rules

Codes

CAPTIVITY

Being held against one's will (usually by someone older) under circumstances with potential for death, severe physical injury, sexual or physical assault. Include being kidnapped or held hostage. Do not include grounding, time outs, or being required to stay with a non-desired person or in a non-desired setting such as day care, camp, a hospital, or prison.

Have you ever been kidnapped?

Or taken as a hostage?

Have you ever been locked up against your will?

What happened?
Who did it?
How did they treat you?
What did they want you to do?
How did they make you do what they wanted?
How did you feel at the time?

CAPTIVITY

0 = Absent

2 = Held captive against will for at least a day.

3 = Captivity included threats of death, severe injury, or never seeing family member(s) again.

CAPTIVITY

0 = Absent

2 = Held captive against will for at least a day.

3 = Captivity included threats of death, severe injury, or never seeing family member(s) again.

Ever:CKG8E01
Intensity

Ever:CKG8V01
Frequency

Ever:CKG8O01
Onset

/ /

CKG8I01
Intensity

CKG8F01
Frequency

CKG8O02
Onset

/ /

IF CAPTIVITY NOT PRESENT, SKIP TO "SEXUAL ABUSE OR RAPE", (PAGE 132).

Definitions and questions	Coding rules	Codes

CAPTIVITY - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKG8I99
Intensity

CKG8X01

CKG8X02

CKG8X03

CKG8X04

CKG8X05

CKG8X06

CAPTIVITY-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKG9I01
Intensity

IF CAPTIVITY PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "SEXUAL ABUSE OR RAPE", (PAGE 132).

CAPTIVITY-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

CAPTIVITY-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKG9I02
Intensity

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKG9I03
Intensity

Definitions and questions   Coding rules   Codes

SEXUAL ABUSE OR RAPE

Sexual abuse episode(s) in which a person, termed a perpetrator, involves a child or adolescent in activities for the purpose of the perpetrator's own sexual gratification. These activities can include kissing (that makes a person uncomfortable), genital fondling (over or under clothing), oral-genital or oral-anal contact, genital or anal intercourse, or use of instruments. Sexual abuse does not include medical exams or mutually desires sexual relations with a peer.

Rape is a sudden unexpected (usually isolated) event involving non-consensual sexual intercourse.

Has anyone ever touched you in places where they shouldn't?

Has anyone ever touched you in ways that made you feel funny?

Or seemed wrong to you?

Has anyone ever made you touch them in ways that made you feel uncomfortable?

What happened?
Who was involved?
How did you feel about it?
Were you upset?
When did it first happen?
How many times has it happened?
Has it happened in the last 3 months?

How about in the last 3 months?

SEXUAL ABUSE OR RAPE
0 = Absent
2 = Present
Ever:CKH0X99 Intensity

SEXUAL ABUSE OR RAPE IN LAST 3 MONTHS
0 = Absent
2 = Present
CKH0X98 Intensity

SEXUAL ABUSE
0 = Absent
2 = Present
Ever:CKH0E01

NUMBER OF TIMES SEXUAL ABUSE
Ever:CKH0V01

ONSET SEXUAL ABUSE
Ever:CKH0O01 / /

SEXUAL ABUSE
0 = Absent
2 = Present
CKH0I01

LAST 3 MONTHS: NUMBER OF TIMES SEXUAL ABUSE
CKH0F01

LAST 3 MONTHS: ONSET OF SEXUAL ABUSE
CKH0O02 / /

RAPE
0 = Absent
2 = Present
Ever:CKH0E02

NUMBER OF TIMES RAPE
Ever:CKH0V02

ONSET OF RAPE
Ever:CKH0O03 / /

RAPE
0 = Absent
2 = Present
CKH0I02

LAST 3 MONTHS: NUMBER OF TIMES RAPE
CKH0F02

Definitions and questions	Coding rules	Codes
	LAST 3 MONTHS: ONSET OF RAPE	CKH0O04
		/ /
	PERPETRATOR	Ever:CKH0X01
	2 = Perpetrator is stranger	
	3 = Perpetrator is known individual	Ever:CKH0X02
	Specify	
		Ever:CKH0X03

IF NO EVIDENCE OF POSSIBLE SEXUAL ABUSE, SKIP TO "OTHER EVENT", (PAGE 138).

COERCION (SEXUAL ABUSE)

Use of threat of violence to constrain victim.

Did the person ever threaten to hurt you or get you in trouble if you didn't do what s/he/they wanted?

Or if you told someone?

Did s/he/they actually hurt you?

Did you get any cuts, bruises, or marks?

COERCION

0 = Absent

2 = Low coercion: little threat of severe injury or death, but use of criticism, rewards, punishment or loss of privileges to constrain victim.

3 = Moderate coercion: threats (of death or sever physical injury to victim or another person) but not actual use of force.

4 = High coercion: use of force involving threat or death or severe physical injury to victim or another person.

Ever:CKH2E01
Intensity

COERCION

0 = Absent

2 = Low coercion: little threat of severe injury or death, but use of criticism, rewards, punishment or loss of privileges to constrain victim.

3 = Moderate coercion: threats (of death or sever physical injury to victim or another person) but not actual use of force.

4 = High coercion: use of force involving threat or death or severe physical injury to victim or another person.

CKH2I01
Intensity

Definitions and questions   Coding rules   Codes

SEEKING HELP (SEXUAL ABUSE)

Three forms of supportive response to requests for help are coded: listening, which could provide social support and emotional relief; personal intervention, which is personally attempting to prevent the reoccurrence of the situation; or intervention involving a professional agency, which might be phoning the police, contacting appropriate services, referring the subject to such services, or removing the subject from what s/he experiences as an unsafe environment. Unsupportive responses include unwillingness to listen, reluctance to get involved, denial of the truth of the story, and threatening the child if anyone else ever told.

Did you ever tell anyone about these things?

Did you tell someone you age?

A family member?
Did s/he help?

What happened?
What did s/he do?
Did you feel s/he/they could have done more?

What did s/he do?
An adult outside your family?

Did you feel s/he/they could have done more

What happened?
Did s/he help?

SEEKING HELP (SEXUAL ABUSE)

0 = Absent

2 = Present

SUPPORTIVE RESPONSE: PEERS

2 = Listening

3 = Personal intervention.

4 = Intervention involving professional agency.

SUPPORTIVE RESPONSE: FAMILY MEMBER

2 = Listening

3 = Personal intervention.

4 = Intervention involving professional agency.

SUPPORTIVE RESPONSE: OTHER ADULT

2 = Listening

3 = Personal intervention.

4 = Intervention involving professional agency.

UNSUPPORTIVE RESPONSE- PEERS

2 = Unwillingness to listen.

3 = Reluctance to get involved.

4 = Denial of truth of story.

5 = Threaten subject if ever tell anyone.

UNSUPPORTIVE RESPONSE: FAMILY MEMBER

2 = Unwillingness to listen.

3 = Reluctance to get involved.

4 = Denial of truth of story.

5 = Threaten subject if ever tell anyone.

UNSUPPORTIVE RESPONSE- OTHER ADULT

2 = Unwillingness to listen.

3 = Reluctance to get involved.

4 = Denial of truth of story.

5 = Threaten subject if ever tell anyone.

Ever:XYZ3I15
Intensity

Ever:CKH3X01

Ever:CKH3X02

Ever:CKH3X03

Ever:CKH4X01

Ever:CKH4X02

Ever:CKH4X03

Definitions and questions

Coding rules

Codes

SEXUAL ABUSE: ATTRIBUTION

In the last 3 months, has this affected any of the problems we've been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF LIFE EVENT AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

CKH4X10
Intensity

CKH4X04

CKH4X05

CKH4X06

CKH4X07

CKH4X08

CKH4X09

SEXUAL ABUSE OR RAPE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKH5I01
Intensity

IF SEXUAL ABUSE OR RAPE PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "OTHER EVENT", (PAGE 138).

Definitions and questions

Coding rules

Codes

Definitions and questions	Coding rules	Codes

SEXUAL ABUSE OR RAPE-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKH5IO2
Intensity

SEXUAL ABUSE OR RAPE-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKH5IO3
Intensity

OTHER EVENT

Other event that has made subject feel really terrible, upset, frightened, or shook up.

Has anything else really bad happened to you?

Or made you feel really terrible?

Or really upset or frightened you?

What happened?
When was that?

How many times have you had upsetting things like that happen?

Has anything like that happened in the last 3 months?

OTHER EVENT

0 = Absent

2 = Present

Specify

Ever:CKH6E01
Intensity

Ever:CKH6V01
Frequency

Ever:CKH6O01
Onset

/ /

OTHER EVENT

0 = Absent

2 = Present

Specify

CKH6IO1
Intensity

CKH6F01
Frequency

CKH6O02
Onset

/ /

IF OTHER EVENT NOT PRESENT, SKIP TO "ACTIVE RECALL", (PAGE 10).

Definitions and questions	Coding rules	Codes

OTHER EVENT - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

Which ones?
In what way?

ATTRIBUTION

0 = Absent

2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

1 = School non-attendance.

2 = Separation anxiety.

3 = Worries/anxiety.

4 = Obsessions/compulsions.

5 = Depression

6 = Mania

7 = Physical symptoms.

8 = Food-related behavior.

9 = Hyperactivity/ADD

10 = Conduct disorder.

11 = Alcohol/drugs

12 = Psychosis

13 = Relationships with parent #1 and/or parent #2.

14 = Relationships with other parent #1 and/or other parent #2.

15 = Relationships with other adults.

16 = Sibling relationships.

17 = Peer relationships.

18 = Relationships with spouse or romantic partner

Specify

CKH6I99
Intensity

CKH6X01

CKH6X02

CKH6X03

CKH6X04

CKH6X05

CKH6X06

OTHER EVENT-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into your mind?

Even when you didn't want them to?

What was that like?
Have you had any nightmares about the event?

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

CKH7I01
Intensity

IF OTHER PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "ACTIVE RECALL", (PAGE 10).

OTHER EVENT-AVOIDANCE

Do certain things remind you of "life event"?

What things?
Do you try to avoid these things/thoughts?

OTHER EVENT-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

AVOIDANCE SCREEN

0 = Absent

2 = Present

CKH7I02
Intensity

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

CKH7I03
Intensity

Definitions and questions	Coding rules	Codes

**POST TRAUMATIC STRESS - A
SCREEN FOR LIFE EVENT IN LAST 3 MONTHS**

Mark "Present" if any Life Event in last 3 months had a positive screen.

INTERVIEWER NOTE: Was there a Life Event in the last 3 months with a positive screen?

IF LIFE EVENT IN LAST 3 MONTHS ABSENT, SKIP TO "ACTIVE RECALL", (PAGE 10).

SCREEN FOR LIFE EVENT IN LAST 3 MONTHS

0 = Absent

2 = Present

CLA9X89
Intensity

Definitions and questions	Coding rules	Codes

ACUTE RESPONSES TO TRAUMATIC EVENT

ACUTE EMOTIONAL RESPONSES

Emotional responses to the event when it occurred.

Now I would like to ask you about feelings you may have had when the "life event" occurred.

LIFE EVENT IN THE LAST 3 MONTHS

1 = New Child(ren) in Home

2 = Parental Separation

3 = Parental Divorce

5 = Moving House

6 = Change of School/College/University

7 = Loss of Best Friend Through Moving

8 = Breakup With Best Friend

9 = Breakup With Boy/Girlfriend, Spouse, Or Romantic Partner

10 = Chronically Unsafe Neighborhood

11 = Parental Arrest

12 = Reduction in Standard of Living

13 = Forced Separation From Home

14 = Diagnosis of Physical Illness

15 = Accident

CLA0I01
Intensity

Were you suprised by what happened?

SURPRISE

0 = Absent

2 = Present

CLA1X01

Did you feel helpless?

Like you couldn't do anything to make it better?

HELPLESSNESS

0 = Absent

2 = Present

CLA1X02

Did you feel like it wasn't really happening?

Like it was only a story, not the real thing?

DEREALIZATION

0 = Absent

2 = Present

CLA1X03

Were you afraid or scared?

FEAR

0 = Absent

2 = Present

CLA1X04

Were you worried that you weren't safe?

Or that you might die?

WORRY

0 = Absent

2 = Present

CLA1X05

Did you get angry?

ANGER

0 = Absent

2 = Present

CLA1X06

Definitions and questions	Coding rules	Codes

Did you feel nothing at all?

Like you couldn't feel anything?
Or didn't want to feel anything?

EMOTIONAL NUMBNESS
0 = Absent
2 = Present
CLA1X07

Were you grossed out or disgusted by what happened?

DISGUST/REVULSION
0 = Absent
2 = Present
CLA1X08

Did you feel out of control?

That you might not be able to control your feelings?

OUT OF CONTROL
0 = Absent
2 = Present
CLA1X09

Did you feel sad?

SAD
0 = Absent
2 = Present
CLA1X10

Did you feel confused?

Like you couldn't understand what was happening?
Like it didn't make any sense?

CONFUSED
0 = Absent
2 = Present
CLA1X11

Did you feel out of touch with yourself?

Or cut off from yourself?

As if you were in a dream?
As if "event" wasn't happening to you?

DETACHED
0 = Absent
2 = Present
CLA1X12

Did you feel guilty?

Like it was your fault?

GUILTY
0 = Absent
2 = Present
CLA1X13

Did you feel like someone you trusted had tricked you?

BETRAYED
0 = Absent
2 = Present
CLA1X14

Did you feel embarrassed by what was happening?

Or ashamed?

EMBARRASSED
0 = Absent
2 = Present
CLA1X15

ACUTE SOMATIC RESPONSES
Physical responses to the life event when it occurred.

When "life event" occurred, did it affect you physically at all?

ACUTE SOMATIC RESPONSES
0 = Absent
2 = Present
CLA2I90
Intensity

Did you get dizzy or giddy or faint?

DIZZINESS/FAINTNESS

CLA2X01

0 = Absent

2 = Present

Did you get a dry mouth?

DRY MOUTH

CLA2X02

0 = Absent

2 = Present

Did it affect your breathing?

How?

CHOKING/SMOTHERING

CLA2X03

0 = Absent

2 = Present

DIFFICULTY BREATHING

CLA2X04

0 = Absent

2 = Present

RAPID BREATHING

CLA2X05

0 = Absent

2 = Present

Did it affect your heart?

PALPITATIONS

CLA2X06

0 = Absent

2 = Present

Did you get a pain in your chest?

TIGHTNESS OR PAIN IN CHEST

CLA2X07

0 = Absent

2 = Present

Did you get sweaty?

SWEATING

CLA2X08

0 = Absent

2 = Present

Or feel sick?

NAUSEA

CLA2X09

0 = Absent

2 = Present

Did you have to go to the bathroom?

URINATING FREQUENTLY

CLA2X10

0 = Absent

2 = Present

Did it affect your stomach?

BUTTERFLIES IN THE STOMACH

CLA2X11

0 = Absent

2 = Present

Did you get diarrhea?

DIARRHEA

CLA2X12

0 = Absent

2 = Present

Definitions and questions	Coding rules	Codes

Did you get shaky?

TREMBLING/SHAKING

0 = Absent

2 = Present

CLA2X13

Did your muscles get sore?

MUSCLE SORENESS

0 = Absent

2 = Present

CLA2X14

Did you get flushed?

FLUSHING

0 = Absent

2 = Present

CLA2X15

Or pale?

PALLOR

0 = Absent

2 = Present

CLA2X16

Did you have funny feelings in your fingers or toes?

PARAESTHESIAE

0 = Absent

2 = Present

CLA2X17

Did you get a lump in your throat?

LUMP IN THE THROAT

0 = Absent

2 = Present

CLA2X18

Did your abdomen churn?

ABDOMINAL CHURNING

0 = Absent

2 = Present

CLA2X19

INTERVENTION FANTASIES

During the event, subject imagines doing something extraordinary to stop the event.

During "life event", did you imagine or wish that you could do something superhuman to get you or someone else out of danger?

What did you imagine?
What happened?

INTERVENTION FANTASIES

0 = Absent

2 = Present during event and realized.

3 = Present during event but unrealized.

CLA3X01
Intensity

Definitions and questions	Coding rules	Codes

RESCUE FANTASIES DURING EVENT

During the event, subject imagines being rescued.

During "life event" did you imagine or wish that "person at risk" would be rescued?

What did you imagine?
What happened?

RESCUE FANTASIES DURING EVENT

0 = Absent

2 = Present during event and realized.

3 = Present during event but unrealized.

CLA3X02
Intensity

REVENGE FANTASIES

During the event, subject imagines something that punishes the "cause" of the trauma.

During "life event", did you imagine or wish that you could get revenge or punish "the cause of the trauma"?

Or that someone else or something would get revenge?
What did you imagine?
What happened?

REVENGE FANTASIES

0 = Absent

2 = Present during event and realized.

3 = Present during event but unrealized.

CLA3X03
Intensity

Definitions and questions	Coding rules	Codes

COGNITIVE INTRUSIONS

PAINFUL RECALL OF LIFE EVENT

Unwanted, painful and distressing recollections, memories, thoughts, or images of life event.

In the last 3 months have upsetting memories or pictures in your mind of "life event" come back to you?

EXTERNALLY CUED PAINFUL RECALL

Painful recall occurring in response to external cues or stimuli, such as particular sights, sounds, smells or situations.

Do any things or places remind you of "life event"?

What about sounds or things you see?

When that happens does it bring back unpleasant memories of "life event"?

PAINFUL RECALL OF LIFE EVENT

0 = Absent

2 = Present

CLA4XYZ 00
Intensity

EXTERNALLY CUED PAINFUL RECALL

0 = Externally cued painful recall absent.

2 = Painful recall is intrusive into at least two activities and uncontrollable at least some of the time.

3 = Painful recall is intrusive into most activities and nearly always uncontrollable.

CLA4I01
Intensity

CLA4F01
Frequency

HOURS : MINUTES

CLA4D01
Duration

ONSET: EXTERNALLY CUED PAINFUL RECALL

CLA4O01

/ /

Definitions and questions

Coding rules

Codes

PAINFUL RECALL OF LIFE EVENT - AVOIDANCE

Unwanted, painful and distressing recollections, memories, thoughts, or images of "life event" occurring in response to external cues or stimuli, such as particular sights, sounds, smells or situations.

Do you try to avoid any things or places that might remind you of "life event"?

Do you notice any phsyical effects when you remember "life event"?

Like your heart racing?
Or being short of breath?
Or feeling shaky ot sick to your stomach?
What do you notice?
Do you get panicky?
Would other people notice when you are remembering "life event"?

What do they see?
When you remember event, whet do you do to feel better?

Do you try to think about other things or do things you like to do to take your mind off of it?
Do you talk to you or someone else and ask them for help?
Do you have a routine of things you can think about or do to feel better?

AVOIDANCE

0 = Absent

2 = Avoids situations that might provoke painful recall at least sometimes, but not to a degree that prevents a normal lifestyle.

3 = Avoidance leads to disruption of normal life and activities and results in a highly restricted lifestyle.

NORMAL SUPPRESSION

0 = Absent

2 = Uses normal thoughts or normal activities in attempt to reduce painful recall.

OBSESSIONAL SUPPRESSION

0 = Absent

2 = Uses obsessional thoughts or obsessional rituals in attempt to reduce painful recall.

COMPULSIVE SUPPRESSION

0 = Absent

2 = Uses compulsive behaviors in attempt to reduce painful recall.

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in responce to painful recall, but these do not amount to panic attacks

3 = Panic attacks in responce to painful recall

NOTICEABLE TO OTHERS

0 = No

2 = Child reports others notice changes (anxiety, daydreaming, etc.).

CLA5I01
Intensity

CLA5O01
Onset

/ /

CLA6I01

CLA6I02

CLA6I03

CLA7I01

CLA7I02

Definitions and questions	Coding rules	Codes

PAINFUL RECALL NOT EXTERNALLY CUED

Recollections not cued by external cues or stimuli.

May be internally cued responses, occurring in response to emotional states, feelings, particular thoughts, autonomic symptoms, bodily sensations, or any other internal cue or stimulus. If internal cues are a response to external stimulus, code as Externally Cued Recollections.

Recollections also may occur without apparent relationship to either external or internal cues or stimuli.

In the last three months have any feelings or emotions reminded you of "life event"?

Have any physical feelings or changes in your body reminded you of it?

When that happens, does it bring back unpleasant memories of "life event"?
What are they like?
How often does that happen?
How long does it last?
When that happens, do you try not to have those "feelings", so you won't be reminded of "life event"?

Do you do anything so as not to have those "feelings" that remind you of "life event"?

Do you try not to think about life event?
Do you do anything to stop yourself thinking about it?
Can you stop thinking about it?
What do you do?
Would other people notice when you are rememering "life event"?

What would they see?
When you "think aobut life event", do you notice any phsyical effects?

What do you notice?
Do you get panicky?

PAINFUL RECALL NOT EXTERNALLY CUED

0 = Absent

2 = Painful recall is intrusive into at least two activities and uncontrollable at least some of the time.

3 = Painful recall is intrusive into most activities and nearly always uncontrollable.

HOURS : MINUTES

CLA8I01 Intensity

CLA8F01 Frequency

CLA8D01 Duration

CLA8O01 Onset

/ /

NORMAL SUPPRESSION

0 = Absent

2 = Uses normal thoughts or normal activities in attempt to reduce painful recall.

CLA9I01

OBSESSIONAL SUPPRESSION

0 = Absent

2 = Uses obsessional thoughts or obsessional rituals in attempt to reduce painful recall.

CLA9I02

COMPULSIVE SUPPRESSION

0 = Absent

2 = Uses compulsive behaviors in attempt to reduce painful recall.

CLA9I03

PAINFUL RECALL NOTICABLE TO OTHERS

0 = No

2 = Child reports others notice changes (anxiety, daydreaming, etc.).

CLB0I01

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to painful recall, but these do not amount to panic attacks.

3 = Panic attacks in response to painful

CLB0I02

Definitions and questions	Coding rules	Codes
	recall.	

ACTIVE RECALL

Intentional recall of event.

Do you ever think about "life event" on purpose?

Have you in the last three months?
When you do so, how do you feel?
Are the feelings painful for you?
Do you get worried?
Or sad?
Or angry?
Or feel guilty?
Do you feel better able to cope with what happened?

ACTIVE RECALL

0 = Absent

2 = Present

CLB1I01
Intensity

CLB1F01
Frequency

HOURS : MINUTES

CLB1D01
Duration

CLB1O01
Onset

/ /

WORRY

0 = Absent

2 = Present

CLB2I01

SADNESS

0 = Absent

2 = Present

CLB2I02

ANGER

0 = Absent

2 = Present

CLB2I03

GUILT

0 = Absent

2 = Present

CLB2I04

SENSE OF MASTERY

0 = Absent

2 = Present

CLB2I05

Definitions and questions | Coding rules | Codes

FAILURES OF RECALL

Inability to recall important aspects of the "life event", such as the names and faces of participants, or parts of the chronology of the event.

Do not include deliberate attempts not to recall the event.

Do you have difficulty remembering some things about "life event"?

What things are hard to remember?
Is that because you don't want to remember them, or that you just can't?
How much can you remember?
Are those memories real clear?
Has it happened in the last three months?

FAILURES OF RECALL

0 = No failure of recall.

1 = Some difficulty recalling certain aspects of the event that can usually be overcome by concentrated attempt to remember.

2 = At least some aspects of the event cannot be recalled, even with effort.

3 = Most or all details of the event cannot be recalled.

CLB2I06
Intensity

CLB2O01
Onset

/ /

Coding rules

Codes

RELIVING OF LIFE EVENT

Behaving or feeling as though the "life event" were recurring. The experience may involve a sense of reliving the event, illusory or hallucinatory phenomena, or "flashbacks". Flashbacks involve hallucinatory phenomena of sufficient intensity to impair perception of the real world to a substantial degree.

Include panic attacks where the mental content of the panic episode is related to the "life event".

Include such phenomena even if they occurred at times of intoxication with alcohol or drugs or during sleep cycle.

CODE NIGHTMARES IN ITEMS THAT FOLLOW.

In the last 3 months, have you felt as though the "life event" was happening to you again, even when it wasn't?

What was that like?
What did you do?
How long did it last?
How often did it happen?
How real did it seem?
Did you feel as though you were really there, and that it was really happening again?
When it was happening were you aware of what was really going on around you and where you really were?
Did the memory of "life event" seem more real than your actual surroundings?
Did this happen when you were falling asleep?
Or waking up?
Do you ever wake up in the middle of the night feeling this way?

RELIVING OF LIFE EVENT

0 = Absent

2 = Able to report sensory phenomena associated with "life event", but still aware of real surroundings to at least some extent.

3 = No, or almost no, awareness of real surroundings (flashback).

HOURS : MINUTES

CLB3I01
Intensity

CLB3F01
Frequency

CLB3D01
Duration

CLB3O01
Onset

/ /

ASSOCIATED PANIC

0 = No associated panic attacks.

2 = With panic attacks.

CLB3I02

HYPNOGOGIC (ON FALLING ASLEEP)

0 = Absent

2 = Present

CLB3I03

HYPNOPOMPIC (ON WAKING)

0 = Absent

2 = Present

CLB3I04

NOCTURNAL

0 = Absent

2 = Present

CLB3I05

DAYLIGHT (WHEN UP AND ABOUT)

0 = Absent

2 = Present

CLB3I06

Definitions and questions | Coding rules | Codes

NIGHTMARES

Frightening dreams that waken subject, with content related to the "life event" (either about "life event" or reminding subject of it). Unpleasant affect apparent when wakening, which may be followed rapidly by feelings of relief.

In the last 3 months, have you had any nightmares or bad dreams about "life event"?

Or nightmares or bad dreams that aren't about it but remind you of it?

Tell me about them.
Do they wake you up?

How often do they happen?
When you wake up, do you notice any physical effects?
When you wake up are you panicky?
Is it hard for you to get back to sleep afterwards?
What do you do?
Does fear of these dreams make it hard for you to get to sleep?
Do you have trouble sleeping alone?

NIGHTMARES

0 = Absent

2 = Present

CLB4I01
Intensity

CLB4O01
Onset

/ /

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to nightmares.

3 = Has panic attack in response to nightmares.

CLB4I02

REASSURANCE

0 = Absent

2 = Upon waking from nightmare, seeks time limited reassurance or contact.

3 = Upon waking, seeks extended reassurance or contact (e.g. won't go back to bed, conflict arises over need for reassurance).

CLB4I03

ANTICIPATORY REASSURANCE

0 = Absent

2 = At bedtime, seeks time limited reassurance or contact (e.g. extended bedtime ritual).

3 = Seeks extended reassurance or contact (e.g. won't go to bed, conflict arises over need for reassurance).

CLB4I04

Definitions and questions | Coding rules | Codes

HYPERAROUSAL

NON-RESTORATIVE SLEEP

Disturbance of usual sleep pattern since "life event" so that subject does not feel rested upon waking and feels tired during the day. Do not include insomnia; sleep is normal but subject feels sleepy during the day.

DO NOT INCLUDE INSOMNIA.

Have you been having problems sleeping well in the last three months?

Do you feel rested when you wake up in the morning?

Has that changed since "life event"?
Do you feel tired during the day from not sleeping well?
Does this make it harder for you to do your work?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

NON-RESTORATIVE SLEEP

0 = Absent

2 = Present but does not interfere with functioning.

3 = Present and interfered with functioning.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLB5I01
Intensity

CLB5O01
Onset
/ /

CLB5F01
Frequency

CLB5I02

CLB5I03

Definitions and questions

Coding rules

Codes

INATTENTION

Difficulty maintaining sufficient involvement to allow completion of age-appropriate and developmentally appropriate tasks requiring concentration.

In the last three months, have you had more trouble paying attention than before "life event"?

Is it more difficult for you to concentrate?

Do you have trouble remembering things?
Has this caused you any problems?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

INATTENTION

0 = Inattention absent in interesting activities.

2 = At least sometimes uncontrollable by the child or by admonition, present in at least 2 interesting activities in any situation.

3 = Nearly always uncontrollable by the child or by admonition, present in most interesting activities.

CLB6I01
Intensity

CLB6O01
Onset

/ /

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

CLB6I02

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLB6I03

Definitions and questions	Coding rules	Codes

ANGER

Increased ease of precipitation of externally directed feelings of anger, bad temper, short temper, resentment, or annoyance.

Since "life event" have things "gotten on your nerves" more easily?

What kinds of things?
Is that more than usual?
Or have you been more irritable?

Has this affected how you get along with people?
How so?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

ANGER

0 = Absent

2 = Present but does not interfere with fuctioning or relationships.

3 = Present and interfered with functioning or relationships.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLB7I01
Intensity

CLB7O01
Onset

/ /

CLB7I02

CLB7I03

ANGER DYSCONTROL

Increased outbursts of anger have resulting from inability to control expression of anger as well as used to.

In the last three months, have you gotten angry very often?

More than before "life event"?
What has happened?
When you get angry, can you control your anger as much as you used to?

What do you do now?
Has it affected how you get along with other people?
How so?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

ANGER DYSCONTROL

0 = Absent

2 = Present but does not interfere with fuctioning or relationships.

3 = Present and interfered with functioning or relationships.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLB8I01
Intensity

CLB8O01
Onset
/ /

CLB8I02

CLB8I03

Definitions and questions   Coding rules   Codes

HYPERVIGILANCE

Increased general level of awareness and alertness towards surroundings in the absence of imminent danger.

In the last 3 months, have you been more "on the alert" for bad things happening than before "life event"?

What do you do?
Are you like that even when there isn't much chance of anything bad happening?
How much has that affected your life?
How much of the time are you like that?
Have you given up doing any thing because you don't want to take any chances?
Is it worse when you have been thinking about "life event"?
When did that start?

HYPERVIGILANCE

0 = Absent

1 = Subjective hypervigilance not manifested in any overt behavioral change.

2 = Behavioral manifestations of hypervigilance (e.g. taking care over seating or scanning environment for danger) but they do not limit activities to any major extent.

3 = Behavioral manifestations of hypervigilance that preclude the performance of many or most normal activities.

CLB9I01
Intensity

CLB9O01
Onset

/ /

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

CLB9I02

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLB9I03

Definitions and questions | Coding rules | Codes

EXAGGERATED STARTLE RESPONSE

Increase in susceptibility to being startled by minor unexpected stimuli since "life event".

INTERVIEWER SHOULD DEMONSTRATE STARTLE RESPONSE.

In the last 3 months have you startled more easily than before "life event"?

Or have you been more jumpy than usual?

Do unexpected noises make you jump more easily than they used to?
What is it like when that happens?
How often does it happen?
How long do you stay "jumpy" afterwards?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?
When did that start?

EXAGGERATED STARTLE RESPONSE

0 = Absent

2 = Present, but not noticeable to others.

3 = Present, noticeable to others.

CLC0I01
Intensity

CLC0O01
Onset

/ /

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

CLC0I02

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLC0I03

Definitions and questions   Coding rules   Codes

NUMBING

DETACHMENT

A generalized subjective sense of being emotionally cut off from other people that has appeared since the occurrence of a "life event".

Since "life event" have you felt cut off from other people?

Have you been less interested in seeing your friends?

Have you actually seen less of your friends?
Can you tell me why?
Would you like to see more of them?
Or have you "gone off" on them?

DETACHMENT

0 = Absent

2 = Feels that it is more difficult to relate emotionally to people than before "life event", but has not reduced social contacts.

3 = Has reduced social contacts because of difficulty relating emotionally to people.

CLC1I01
Intensity

CLC1O01
Onset

/ /

LOSS OF POSITIVE AFFECT

Complaint of loss of a previously existing ability to feel or experience emotion. Code loss of positive and negative affect separately.

Since "life event" has it seemed as though you have lost some of your feelings?

Have you got any feelings left?
Can you feel happy or good feelings?

LOSS OF POSITIVE AFFECT

0 = Absent

2 = Loss of affect in at least 2 activities and uncontrollable at least some of the time.

3 = Affect is felt to be lost in almost all activities.

ONSET: LOSS OF POSITIVE AFFECT

CLC2I01
Intensity

CLC2O01

/ /

LOSS OF NEGATIVE AFFECT

Complaint of loss of a previously existing ability to feel or experience emotion. Code loss of positive and negative affect separately.

Since "life event" has it seemed like you have lost some of your unhappy or negative feelings?

LOSS OF NEGATIVE AFFECT

0 = Absent

2 = Loss of affect in at least 2 activities and uncontrollable at least some of the time.

3 = Affect is felt to be lost in almost all activities.

CLC3I01
Intensity

CLC3O01
Onset

/ /

LOSS OF POSITIVE EMOTIONAL EXPRESSION

Since "life event", unable or unwilling to express emotions to the degree existing before the "life event."

Do not include inexpressiveness that predated the "life event" unless there has clearly been an exacerbation following the "life event".

Is it harder for you to show happy or good feelings?

LOSS OF POSITIVE EMOTIONAL EXPRESSION

0 = Absent

2 = Less able or willing to talk about or show emotions, or to discuss topics with emotional content or which stimulate emotions.

3 = Almost always unable or unwilling to talk about or show emotions or to discuss topics with emotional content or which stimulate emotions.

ONSET: LOSS OF POSITIVE EMOTIONAL EXPRESSION

CLC4I01
Intensity

CLC4O01

/ /

LOSS OF NEGATIVE EMOTIONAL EXPRESSION

Since life event, unable or unwilling to express emotions to the degree existing before the "life event".

Do not include inexpressiveness that predated the "life event" unless there has clearly been an exacerbation following the "life event".

Is it harder for him/her to show unhappy or bad feelings?

LOSS OF NEGATIVE EMOTIONAL EXPRESSION

0 = Absent

2 = Less able or willing to talk about or show emotions, or to discuss topics with emotional content or which stimulate emotions.

3 = Almost always unable or unwilling to talk about or show emotions or to discuss topics with emotional content or which stimulate emotions.

CLC5I01
Intensity

CLC5O01
Onset

/ /

Definitions and questions	Coding rules	Codes

OTHER BEHAVIORS

PLAY RECAPITULATING "LIFE EVENT"

Play involving activities that recapitulate all or some aspects of "life event" (e.g. preoccupation with crashing cars after being in a car accident, or behaviors that mimic "life event").

Has the way you play changed at all since "life event"?

In what way?
In the last 3 months have you played games that are like "life event"?

Or acted out what happened?

What do you do?

PLAY RECAPITULATING "LIFE EVENT"

0 = Absent

2 = Present to an extent greater than before the event.

3 = Actions recapitulating life event has become the most frequent or dominant subject of play.

CLC6I01
Intensity

CLC6O01
Onset
/ /

DANGEROUS ACTIVITIES (PTSD - A)

Activities that physically endanger the subject or others.

Since "life event", have you taken chances and done risky things?

Or dangerous things?

What have you done in the last 3 months?
Is this more than before "life event"?

DANGEROUS ACTIVITIES

0 = No

2 = Yes

CLC7I01
Intensity

CLC7O01
Onset
/ /

INCREASED ATTENTION TO RELIGION

Increased interest in or observance of religious ideas and practices since "life event".

Have you become more religious since "life event"?

Do you think more about God?

Or the Devil?

Do you go to "church" more often?
Do you read "scripture" more often?
Or pray more?

INCREASED ATTENTION TO RELIGION

0 = Absent

1 = Subjective report of greater interest in, or mental attention to, religious matters. Include increased level of reading religious works here.

2 = Increase in level of religious observances, including normal prayer.

3 = Increase in religious observances including obsessional rituals and compulsive behaviours.

CLC8I01
Intensity

CLC8O01
Onset
/ /

DECREASED ATTENTION TO RELIGION

Decreased interest in or observance of religious ideas and practices since "life event".

Do you have less interest in religion since "life event"?
Do you care less about God?
Or the Devil?
Do you go to "church" less frequently?
Do you read "scripture" less?
Or pray less?

DECREASED ATTENTION TO RELIGION

0 = Absent

2 = Subjective report of decreased interest in, or mental attention to, religious matters. Include decreased level of reading religious works here.

3 = Decrease in level of religious observances, including prayer.

CLC9I01
Intensity

CLC9O01
Onset
/ /

OMEN FORMATION

Following the "life event", subject has developed superstitious beliefs or practices to mitigate or prevent recurrences of the event or other possible or imagined "life events".

Are you superstitious about things?

Are there signs that mean bad things will happen?

Or signs that make you think that you'll be OK?

What are they?
Do you think that these signs are really true?
Did you believe in them before "life event" or are they new?

OMEN FORMATION

0 = Not present.

1 = Superstitious beliefs not resulting in any overt behavior.

2 = Superstitious beliefs that have resulted in overt behavior (e.g. carrying charms or rabbits feet).

3 = Activities meeting criteria for obsessional rituals or compulsive behaviors.

CLD0I01
Intensity

CLD0O01
Onset
/ /

SURVIVOR GUILT

A subjective belief or feeling of responsibility for the "life event" or its prevention, or a feeling that the subject should have substituted (or been substituted) for another who was more severely affected.

Do you feel guilty about what happened during "life event"?

Do you ever feel it was your fault, even though it wasn't?

Do you sometimes feel that you should have prevented "life event" even though you couldn't?
Do you ever wish that you and not "specific other person" should have "specific other person's" fate?
Do you ever feel bad about what you did during "life event"?
IF THE CHILD FEELS GUILTY OR RESPONSIBLE, PROVIDE REASSURANCE AND COMFORT

SURVIVOR GUILT

0 = Absent

2 = Present

CLD1I01
Intensity

CLD1O01
Onset

/ /

REVENGE FANTASIES AFTER EVENT

In the last 3 months subject imagined doing something to punish the "cause" of the trauma.

Do you still wish that you could get revenge or punish "the cause of the trauma"?

Or that something would happen to get back at "the cause"?

What do you wish would happen?

REVENGE FANTASIES

0 = Absent

2 = Present

CLD2I01
Intensity

CLD2O01
Onset

/ /

CHANGED EXPECTATION OF LONG-TERM FUTURE

Marked change in the subject's expectations of the future, involving the expectation that some or all adult roles will NOT be attained. Code regardless of justification, except in the case of subjects with a current life-threatening illness.

Has "life event" changed what you think the future will be like?

In what way?
Has it changed what you think about getting married?

Or having children?

In what way?
How long do you expect to live?

Has that changed?

CHANGED EXPECTATIONS OF LONG-TERM FUTURE

0 = Absent

2 = Expects to reach adulthood, but predicts poor attainment of adult roles (e.g. does not expect to get married, get a job, or have children); or expects to reach adulthood but is not certain about it.

3 = Does not expect to survive to adulthood.

CLD3I01
Intensity

CLD3O01
Onset

/   /

POST TRAUMATIC STRESS - B
SCREEN FOR LIFE EVENT: LIFETIME

Mark "Present" if any Lifetime Life Event had a positive screen.

INTERVIEWER NOTE: Is there a Lifetime Life Event with a positive screen?

IF LIFETIME LIFE EVENT ABSENT, SKIP TO ""PSYCHOTIC" ABNORMALITIES OF THOUGHT AND SPEECH", (PAGE 5).

SCREEN FOR LIFE EVENT: LIFETIME

0 = Absent

2 = Present

Ever:CLA8X38
Intensity

Definitions and questions	Coding rules	Codes

ACUTE RESPONSES TO TRAUMATIC EVENT

ACUTE EMOTIONAL RESPONSES

Emotional responses to the event when it occurred.

PTSD B PRESENT

CLM0E90
Intensity

0 = Absent

2 = Present

Now I would like to ask you about feelings you may have had when the "life event" occurred.

PTSD B-EVENT

CLE0E01

18 = Death of Loved One

19 = Death of Sibling or Peer

20 = Natural Disaster

21 = Fire

22 = War or Terrorism

23 = Witness to Event

24 = Learned About Event

25 = Exposure to Noxious Agent

26 = Causing Death or Severe Harm

27 = Victim of Physical Violence

28 = Victim of Physical Abuse

29 = Captivity

30 = Sexual Abuse or Rape

31 = Other

32 = Stalking

33 = Sexual Harassment

Were you surprised by what happened?

SURPRISE

CLE1X01

0 = Absent

2 = Present

Did you feel helpless?

Like you couldn't do anything to make it better?

HELPLESSNESS

CLE1X02

0 = Absent

2 = Present

Did you feel like it wasn't really happening?

Like it was only a story, not the real thing?

DEREALIZATION

CLE1X03

0 = Absent

2 = Present

Were you afraid or scared?

FEAR

CLE1X04

0 = Absent

2 = Present

Definitions and questions	Coding rules	Codes

Were you worried that you weren't safe?

Or that you might die?

WORRY

0 = Absent

2 = Present

CLE1X05

Did you get angry?

ANGER

0 = Absent

2 = Present

CLE1X06

Did you feel nothing at all?

Like you couldn't feel anything?

EMOTIONAL NUMBNESS

0 = Absent

2 = Present

CLE1X07

Were you grossed out or disgusted by what happened?

DISGUST/REVULSION

0 = Absent

2 = Present

CLE1X08

Did you feel out of control?

That you might not be able to control your feelings?

OUT OF CONTROL

0 = Absent

2 = Present

CLE1X09

Did you feel sad?

SAD

0 = Absent

2 = Present

CLE1X10

Did you feel confused?

Like you couldn't understand what was happening?
Like it didn't make any sense?

CONFUSED

0 = Absent

2 = Present

CLE1X11

Did you feel out of touch with yourself?

Or cut off from yourself?

As if you were in a dream?
As if it wasn't happening to you?

DETACHED

0 = Absent

2 = Present

CLE1X12

Did you feel guilty?

Like it was your fault?

GUILTY

0 = Absent

2 = Present

CLE1X13

Did you feel like someone you trusted had tricked you?

BETRAYED

0 = Absent

2 = Present

CLE1X14

Did you feel embarrassed by what was happening?

Or ashamed?

EMBARRASSED

0 = Absent

2 = Present

CLE1X15

| Definitions and questions | Coding rules | Codes |

EVER: ACUTE SOMATIC RESPONSES

Physical responses to the life event when it occurred.

When "life event" occurred, did it affect you physically at all?

What did you notice?

Did you get dizzy or giddy or faint?

Did you get a dry mouth?

Did it affect your breathing? How?

Did it affect your heart?

Did you get a pain in your chest?

Did you get sweaty?

Or feel sick?

Did you have to go to the bathroom?

EVER: ACUTE SOMATIC RESPONSES

0 = Absent

2 = Present

CLE2I90
Intensity

DIZZINESS/FAINTNESS

0 = Absent

2 = Present

CLE2X01

DRY MOUTH

0 = Absent

2 = Present

CLE2X02

CHOKING/SMOTHERING

0 = Absent

2 = Present

CLE2X03

DIFFICULTY BREATHING

0 = Absent

2 = Present

CLE2X04

RAPID BREATHING

0 = Absent

2 = Present

CLE2X05

PALPITATIONS

0 = Absent

2 = Present

CLE2X06

TIGHTNESS OR PAIN IN CHEST

0 = Absent

2 = Present

CLE2X07

SWEATING

0 = Absent

2 = Present

CLE2X08

NAUSEA

0 = Absent

2 = Present

CLE2X09

URINATING FREQUENTLY

0 = Absent

2 = Present

CLE2X10

Definitions and questions	Coding rules	Codes
Did it affect your stomach?	**BUTTERFLIES IN THE STOMACH** 0 = Absent 2 = Present	CLE2X11
Did you get diarrhea?	**DIARRHEA** 0 = Absent 2 = Present	CLE2X12
Did you get shaky?	**TREMBLING/SHAKING** 0 = Absent 2 = Present	CLE2X13
Did your muscles get sore?	**MUSCLE SORENESS** 0 = Absent 2 = Present	CLE2X14
Did you get flushed?	**FLUSHING** 0 = Absent 2 = Present	CLE2X15
Or pale?	**PALLOR** 0 = Absent 2 = Present	CLE2X16
Did you have funny feelings in your fingers or toes?	**PARAESTHESIAE** 0 = Absent 2 = Present	CLE2X17
Did you get a lump in your throat?	**LUMP IN THE THROAT** 0 = Absent 2 = Present	CLE2X18
Did your abdomen churn?	**ABDOMINAL CHURNING** 0 = Absent 2 = Present	CLE2X19

EVER: INTERVENTION FANTASIES

During the event, subject imagines doing something extraordinary to stop the event.

During "life event", did you imagine or wish that you could do something superhuman to get you or someone else out of danger?

What did you imagine?
What happened?

	EVER: INTERVENTION FANTASIES 0 = Absent 2 = Present during event and realized. 3 = Present during event but unrealized.	CLE3X01 Intensity

EVER: RESCUE FANTASIES DURING EVENT

During the event, subject imagines being rescued.

During "life event" did you imagine or wish that "person at risk" would be rescued?

What did you imagine?
What happened?

EVER: REVENGE FANTASIES

During the event, subject imagines something that punishes the "cause" of the trauma.

During "life event", did you imagine or wish that you could get revenge or punish "the cause of the trauma"?

Or that someone else or something would get revenge?
What did you imagine?
What happened?

EVER: RESCUE FANTASIES

0 = Absent

2 = Present during event and realized.

3 = Present during event but unrealized.

CLE3X02
Intensity

EVER: REVENGE FANTASIES

0 = Absent

2 = Present during event and realized.

3 = Present during event but unrealized.

CLE3X03
Intensity

Definitions and questions Coding rules Codes

COGNITIVE INTRUSIONS

PAINFUL RECALL OF LIFE EVENT -B

Unwanted, painful and distressing recollections, memories, thoughts, or images of life event.

In the last 3 months have upsetting memories or pictures in your mind of "life event" come back to you?

PAINFUL RECALL OF LIFE EVENT

0 = Absent

2 = Present

CYZAB02
Intensity

EXTERNALLY CUED PAINFUL RECALL - PTS-B

Painful recall occurring in response to external cues or stimuli, such as particular sights, sounds, smells, or situations.

ASK AVOIDANCE AND SUPRESSION QUESTIONS IF NO EXTERNALLY CUED PAINFUL RECALL PRESENT.

Do any things or places remind you of "life event"?

What about sounds or things you see?

When that happens does it bring back unpleasant memories of "life event"?

EXTERNALLY CUED PAINFUL RECALL

0 = Externally cued painful recall absent.

2 = Painful recall is intrusive into at least two activities and uncontrollable at least some of the time.

3 = Painful recall is intrusive into most activities and nearly always uncontrollable.

CLE4I01
Intensity

CLE4F01
Frequency

HOURS : MINUTES

CLE4D01
Duration

CLE4O01
Onset

/ /

Definitions and questions	Coding rules	Codes

COGNITIVE INTRUSION - AVOIDANCE

Do you try to avoid any things or places that might remind you of "life event"?

Do you notice any physical effects when you remember "life event"?

Like your heart racing?
Or being short of breath?
Or feeling shaky or sick to your stomach?
What do you notice?
Do you get panicky?
Do other people notice when you is remembering event?

What do they see?
When you remember event, what do you do to feel better?

Do you try to think about other things or do things you like to do to take your mind off of it?
Do you talk to someone and ask them for help?

AVOIDANCE

0 = Absent

2 = Avoids situations that might provoke painful recall at least sometimes, but not to a degree that prevents a normal lifestyle.

3 = Avoidance leads to disruption of normal life and activities and results in a highly restricted lifestyle.

ONSET: AVOIDANCE

NORMAL SUPRESSION

0 = Absent

2 = Uses normal thoughts or normal activities in attempt to reduce painful recall.

OBSESSIONAL SUPPRESSION

0 = Absent

2 = Uses obsessional thoughts or obsessional rituals in attempt to reduce painful recall.

COMPULSIVE SUPPRESSION

0 = Absent

2 = Uses compulsive behaviors in attempt to reduce painful recall.

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to painful recall, but these do not amount to panic attacks.

3 = Panic attacks in response to painful recall.

PAINFUL RECALL NOTICEABLE TO OTHERS

0 = No

2 = Child reports others notice changes (anxiety, daydreaming, etc.).

CLE5I01
Intensity

CLE5O01
/ /

CLE6I01

CLE6I02

CLE6I03

CLE7I01

CLE7I02

Definitions and questions	Coding rules	Codes

PAINFUL RECALL NOT EXTERNALLY CUED

Recollections not cued by external cues or stimuli.

May be internally cued responses, occurring in response to emotional states, feelings, particular thoughts, autonomic symptoms, bodily sensations, or any other internal cue or stimulus. If internal cues are a response to external stimulus, code as Externally Cued Recollections.

Recollections also may occur without apparent relationship to either external or internal cues or stimuli.

In the last three months have any feelings or emotions reminded you of "life event"?

Have any physical feelings or changes in your body reminded you of it?

When that happens, does it bring back unpleasant memories of "life event"?
What are they like?
How often does that happen?
How long does it last?

When that happens, do you try not to have those "feelings", so you won't be reminded of "life event"?

Do you do anything so as not to have those "feelings" that remind you of "life event"?

Do you try not to think about "life event"?
Do you do anything to stop yourself thinking about "life event"?
Can you stop thinking about it?
What do you do?

Would other people notice when you are remembering "life event"?

What would they see?

When you "think about life event", do you notice any physical effects?

What do you notice?
Do you get panicky?

PAINFUL RECALL NOT EXTERNALLY CUED

0 = Absent

2 = Painful recall is intrusive into at least two activities and uncontrollable at least some of the time.

3 = Painful recall is intrusive into most activities and nearly always uncontrollable.

HOURS : MINUTES

NORMAL SUPRESSION

0 = Absent

2 = Uses normal thoughts or normal activities in attempt to reduce painful recall.

OBSESSIONAL SUPPRESSION

0 = Absent

2 = Uses obsessional thoughts or obsessional rituals in attempt to reduce painful recall.

COMPULSIVE SUPPRESSION

0 = Absent

2 = Uses compulsive behaviors in attempt to reduce painful recall.

PAINFUL RECALL NOTICABLE TO OTHERS

0 = No

2 = Child reports others notice changes (anxiety, daydreaming, etc.).

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to painful recall, but these do not amount to panic attacks.

3 = Panic attacks in response to painful

CLE8I01
Intensity

CLE8F01
Frequency

CLE8D01
Duration

CLE8O01
Onset

/ /

CLE9I01

CLE9I02

CLE9I03

CLF0I01

CLF0I02

Coding rules

Codes

recall.

ACTIVE RECALL

Intentional recall of event.

Do you ever think about "life event" on purpose?

Have you in the last three months?
When you do so, how do you feel?
Are the feelings painful for you?
Do you get worried?
Or sad?
Or angry?
Or feel guilty?
Do you feel better able to cope with what happened?

ACTIVE RECALL

0 = Absent

2 = Present

HOURS : MINUTES

WORRY

0 = Absent

2 = Present

SADNESS

0 = Absent

2 = Present

ANGER

0 = Absent

2 = Present

GUILT

0 = Absent

2 = Present

SENSE OF MASTERY

0 = Absent

2 = Present

CLF1I01
Intensity

CLF1F01
Frequency

CLF1D01
Duration

CLF1O01
Onset

/ /

CLF2I01

CLF2I02

CLF2I03

CLF2I04

CLF2I05

FAILURES OF RECALL

Inability to recall important aspects of the "life event", such as the names and faces of participants, or parts of the chronology of the event.

Do not include deliberate attempts not to recall the event.

Do you have difficulty remembering some things about "life event"?

What things are hard to remember?
Is that because you don't want to remember them, or that you just can't?
How much can you remember?
Are those memories real clear?
Has it happened in the last three months?

FAILURES OF RECALL

0 = No failure of recall.

1 = Some difficulty recalling certain aspects of the event that can usually be overcome by concentrated attempt to remember.

2 = At least some aspects of the event cannot be recalled, even with effort.

3 = Most or all details of the event cannot be recalled.

CLF2I06
Intensity

CLF2O01
Onset

/ /

Definitions and questions   Coding rules   Codes

RELIVING OF LIFE EVENT

Behaving or feeling as though the "life event" were recurring. The experience may involve a sense of reliving the event, illusory or hallucinatory phenomena, or "flashbacks". Flashbacks involve hallucinatory phenomena of sufficient intensity to impair perception of the real world to a substantial degree.

Include panic attacks where the mental content of the panic episode is related to the "life event".

Include such phenomena even if they occurred at times of intoxication with alcohol or drugs or during sleep cycle.

CODE NIGHTMARES IN ITEMS THAT FOLLOW.

In the last 3 months, have you felt as though the "life event" was happening to you again, even when it wasn't?

What was that like?
What did you do?
How long did it last?
How often did it happen?
How real did it seem?
Did you feel as though you were really there, and that it was really happening again?
When it was happening were you aware of what was really going on around you and where you really were?
Did the memory of "life event" seem more real than your actual surroundings?
Did this happen when you were falling asleep?
Or waking up?
Do you ever wake up in the middle of the night feeling this way?

RELIVING OF "LIFE EVENT"

0 = Absent

2 = Able to report sensory phenomena associated with "life event", but still aware of real surroundings to at least some extent.

3 = No, or almost no, awareness of real surroundings (flashback).

HOURS : MINUTES

ASSOCIATED PANIC

0 = No associated panic attacks.

2 = With panic attacks.

HYPNOGOGIC (ON FALLING ASLEEP)

0 = Absent

2 = Present

HYPNOPOMPIC (ON WAKING)

0 = Absent

2 = Present

NOCTURNAL

0 = Absent

2 = Present

DAYLIGHT (WHEN UP AND ABOUT)

0 = Absent

2 = Present

CLF3I01
Intensity

CLF3F01
Frequency

CLF3D01
Duration

CLF3O01
Onset

/ /

CLF3I02

CLF3I03

CLF3I04

CLF3I05

CLF3I06

Definitions and questions | Coding rules | Codes

NIGHTMARES

Frightening dreams that waken subject, with content related to the "life event" (either about "life event" or reminding subject of it). Unpleasant affect apparent when wakening, which may be followed rapidly by feelings of relief.

In the last 3 months, have you had any nightmares or bad dreams about "life event"?

Or nightmares or bad dreams that aren't about it but remind you of it?

Tell me about them.
Do they wake you up?

How often do they happen?
When you wake up, do you notice any physical effects?
When you wake up are you panicky?
Is it hard for you to get back to sleep afterwards?
What do you do?
Does fear of these dreams make it hard for you to get to sleep?
Do you have trouble sleeping alone?

NIGHTMARES

0 = Absent

2 = Present

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to nightmares.

3 = Has panic attack in response to nightmares.

REASSURANCE

0 = Absent

2 = Upon waking from nightmare, seeks time limited reassurance or contact.

3 = Upon waking, seeks extended reassurance or contact (e.g. won't go back to bed, conflict arises over need for reassurance).

ANTICIPATORY REASSURANCE

0 = Absent

2 = At bedtime, seeks time limited reassurance or contact (e.g. extended bedtime ritual).

3 = Seeks extended reassurance or contact (e.g. won't go to bed, conflict arises over need for reassurance).

CLF4I01
Intensity

CLF4O01
Onset
/ /

CLF4I02

CLF4I03

CLF4I04

HYPERAROUSAL

NON-RESTORATIVE SLEEP

Disturbance of usual sleep pattern since "life event" so that subject does not feel rested upon waking and feels tired during the day. Do not include insomnia; sleep is normal but subject feels sleepy during the day.

DO NOT INCLUDE INSOMNIA

Have you been having problems sleeping well in the last three months?

Do you feel rested when you wake up in the morning?

Has that changed since "life event"?
Do you feel tired during the day from not sleeping well?
Does this make it harder for you to do work?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

NON-RESTORATIVE SLEEP

0 = Absent

2 = Present but does not interfere with functioning.

3 = Present and interfered with functioning.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLF5I01
Intensity

CLF5O01
Onset

/ /

CLF5F01
Frequency

CLF5I02

CLF5I03

Definitions and questions | Coding rules | Codes

INATTENTION

Difficulty maintaining sufficient involvement to allow completion of age-appropriate and developmentally appropriate tasks requiring concentration.

In the last three months, have you had more trouble paying attention than before "life event"?

Is it more difficult for you to concentrate?

Do you have trouble remembering things?
Has this caused you any problems?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

INATTENTION

0 = Inattention absent in interesting activities.

2 = At least sometimes uncontrollable by the child or by admonition, present in at least 2 interesting activities in any situation.

3 = Nearly always uncontrollable by the child or by admonition, present in most interesting activities.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLF6I01
Intensity

CLF6O01
Onset
/ /

CLF6I02

CLF6I03

ANGER

Increased ease of precipitation of externally directed feelings of anger, bad temper, short temper, resentment, or annoyance.

Since "life event" have things "gotten on your nerves" more easily?

What kinds of things?
Is that more than usual?
Or have you been more irritable?

Has this affected how you get along with people?
How so?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

ANGER

0 = Absent

2 = Present but does not interfere with fuctioning or relationships.

3 = Present and interfered with functioning or relationships.

CLF7I01
Intensity

CLF7O01
Onset

/ /

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

CLF7I02

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLF7I03

ANGER DYSCONTROL

Since "life event", increased outbursts of anger have resulted from inability to control expression of anger as well as you used to.

In the last three months, have you gotten angry very often?

More than before "life event"?
What has happened?
When you get angry, can you control your anger as much as you used to?

What do you do now?
Has it affected how you get along with other people?
How so?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

ANGER DYSCONTROL

0 = Absent

2 = Present but does not interfere with fuctioning or relationships.

3 = Present and interfered with functioning or relationships.

CLF8I01
Intensity

CLF8O01
Onset

/ /

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

CLF8I02

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLF8I03

Definitions and questions

Coding rules

Codes

HYPERVIGILANCE

Increased general level of awareness and alertness towards surroundings in the absence of imminent danger.

In the last 3 months, have you been more "on the alert" for bad things happening than before "life event"?

What do you do?
Are you like that even when there isn't much chance of anything bad happening?
How much has that affected your life?
How much of the time are you like that?
Have you given up doing any things because you don't want to take any chances?
Is it worse when you have been thinking about "life event"?

HYPERVIGILANCE

0 = Absent

1 = Subjective hypervigilance not manifested in any overt behavioral change.

2 = Behavioral manifestations of hypervigilance (e.g. taking care over seating or scanning environment for danger) but they do not limit activities to any major extent.

3 = Behavioral manifestations of hypervigilance that preclude the performance of many or most normal activities.

CLF9I01
Intensity

CLF9O01
Onset

/ /

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

CLF9I02

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

CLF9I03

Definitions and questions   Coding rules   Codes

EXAGGERATED STARTLE RESPONSE

Increase in susceptibility to being startled by minor
unexpected stimuli since "life event".

INTERVIEWER SHOULD DEMONSTRATE STARTLE
RESPONSE.

*In the last 3 months have you startled more easily than
before "life event"?*

Or have you been more jumpy than usual?

*Do unexpected noises make you jump more easily than
they used to?*
What is it like when that happens?
How often does it happen?
How long do you stay "jumpy" afterwards?
How much of the time do you feel this way?
Is it worse when you have been thinking about "life event"?

EXAGGERATED STARTLE RESPONSE

0 = Absent

2 = Present, but not noticeable to others.

3 = Present, noticeable to others.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in
response to cues prompting recall or
reliving of the "life event".

CLG0IO1
Intensity

CLG0OO1
Onset

/ /

CLG0IO2

CLG0IO3

Definitions and questions	Coding rules	Codes

NUMBING

DETACHMENT

A generalized subjective sense of being emotionally cut off from other people that has appeared since the occurrence of a "life event".

Since "life event" have you felt cut off from other people?

Have you been less interested in seeing your friends?

Have you actually seen less of your friends?
Can you tell me why?
Would you like to see more of them?
Or have you "gone off" them?

LOSS OF AFFECT - POSITIVE

Complaint of loss of a previously existing ability to feel or experience emotion. Code loss of positive and negative affect separately.

Since "life event" has it seemed as though you have lost some of your feelings?

Do you have any feelings left?
Can you feel happy or good feelings?

LOSS OF AFFECT - NEGATIVE

Complaint of loss of a previously existing ability to feel or experience emotion. Code loss of positive and negative affect separately.

What about unhappy or negative feelings?

Coding rules

DETACHMENT

0 = Absent

2 = Feels that it is more difficult to relate emotionally to people than before "life event", but has not reduced social contacts.

3 = Has reduced social contacts because of difficulty relating emotionally to people.

LOSS OF POSITIVE AFFECT

0 = Absent

2 = Loss of affect in at least 2 activities and uncontrollable at least some of the time.

3 = Affect is felt to be lost in almost all activities.

LOSS OF NEGATIVE AFFECT

0 = Absent

2 = Loss of affect in at least 2 activities and uncontrollable at least some of the time.

3 = Affect is felt to be lost in almost all activities.

Codes

CLG1I01
Intensity

CLG1O01
Onset
/ /

CLG2I01
Intensity

CLG2O01
Onset
/ /

CLG3I01
Intensity

CLG3O01
Onset
/ /

Definitions and questions
Coding rules
Codes

LOSS OF EMOTIONAL EXPRESSION - POSITIVE

Since life event, unable or unwilling to express emotions to the degree existing before the life event.

Do not include inexpressiveness that predated the life event unless there has clearly been an exacerbation following the life event.

Is it harder for you to show happy or good feelings?

LOSS OF POSITIVE EMOTIONAL EXPRESSION

0 = Absent

2 = Less able or willing to talk about or show emotions, or to discuss topics with emotional content or which stimulate emotions.

3 = Almost always unable or unwilling to talk about or show emotions or to discuss topics with emotional content or which stimulate emotions.

CLG4I01
Intensity

CLG4O01
Onset

/ /

LOSS OF EMOTIONAL EXPRESSION - NEGATIVE

Since life event, unable or unwilling to express emotions to the degree existing before the life event.

Do not include inexpressiveness that predated the life event unless there has clearly been an exacerbation following the life event.

What about unhappy for bad feelings?

LOSS OF NEGATIVE EMOTIONAL EXPRESSION

0 = Absent

2 = Less able or willing to talk about or show emotions, or to discuss topics with emotional content or which stimulate emotions.

3 = Almost always unable or unwilling to talk about or show emotions or to discuss topics with emotional content or which stimulate emotions.

CLG5I01
Intensity

CLG5O01
Onset

/ /

Definitions and questions	Coding rules	Codes

OTHER BEHAVIORS

PLAY RECAPITULATING LIFE EVENT

Activity that recapitulates all or some aspects of "life event" (e.g. preoccupation with crashing toy cars after being in a car accident).

Has the way you play changed at all since "life event"?

In what way?
In the last three months have you played games that are like "life event"?

Or acted out what happened?

What do you do?

PLAY RECAPITULATING "LIFE EVENT"

0 = Absent

2 = Present to an extent greater than before the event.

3 = Actions recapitulating life event has become the most frequent or dominant subject of play.

CLG6I01
Intensity

CLG6O01
Onset
/ /

DANGEROUS ACTIVITIES

Activities that physically endanger the subject or others.

Since "life event", have you taken chances and done risky things?

Or dangerous things?

What have you done in the last 3 months?
Is this more than before "life event"?

EVER: DANGEROUS ACTIVITIES

0 = No

2 = Yes

CLG7I01
Intensity

CLG7O01
Onset
/ /

INCREASED ATTENTION TO RELIGION

Increased interest in or observance of religious ideas and practices since life event.

Have you become more religious since "life event"?

Do you think more about God?

Or the Devil?

Do you go to "church" more often?
Do you read "scripture" more often?
Or pray more often?

INCREASED ATTENTION TO RELIGION

0 = Absent

1 = Subjective report of greater interest in, or mental attention to, religious matters. Include increased level of reading religious works here.

2 = Increase in level of religious observances, including normal prayer.

3 = Increase in religious observances including obsessional rituals and compulsive behaviours.

CLG8I01
Intensity

CLG8O01
Onset
/ /

DECREASED ATTENTION TO RELIGION

Decreased interest in or observance of religious ideas and practices since life event.

Do you have less interest in religion since "life event"?

Do you care less about God?
Or the Devil?
Do you go to "church" less frequently?
Do you read "scripture" less?
Or pray less?

OMEN FORMATION

Following the life event, child has developed superstitious beliefs or practices to mitigate or prevent recurrences of the event or other possible or imagined life events.

Are you superstitious about things?

Are there signs that mean bad things will happen?

Or signs that make you think that you'll be OK?

What are they?
Do you think that these signs are really true?
Did you believe in them before "life event" or are they new?

DECREASED ATTENTION TO RELIGION

0 = Absent

2 = Subjective report of decreased interest in, or mental attention to, religious matters. Include decreased level of reading religious works here.

3 = Decrease in level of religious observances, including prayer.

OMEN FORMATION

0 = Not present.

1 = Superstitious beliefs not resulting in any overt behavior.

2 = Superstitious beliefs that have resulted in overt behavior (e.g. carrying charms or rabbits feet).

3 = Activities meeting criteria for obsessional rituals or compulsive behaviors.

CLG9I01
Intensity

CLG9O01
Onset
/ /

CLH0I01
Intensity

CLH0O01
Onset
/ /

SURVIVOR GUILT

A subjective belief or feeling of responsibility for the life event or its prevention, or a feeling that the subject should have substituted (or been substituted) for another who was more severely affected.

Do you feel guilty about what happened during "life event"?

Do you ever feel it was your fault, even though it wasn't?

Do you sometimes feel that you should have prevented "life event" even though you couldn't?
Do you ever wish that you and not "specific other person" should have "specific other person's" fate?
Do you ever feel bad about what you did during "life event"?
IF THE CHILD FEELS GUILTY OR RESPONSIBLE, PROVIDE REASSURANCE AND COMFORT.

REVENGE FANTASIES AFTER EVENT

In the last 3 months subject imagined doing something to punish the "cause" of the trauma.

Do you still wish that you could get revenge or punish "the cause of the trauma"?

Or that something would happen to get back at "the cause"?

What do you wish would happen?

SURVIVOR GUILT

0 = Absent

2 = Present

CLH1I01
Intensity

CLH1O01
Onset

/ /

REVENGE FANTASIES

0 = Absent

2 = Present

CLH2I01
Intensity

CLH2O01
Onset

/ /

CHANGED EXPECTATION OF LONG-TERM FUTURE

Marked change in the subject's expectations of the future, involving the expectation that some or all adult roles will NOT be attained. Code regardless of justification, except in the case of subjects with a current life-threatening illness.

Has "life event" changed what you think the future will be like?

In what way?
Has it changed what you think about getting married?

Or having children?

In what way?
How long do you expect to live?

Has that changed?

CHANGED EXPECTATIONS OF LONG-TERM FUTURE

0 = Absent

2 = Expects to reach adulthood, but predicts poor attainment of adult roles (e.g. does not expect to get married, get a job, or have children); or expects to reach adulthood but is not certain about it.

3 = Does not expect to survive to adulthood.

CLH3I01
Intensity

CLH3O01
Onset

/ /