

**THE CHILD AND ADOLESCENT
PSYCHIATRIC ASSESSMENT
(CAPA)**

Life Events and Posttraumatic Stress Modules

**Parent Interview
Version 5.0**

ADRIAN ANGOLD, MRCPsych

**Developmental Epidemiology Program
Department of Psychiatry and Behavioral Sciences, Duke University
Durham, North Carolina 27710-3454**

**ANTHONY COX, FRCPsych
MICHAEL PRENDERGAST, MRCPsych
MICHAEL RUTTER, MD, FRS
EMILY SIMONOFF, MRCPsych
MRC Child Psychiatry Unit
Institute of Psychiatry
London SE5 8AF England**

October 2008

**A Angold, A Cox, M Prendergast, M Rutter, E Simonoff
Copyright (1987,1990,1992,1994,1996,1998)**

LIFE EVENTS

Events occurring in the life and environment of the subject. Life threatening events are events that have caused, or had the potential to cause, death or severe injury. The events should be those in which people actually died or were seriously injured and/or property was extensively damaged, or those events which had the potential to have these outcomes. MOST EVENTS SHOULD HAVE BEEN NOTED IN THE INTERVIEW BY THIS POINT. FOR EACH EVENT THAT OCCURRED, ASK ABOUT ATTRIBUTION AND PAINFUL RECALL. IF PAINFUL RECALL PRESENT AS ABOUT AVOIDANCE, AND HYPERAROUSAL.

Attributions: Subject states that life event has contributed to a problem or symptom already identified. Painful Recall: Subject experiences unwanted, painful and distressing recollections, memories, thoughts, or images of life event. May include repetitive play or trauma-specific reenactment. Avoidance: Subject avoids situations, thoughts, or feelings that might provoke painful recall. Hyperarousal: Symptoms of anxiety or increased arousal not present before the trauma (or exacerbated by the trauma) that may include difficulty falling or staying asleep, hypervigilance (increased general level of awareness and alertness toward the subject's surroundings, in the absence of imminent danger which may be manifested by an exaggerated startle response, jumpiness, scanning the environment for danger). Some individuals report irritability, anger or difficulty concentrating or completing tasks. IF PAINFUL RECALL, AVOIDANCE, AND HYPERAROUSAL SCREEN ALL POSITIVE, NOTE ON THE PTSD SCREEN PAGE (CHECKLIST). NOTE: IF MORE THAN ONE EVENT IS CHECKED ON THE PTSD SCREEN PAGE (CHECKLIST), THE PTSD SECTION WILL BE COMPLETED TWICE: ONCE FOR THE LIFE EVENT GROUP B OR GROUP A THAT THE SUBJECT DESCRIBES AS THE MOST UPSETTING IN THE LAST 3 MONTHS, AND SECONDLY FOR THE LIFE EVENT IN GROUP B THAT THE SUBJECT DESCRIBES AS THE MOST UPSETTING EVENT EVER.

Definitions and questions

GROUP A EVENTS

NEW CHILD(REN) LIVING IN HOME

New child(ren) (less than 18 years of age) who have come to live in the home permanently during the primary period. May be newborn or adopted child, foster child, or child(ren) of a previous relationship.

CODE ID # OF SIBLING FROM FAMILY SECTION.

Have any children come to live in your home in the last 3 months?

Who is that?
When did s/he come to live with you?
Does your "parent" look after him/her?

Who is that?
When did s/he come to live with you?

Who is that?
When did s/he come to live with you?

Coding rules

NEW CHILD(REN) LIVING IN HOME

- 0 = Absent
- 2 = Present

NEW CHILD #1 IN HOME

- 1 = Sibling #1
- 2 = Sibling #2
- 3 = Sibling #3
- 4 = Sibling #4
- 5 = Sibling #5
- 6 = Sibling #6
- 7 = Sibling #7
- 8 = Sibling #8
- 9 = Sibling #9

ONSET OF NEW CHILD #1

NEW CHILD #2 IN HOME

- 1 = Sibling #1
- 2 = Sibling #2
- 3 = Sibling #3
- 4 = Sibling #4
- 5 = Sibling #5
- 6 = Sibling #6
- 7 = Sibling #7
- 8 = Sibling #8
- 9 = Sibling #9

ONSET OF NEW CHILD #2

NEW CHILD #3 IN HOME

- 1 = Sibling #1
- 2 = Sibling #2
- 3 = Sibling #3
- 4 = Sibling #4
- 5 = Sibling #5
- 6 = Sibling #6

Codes

PKA0190
Intensity


PKA0101

PKA0001

PKA0102

PKA0002

PKA0103



Definitions and questions

**IF "NEW CHILD(REN) LIVING IN HOME"
NOT PRESENT, SKIP TO "PARENTAL
SEPARATION", (PAGE 6).**

FOR REVIEW ONLY

Coding rules

7 = Sibling #7

8 = Sibling #8

9 = Sibling #9

ONSET OF CHILD #3

Codes

PKA0003

/ /

Definitions and questions

NEW CHILD(REN) LIVING IN HOME - ATTRIBUTION

In the last 3 months, has this "life event" affected any of the problems we have been talking about?

*Which ones?
In what way?*

NEW CHILD(REN) LIVING IN HOME: PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

Specify

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKA0199
Intensity

PKA0X01

PKA0X02

PKA0X03

PKA0X04

PKA0X05

PKA0X06

PKA1101
Intensity

Definitions and questions

Coding rules

Codes

IF PAINFUL RECALL PRESENT, COMPLETE AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "PARENTAL SEPARATION", (PAGE 6).



FOR REVIEW ONLY

Definitions and questions

NEW CHILD(REN) LIVING IN HOME - AVOIDANCE

Do certain things remind him/her of "life event"?

What things?
Does s/he try to avoid these things/thoughts?

NEW CHILD(REN) LIVING IN HOME - HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

PARENTAL SEPARATION

Parental figures have separated during the primary period. One parental figure has moved out of the house, apparently permanently. Either parent may have begun divorce proceedings.

Have you and your "partner" split up in the last 3 months?

What happened?
Are you planning to get back together again?

IF PARENTAL SEPARATION PRESENT, COMPLETE. OTHERWISE, SKIP TO "EVER: PARENTAL DIVORCE", (PAGE 9).

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

PARENTAL SEPARATION

- 0 = Absent
- 2 = Present

PARENT WHO HAS MOVED OUT

- 0 = Male parental figure
- 2 = Female parental figure

Codes

PKA1102
Intensity

PKA1103
Intensity

PKA2101
Intensity

PKA2001
Onset

PKA2102

Definitions and questions

PARENTAL SEPARATION - ATTRIBUTION

In the last 3 months have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
In what way?*

PARENTAL SEPARATION - PAINFUL RECALL

In the last 3 months have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didnt want them to?

*What was that like?
Has s/he had any nightmares about the event?*

IF PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "EVER: PARENTAL DIVORCE", (PAGE 9).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTION TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKA1199
Intensity

PKA2X01

PKA2X02

PKA2X03

PKA3I01
Intensity


Definitions and questions

Coding rules

Codes



A large rectangular box with a thin black border. At the top, there is a solid dark grey horizontal bar. The rest of the box is empty white space.



A solid dark grey vertical bar extending from the top to the bottom of the page.

FOR REVIEW ONLY

Definitions and questions

PARENTAL SEPARATION - AVOIDANCE

Do certain things/thoughts remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

PARENTAL SEPARATION - HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

EVER: PARENTAL DIVORCE

Parental figures have ever completed divorce proceedings.

Code dates of up to three other divorces between parental figures with whom child has lived.

PARENTAL DIVORCE

Parental figures have completed divorce proceedings in the last 3 months.

Have you finalized a divorce in the last 3 months?

When did that happen?

IF "PARENTAL DIVORCE" NOT PRESENT, SKIP TO "NEW PARENTAL FIGURE", (PAGE 12).

Coding rules

AVIODANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

EVER: PARENTAL DIVORCE

0 = Absent

2 = Present

EVER: PARENTAL DIVORCE #1

EVER: PARENTAL DIVORCE #2

EVER: PARENTAL DIVORCE #3

0 = Absent

2 = Divorce finalized in last three months.

ONSET: DIVORCE IN LAST THREE MONTHS

Codes

PKA3I02
Intensity

PKA3I03
Intensity

Ever:PKA4E01
Intensity

Ever:PKH8O01

Ever:PKH8O02

Ever:PKH8O03

PKA4I01
Intensity

PKA4O01

Definitions and questions

PARENTAL DIVORCE - ATTRIBUTION
In the last 3 months, has "life event" affected any of the problems we have been talking about?
 Which ones?
 In what ways?

PARENTAL DIVORCE-PAINFUL RECALL
In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?
 Even when s/he didn't want them to?
 What was that like?
 Has s/he had any nightmares about the event?

IF PARENTAL DIVORCE PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "NEW PARENTAL FIGURE", (PAGE 12).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKA2I99
Intensity

PKA4X01

PKA4X02

PKA4X03

PKA5I01
Intensity


Definitions and questions

Coding rules

Codes



A large rectangular box with a thin black border. At the top, there is a solid dark grey horizontal bar. The rest of the box is empty white space.



A solid dark grey vertical bar extending from the top to the bottom of the page.

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

PARENTAL DIVORCE-AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

PARENTAL DIVORCE-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

NEW PARENTAL FIGURE

New Parental figure moved into the child's home during the last 3 months and has been there as least one month, due to remarriage or establishment of apparently permanent relationship.

Did a new "parent" move into your home in the last 3 months?

Is s/he there to stay?

IF NEW PARENTAL FIGURE PRESENT, COMPLETE ATTRIBUTION AND PAINFUL RECALL. OTHERWISE, SKIP TO "PLACES LIVED IN LAST 5 YEARS", (PAGE 15).

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

NEW PARENTAL FIGURE

0 = Absent

2 = Present

PKA5I02
Intensity

PKA5I03
Intensity

PKA6I01
Intensity

PKA6O01
Onset

Definitions and questions

NEW PARENTAL FIGURE - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

*Which ones?
In what way?*

NEW PARENTAL FIGURE - PAINFUL RECALL

In the last 3 months have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

IF NEW PARENTAL FIGURE PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "PLACES LIVED IN LAST 5 YEARS", (PAGE 15).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKA31XX 00
Intensity

PKA6X01

PKA6X02


PKA6X03

PKA7I01
Intensity

Definitions and questions

Coding rules

Codes



Definitions and questions

NEW PARENTAL FIGURE - AVOIDANCE
Do certain things/thoughts remind him/her of "life event"?
What things?
Does s/he try to avoid these things/thoughts?

NEW PARENTAL FIGURE - HYPERAROUSAL
Has s/he had any trouble sleeping?
Since "life event", has s/he been more jumpy or irritable?
Has s/he been "on the alert" for bad things happening?

PLACES LIVED IN LAST 5 YEARS
 Subject moved, with or without change of family structure.
 REMEMBER TO CODE PARENTAL SEPARATION, CHANGE OF SCHOOL, LOSS OF FRIENDS, ETC. IN RELEVANT SECTIONS.
 INTERVIEWER NOTE- ALWAYS CODE AS PRESENT
 IF LIVED IN THE SAME HOME IN THE LAST FIVE YEARS, CODE FREQUENCY AS 1.
How many places has s/he lived in the last 5 years?
When was the last time that s/he moved?

MOVING HOUSE
 Subject moved, with or without change of family structure.
 REMEMBER TO CODE PARENTAL SEPARATION, CHANGE OF SCHOOL, LOSS OF FRIENDS, ETC. IN RELEVANT SECTIONS.
Has s/he moved to a new place in the last 3 months?
Is his/her home in the same neighborhood?
When did you move?

IF MOVING NOT PRESENT, SKIP TO "CHANGE OF SCHOOL", (PAGE 19).

Coding rules

AVIODANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

PLACES LIVED IN LAST 5 YEARS

- 0 = Absent
- 2 = Present

MOVING HOUSE

- 0 = Absent
- 2 = Present, without change of family structure.
- 3 = Present, with change of family structure.

Codes

PKA7I02
Intensity

PKA7I03
Intensity

PKA9E01
Intensity

PKA9F01
Frequency

PKA9O01
Onset

PKA8I01
Intensity

PKA8O01
Onset


Definitions and questions

Coding rules

Codes



A large, empty rectangular box with a thin black border. At the top of the box is a solid dark grey horizontal bar. The rest of the box is white and contains a large, light grey watermark that reads "FOR REVIEW ONLY" diagonally from the bottom-left to the top-right.



A solid, dark grey vertical bar that spans the height of the page, positioned to the right of the main content area.

Definitions and questions

MOVING HOUSE - ATTRIBUTION

In the last 3 months have thoughts or pictures of "life event" come into his/her mind?

*Which ones?
In what way?*

MOVING HOUSE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the the event?*

IF "MOVING HOUSE" PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "CHANGE OF SCHOOL", (PAGE 19).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKA8ABC 00
Intensity

PKA8X01

PKA8X02

PKA8X03

PKB0I01
Intensity


Definitions and questions

Coding rules

Codes



A large, empty rectangular box with a thin black border, intended for definitions and questions. At the top of this box is a solid dark grey horizontal bar. The rest of the box is white and contains a large, light grey watermark that reads "FOR REVIEW ONLY" diagonally from the bottom-left to the top-right.



A solid, vertical grey bar extending from the top to the bottom of the page, intended for codes.

Definitions and questions

MOVING HOUSE-AVOIDANCE
Do certain things remind him/her of "life event"?
What things?
Does s/he try to avoid these things/thoughts?

MOVING HOUSE-HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

CHANGE OF SCHOOL
 Subject changed schools. Change may be routine because subject was promoted (e.g. elementary to middle school, or middle school to high school) or non-routine, either because of moving, family choice, necessity, or expulsion from previous school.
Has X changed schools in the last 3 months?
When did s/he last change schools?
Why was that?
When did s/he leave the old school?
When did/does s/he start at the new school?
Will any friends from his/her old school be at the new school?
Does s/he know anyone at the new school?

IF CHANGE OF SCHOOL NOT PRESENT, SKIP TO "LOSS OF BEST FRIEND THROUGH MOVING", (PAGE 22).

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

CHANGE OF SCHOOL

- 0 = No
- 1 = Routine change with other schoolmates including friends
- 2 = Routine change but not friends from former school at new school
- 3 = Non-routine change

Codes

PKB0102
Intensity

PKB0103
Intensity

PKB1101
Intensity

PKB1001
Onset

Definitions and questions

CHANGE OF SCHOOLS - ATTRIBUTION

In the las 3 months, has "life event" affected any of the problems we have been talking about?

*Which ones?
In what way?*

CHANGE OF SCHOOLS-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

IF CHANGE OF SCHOOLS PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "LOSS OF BEST FRIEND THROUGH MOVING", (PAGE 22).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKB1199
Intensity

PKB1X01

PKB1X02

PKB1X03

PKB2I01
Intensity


Definitions and questions

Coding rules

Codes



A large rectangular box with a thin black border. At the top, there is a solid dark grey horizontal bar. The rest of the box is empty white space.



A solid dark grey vertical bar extending from the top to the bottom of the page.

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

CHANGE OF SCHOOLS-AVOIDANCE

Do certain things/thoughts remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

CHANGE OF SCHOOLS-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

IF ALL SCREENS ARE POSITIVE, PLACE CHECKMARK ON PTSD CHECKLIST.

LOSS OF BEST FRIEND THROUGH MOVING

Move by subject or significant other resulted in the end of a close relationship, with significant figure no longer available for sharing confidences and doing things together. Do not include friendships maintained after move through phone calls, letters, and/or visits.

CODE BOY/GIRLFRIEND SEPARATELY

Has X lost contact with someone s/he cared about in the last 3 months because one of them moved?

Who moved?

Does X still have some contact with him/her?

IF LOSS OF BEST FRIEND THROUGH MOVING NOT PRESENT, SKIP TO "BREAKUP WITH BEST FRIEND", (PAGE 25).

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

LOSS OF BEST FRIEND THROUGH MOVING

0 = Absent

2 = Present

PKB2102
Intensity

PKB2103
Intensity

PKB3101
Intensity

PKB3001
Onset

Definitions and questions

LOSS OF BEST FRIEND THROUGH MOVING - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

*Which ones?
In what way?*

LOSS OF BEST FRIEND THROUGH MOVE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

Specify

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKB2ABC 00
Intensity

PKB3X01

PKB3X02

PKB3X03

PKB3X04

PKB3X05

PKB3X06

PKB4I01
Intensity

Definitions and questions

Coding rules

Codes

IF LOSS OF BEST FRIEND THROUGH MOVING PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "BREAKUP WITH BEST FRIEND", (PAGE 25).

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

LOSS OF BEST FRIEND THROUGH MOVING-AVOIDANCE

Do certain things/thoughts remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

LOSS OF BEST FRIEND THROUGH MOVE-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

BREAKUP WITH BEST FRIEND

Loss of a best friend through conflict or quarrel. Loss should seem permanent.

CODE BREAKUP WITH BOYFRIEND/GIRLFRIEND SEPARATELY. IF MORE THAN ONE BREAKUP, CODE THE ONE SUBJECT SAID WAS THE MOST UPSETTING.

Has s/he ended a relationship with a best friend in the last 3 months?

Who was that?

What happened?

IF BREAKUP WITH BEST FRIEND PRESENT CONTINUE, OTHERWISE, SKIP TO "BREAKUP WITH BOY/GIRLFRIEND", (PAGE 28).

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

BREAKUP WITH BEST FRIEND

0 = Absent

2 = Present

PKB4102
Intensity

PKB4103
Intensity

PKB5101
Intensity

PKB5001
Onset

Definitions and questions

BREAKUP WITH BEST FRIEND-ATTRIBUTION

Loss of a best friend through conflict or quarrel. Loss should seem permanent.

Has s/he broken up with a best friend in the last 3 months?

*Who was that?
What happened?*

BREAKUP WITH BEST FRIEND-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

*What was that like?
Has s/he had any nightmares about the event?*

IF BREAKUP WITH BEST FRIEND PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "BREAKUP WITH BOY/GIRLFRIEND", (PAGE 28).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKB5ABC 00
Intensity

PKB5X01

PKB5X02

PKB5X03

PKB6I01
Intensity


Definitions and questions

Coding rules

Codes



A large, empty rectangular box with a thin black border. At the top of the box is a solid dark grey horizontal bar. The rest of the box is white and contains a large, light grey watermark that reads "FOR REVIEW ONLY" diagonally from the bottom-left to the top-right.



A solid, dark grey vertical bar that spans the height of the page, positioned to the right of the main content area.

Definitions and questions

Coding rules

Codes

BREAKUP WITH BEST FRIEND-AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

BREAKUP WITH BEST FRIEND-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

BREAKUP WITH BOY/GIRLFRIEND

Relationships with boy/girlfriend ends because of conflict, "falling out of love", or geographical move. Do not include love relationships that turn into regular friendships without conflict, or love relationships maintained by phone calls, letters, and/or visits.

IF MORE THAN ONE BREAKUP IN THE LAST 3 MONTHS, CODE THE ONE MOST IMPORTANT TO THE SUBJECT.

Has s/he broken up with a boy/girlfriend in the last 3 months?

What happened?

Have they broken up for good?

Are they still friends?

IF BREAKUP PRESENT, COMPLETE ATTRIBUTION AND PAINFUL RECALL. OTHERWISE, SKIP TO "LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT", (PAGE 31).

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

BREAKUP WITH BOY/GIRLFRIEND

0 = No

2 = Yes

PKB6105
Intensity

PKB6106
Intensity

PKB7101
Intensity


PKB7001
Onset

Definitions and questions

Coding rules

Codes

IF BREAKUP WITH BOY/GIRLFRIEND PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT", (PAGE 31).



FOR REVIEW ONLY

Definitions and questions

BREAKUP WITH BOY/GIRLFRIEND - AVOIDANCE

*Does s/he try to avoid these thing/thoughts?
Do certain things/thoughts remind him/her of "life event"?*

What things?

BREAKUP WITH BOY/GIRLFRIEND - HYPERAROUSAL

*Has s/he been "on the alert" for bad things happening?
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?*

LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT

Subject lives, attends school/college/university or works in an area seen as chronically unsafe or threatening.

CODE DISCRETE THREATENING EVENTS WITNESSED BY SUBJECT SEPARATELY.

*Does s/he live or go to school in an unsafe place?
Or work in an unsafe place?
What is it like?
Has s/he been afraid that s/he might be hurt?
Or that s/he would die?*

IF "LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT" NOT PRESENT, SKIP TO "PARENTAL ARREST", (PAGE 34).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION

- 0 = Absent
- 2 = Present

LIVES, ATTENDS SCHOOL/COLLEGE/UNIVERSITY, OR WORKS IN CHRONICALLY UNSAFE ENVIRONMENT

- 0 = Absent
- 2 = Present

MONTHS

Codes

PKB8102 Intensity

PKB8103 Intensity

PKB9101 Intensity

PKB9001 Onset

PKB9D01 Duration

Definitions and questions

Coding rules

Codes

IF PAINFUL RECALL PRESENT, ASK ABOUT AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "PARENTAL ARREST", (PAGE 34).

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT-AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

LIVES/ATTENDS SCHOOL/WORKS IN CHRONICALLY UNSAFE ENVIRONMENT-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

PARENTAL ARREST

Either of subject's parental figures is arrested.

IF MORE THAN ONE ARREST, CODE THE MOST UPSETTING.

Have either your or your "partner" been arrested in the last 3 months?

What happened?

Was it for something serious?

IF PARENTAL ARREST PRESENT, COMPLETE ATTRIBUTION AND PAINFUL RECALL. OTHERWISE, SKIP TO "REDUCTION IN STANDARD OF LIVING", (PAGE 37).

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

PARENTAL ARREST

0 = No

2 = Yes

PKC0102
Intensity

PKC0103
Intensity

PKC1101
Intensity

PKC1001
Onset

Definitions and questions

PARENTAL ARREST - ATTRIBUTION
In the last 3 months, has "life event" affected any of the problems we have been talking about?
In what way?
Which ones?

PARENTAL ARREST - PAINFUL RECALL
Has s/he had any nightmares about the event?
In the last 3 months have thoughts or pictures of "life event" come into his/her mind?
Even when s/he didn't want them to?
What was that like?

IF PARENTAL ARREST PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "REDUCTION IN STANDARD OF LIVING", (PAGE 37).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKC1I99
Intensity

PKC1X01

PKC1X02

PKC1X03

PKC2I01
Intensity


Definitions and questions

Coding rules

Codes



A large rectangular box with a thin black border. At the top, there is a solid dark grey horizontal bar. The rest of the box is empty white space.



A solid dark grey vertical bar extending from the top to the bottom of the page.

FOR REVIEW ONLY

Definitions and questions

PARENTAL ARREST -AVOIDANCE
Does s/he try to avoid these things/thoughts?
Do certain things/thoughts remind him/her of "life event"?
What things?

PARENTAL ARREST -HYPERAROUSAL
Has s/he been "on the alert" for bad things happening?
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?

REDUCTION IN STANDARD OF LIVING
 Noticeable reduction of family standard of living as evidenced by inability to pay bills, need to sell things, need to move (including moving in with relatives), going on welfare or food stamps, inadequate food, clothing, heat. May be result of changes in household status and needs such as parental separation or divorce, death, taking in additional dependents, high medical bills or loss of household income due to cutback in hours, layoff or loss of job, inability to find employment, under-employment, loss of unemployment benefits, depletion of savings, etc.

Has your family's income been less than usual in the last 3 months?
What changes have resulted?
Why have things changed?
When did the change occur?

IF "REDUCTION IN STANDARD OF LIVING" NOT PRESENT, SKIP TO "FORCED SEPARATION FROM HOME", (PAGE 40).

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

REDUCTION IN STANDARD OF LIVING

- 0 = Absent
- 2 = Present, without change of family structure.
- 3 = Present, with change of family structure.

DATE OF CHANGE IN FINANCIAL STATUS

Codes

PKC2I02
Intensity

PKC2I03
Intensity

PKC3I01
Intensity

PKC3O01

Definitions and questions

Coding rules

Codes

IF REDUCTION IN STANDARD OF LIVING PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "FORCED SEPARATION FROM HOME", (PAGE 40).

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

REDUCTION IN STANDARD OF LIVING-AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

REDUCTION IN STANDARD OF LIVING-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

FORCED SEPARATION FROM HOME

Subject has to be away from home for at least one week at a time, against his/her will. Include visits to grandparents, other relatives, friends, if necessitated by adult needs (e.g. mother in hospital) not child's wishes. Do not include absences if accompanied by parental figures, or camp, even if subject is reluctant to go.

In the last 3 months has s/he had to go and stay away from home, when s/he would rather have stayed at home?

When was that?

Why did s/he have to go away?

How long was s/he gone?

Was a parent with him/her?

Or his/her "sibling"?

CODE NUMBER OF SEPARATIONS LASTING AT LEAST A WEEK

CODE NUMBER OF DAYS IN ALL SEPARATIONS

IF FORCED SEPARATION FROM HOME PRESENT, COMPLETE OTHERWISE, SKIP TO "DIAGNOSIS OF PHYSICAL ILLNESS", (PAGE 44).

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

FORCED SEPARATION FROM HOME

0 = No

2 = Yes

NUMBER OF SEPARATIONS

DAYS

PKC4I02
Intensity

PKC4I03
Intensity

PKC5I01
Intensity

PKC5O01
Onset

PKC5F01

PKC5D01
Duration

Definitions and questions

**FORCED SEPARATION FROM HOME -
ATTRIBUTION**

*In the last 3 months, has this affected any of the
problems we've been talking about?*

*Which ones?
In what way?*

**FORCED SEPARATION FROM HOME-PAINFUL
RECALL**

*In the last 3 months, have thoughts or pictures of "life
event" come into his/her mind?*

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKC5XYZ 00
Intensity

PKC5X01

PKC5X02

PKC5X03


PKC6I01
Intensity

Definitions and questions

Coding rules

Codes

IF "FORCED SEPARATION FROM HOME" PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "DIAGNOSIS OF PHYSICAL ILLNESS", (PAGE 44).



FOR REVIEW ONLY

Definitions and questions

FORCED SEPARATION FROM HOME-AVOIDANCE
Do certain things remind him/her of "life event"?
What things?
Does s/he try to avoid these things/thoughts?

FORCED SEPARATION FROM HOME-HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKC6I02
Intensity

PKC6I03
Intensity

FOR REVIEW ONLY

Definitions and questions

GROUP B EVENTS

DIAGNOSIS OF PHYSICAL ILLNESS

Diagnosis of an illness carrying current risk of death or chronic disability (e.g. cancer, AIDS, diabetes, MS).

NB: Asthma requiring more than 24 hour hospitalization.

Has s/he ever gotten very sick?

Has s/he been in the hospital?

*When did that happen?
 What illness did/does s/he have?
 When did s/he get better?
 Is s/he goin to get better?
 Has s/he had it in the last 3 months?
 Has it gotten worse?*

IF "DIAGNOSIS OF PHYSICAL ILLNESS" NOT PRESENT, SKIP TO "ACCIDENT", (PAGE 47).

Coding rules

DIAGNOSIS OF PHYSICAL ILLNESS

0 = Absent
 2 = Present
 Specify

DIAGNOSIS OF PHYSICAL ILLNESS

0 = Absent
 2 = Diagnosis of illness, or recurrence of illness in remission, in last 3 months.

Codes

Ever:PKC7E01
 Intensity

Ever:PKC7O01
 Onset

PKC7I01
 Intensity

PKC7O02
 Onset


FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

IF DIAGNOSIS OF PHYSICAL ILLNESS PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "ACCIDENT", (PAGE 47).



FOR REVIEW ONLY

Definitions and questions

DIAGNOSIS OF PHYSICAL ILLNESS- AVOIDANCE

Do certain things remind him/her of "life event"?

What things?
Does s/he try to avoid these things/thoughts?

DIAGNOSIS OF PHYSICAL ILLNESS- HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

ACCIDENT

Serious physical harm caused involuntarily by self or others (e.g. car accident, boating accident, other accident) that is life-threatening or carries risk of long-term disfigurement or disability). Code accidents involving fire under Fire.

IF ACCIDENT IN LAST 3 MONTHS OR IF RESULTS OF PREVIOUS ACCIDENT STILL POSE THREAT TO LIFE, DISFIGUREMENT, OR DISABILITY, COMPLETE ATTRIBUTION AND SCREENS. OTHERWISE SKIP TO DEATH OF LOVED ONE.

Has s/he ever been in a serious accident?

Or been badly hurt in an accident?

What happened?
Could s/he have died?
Did it change the way his/her body looks or works?
Are you still affected by it?

IF ACCIDENT IN LAST 3 MONTHS OR IF RESULT OF PREVIOUS ACCIDENT STILL POSE THREAT OR DISABILITY, COMPLETE. OTHERWISE, SKIP TO "PREGNANCY (GIRLS) - FIRST PREGNANCY", (PAGE 52).

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

ACCIDENT

- 0 = Absent
- 2 = Present

SERIOUS ACCIDENT: PRIMARY PERIOD

- 0 = Absent
- 2 = Present

Codes

PKC8I02
Intensity

PKC8I03
Intensity

Ever:PKC9E01
Intensity

Ever:PKC9V01
Frequency

Ever:PKC9O01
Onset

PKC9I01
Intensity

PKC9O02
Onset


Definitions and questions

Coding rules

Codes



A large rectangular box with a thin black border. At the top, there is a solid dark grey horizontal bar. The rest of the box is empty white space.



A solid dark grey vertical bar.

FOR REVIEW ONLY

Definitions and questions

ACCIDENT: ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

*Which ones?
In what way?*

ACCIDENT-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

IF ACCIDENT PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "PREGNANCY (GIRLS) - FIRST PREGNANCY", (PAGE 52).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKC2I99
Intensity

PKC9X01

PKC9X02

PKC9X03

PKC9X04

PKC9X05

PKC9X06

PKD0I01
Intensity


Definitions and questions

Coding rules

Codes



A large rectangular box with a thin black border. At the top, there is a solid dark grey horizontal bar. The rest of the box is empty white space.



A solid dark grey vertical bar.

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

ACCIDENT-AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

ACCIDENT-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

IF SUBJECT IS FEMALE PROCEED WITH PREGNANCY QUESTIONS. OTHERWISE , SKIP TO "MAKES SOMEONE PREGNANT (BOYS)", (PAGE 65).

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

PKD0102
Intensity

PKD0103
Intensity

FOR REVIEW ONLY

Definitions and questions

PREGNANCY (GIRLS) - FIRST PREGNANCY

Subject ever pregnant.

IF SUBJECT IS MALE, CODE AS ABSENT.

Has she ever been pregnant?

When did she find out she was pregnant?

When did she get pregnant?

How did she find out?

Was she planning to get pregnant?

Did she want to be pregnant?

DATE OF CONCEPTION.

IF SUBJECT IS FEMALE AND EVER PREGNANT (GIRLS), COMPLETE SECTION ON UP TO THREE PREGNANCIES. OTHERWISE, SKIP TO "DEATH OF LOVED ONE", (PAGE 78).

Coding rules

PREGNANCY

0 = No

2 = Yes

DATE OF AWARENESS - (GIRLS) FIRST PREGNANCY

INTENTIONALITY

1 = Planned pregnancy

2 = Pregnancy unplanned, wanted

3 = Pregnancy unplanned, unwanted

Codes

Ever:PKD1E11
Intensity

Ever:PKD1O11
Onset

 / /

Ever:PKD1O12

 / /

Ever:PKD1X11

FOR REVIEW ONLY

Definitions and questions

PREMATURE TERMINATION OF PREGNANCY (GIRLS) - FIRST PREGNANCY

Pregnancy ends for a reason other than birth (e.g. miscarriage, abortion).

What happened when she found out she was pregnant?

Who decided what should happen?
Were you involved?
The father of the child?
 IF ABORTION, ASK:

Does she feel OK about how the decision was made?

DATE OF TERMINATION.

Coding rules

PREMATURE TERMINATION OF PREGNANCY

- 0 = No
- 2 = Miscarriage
- 3 = Abortion

WEEK OF PREGNANCY WHEN TERMINATED

INVOLVEMENT IN ABORTION DECISION

- 0 = Subject's decision, with or without consultation with other(s).
- 2 = Other(s) made decision, with subject's agreement.
- 3 = Other(s) made decision against subject's own wishes.

Codes

Ever:PKD2E11
Intensity

Ever:PKD2O11
Onset

Ever:PKD2X11

Ever:PKD2X12

FOR REVIEW ONLY

Definitions and questions

CHILDBIRTH (GIRLS) - FIRST PREGNANCY
 Pregnancy ends in childbirth, or is expected to end in childbirth.
 IF SUBJECT STILL PREGNANT, CODE AND SKIP TO MOST UPSETTING PREGNANCY.
Did she have the baby?
 When was that?
 What happened with the child?
 DATE OF PLACEMENT WITH OTHERS.

PREGNANCY (GIRLS) - SECOND PREGNANCY
 Subject ever pregnant.
Has she ever been pregnant?
 When did she find out she was pregnant?
 When did she get pregnant?
 How did she find out?
 Was she planning to get pregnant?
 Did she want to be pregnant?

Coding rules

CHILDBIRTH

- 0 = Still Pregnant
- 2 = Stillbirth
- 3 = Perinatal death
- 4 = Live birth, mother or both kept child
- 5 = Live birth, father kept child
- 6 = Live birth, child adopted/cared for by another family member
- 7 = Live birth, child in foster care
- 8 = Live birth, child released for extra-familial adoption

DATE OF BIRTH OF CHILD

DATE OF PLACEMENT - (GIRLS) - FIRST PREGNANCY

INVOLVEMENT IN PLACEMENT DECISION

- 0 = Subject's decision
- 2 = Other(s) made decision, with subject's agreement.
- 3 = Other(s) made decision against subject's own wishes.

PREGNANCY

- 0 = No
- 2 = Yes

DATE OF AWARENESS - (GIRLS) - SECOND PREGNANCY

INTENTIONALITY

- 1 = Planned pregnancy
- 2 = Pregnancy unplanned, wanted
- 3 = Pregnancy unplanned, unwanted

Codes

Ever:PKD3E11
Intensity

Ever:PKD3O11

Ever:PKD4O11

Ever:PKD4I11

Ever:PKD1E21
Intensity

Ever:PKD1O21
Onset

Ever:PKD1O22


Ever:PKD1X21

Definitions and questions

Coding rules

Codes

**IF PREGNANT A SECOND TIME,
COMPLETE. OTHERWISE, SKIP TO
"PREGNANCY (GIRLS) -
ATTRIBUTION", (PAGE 62).**



FOR REVIEW ONLY

Definitions and questions

PREMATURE TERMINATION OF PREGNANCY (GIRLS) - SECOND PREGNANCY

Pregnancy ends for reason other than birth (e.g. miscarriage, abortion).

What happened when she found out she was pregnant?

*Who decided that should happen?
Were you involved?
The father of the child?*
IF ABORTION, ASK:

Does she feel OK about how the decision was made?

Coding rules

PREMATURE TERMINATION OF PREGNANCY

- 0 = No
- 2 = Miscarriage
- 3 = Abortion

INVOLVEMENT IN ABORTION DECISION

- 0 = Subject's decision, with or without consultation with other(s).
- 2 = Other(s) made decision, with subject's agreement.
- 3 = Other(s) made decision against subject's own wishes.

Codes

Ever:PKD2E21
Intensity

Ever:PKD2O21
Onset

Ever:PKD2X21
Frequency

Ever:PKD2X22

FOR REVIEW ONLY

Definitions and questions

CHILDBIRTH (GIRLS) - SECOND PREGNANCY

Pregnancy ends in childbirth, or is expected to end in childbirth.

IF SUBJECT STILL PREGNANT, CODE AND SKIP TO MOST UPSETTING PREGNANCY.

Did she have the baby?

*When was that?
What happened with the child?*

Coding rules

CHILDBIRTH

- 0 = Still Pregnant
- 2 = Stillbirth
- 3 = Perinatal death
- 4 = Live birth, mother or both kept child
- 5 = Live birth, father kept child
- 6 = Live birth, child adopted/cared for by another family member
- 7 = Live birth, child in foster care
- 8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT - (GIRLS) SECOND PREGNANCY

INVOLVEMENT IN PLACEMENT DECISION

- 0 = Subject's decision
- 2 = Other(s) made decision, with subject's agreement.
- 3 = Other(s) made decision against subject's own wishes.

Codes

Ever:PKD3E21
Intensity

Ever:PKD3O21
Onset

Ever:PKD4O21

Ever:PKD4I21

FOR REVIEW ONLY

Definitions and questions

PREGNANCY (GIRLS) - THIRD PREGNANCY

Subject ever pregnant.

Has she ever been pregnant?

When did she get pregnant?

How did she find out?

Was she planning to get pregnant?

Did she want to be pregnant?

IF PREGNANT THIRD TIME, COMPLETE SECTION. OTHERWISE, SKIP TO "MOST UPSETTING PREGNANCY", (PAGE 61).

Coding rules

PREGNANCY

0 = No

2 = Yes

DATE OF AWARENESS - (GIRLS) - THIRD PREGNANCY

INTENTIONALITY

1 = Planned pregnancy

2 = Pregnancy unplanned, wanted

3 = Pregnancy unplanned, unwanted

Codes

Ever:PKD1E31
Intensity

Ever:PKD1O31
Onset

Ever:PKD1O32

Ever:PKD1X31

FOR REVIEW ONLY

Definitions and questions

PREMATURE TERMINATION OF PREGNANCY (GIRLS) - THIRD PREGNANCY

Pregnancy ends for reason other than birth (e.g. miscarriage, abortion).

What happened when she found out she was pregnant?

*Who decided what should happen?
Were you involved?
The father of the child?*
IF ABORTION, ASK:

Does she feel OK about how the decision was made?

Coding rules

PREMATURE TERMINATION OF PREGNANCY

- 0 = No
- 2 = Miscarriage
- 3 = Abortion

INVOLVEMENT IN ABORTION DECISION

- 0 = Subject's decision, with or without consultation with other(s).
- 2 = Other(s) made decision, with subject's agreement.
- 3 = Other(s) made decision against subject's own wishes.

Codes

Ever:PKD2E31
Intensity

Ever:PKD2O31
Onset

Ever:PKD2X31
Frequency

Ever:PKD2X32

FOR REVIEW ONLY

Definitions and questions

CHILDBIRTH (GIRLS) THIRD PREGNANCY

Pregnancy ends in childbrith, or is expected to end in childbirth.

Did she have the baby?

*When was that?
What happened wth the child?*

**IF MORE THAN ONE PREGNANCY
ASK. OTHERWISE, SKIP TO
"PREGNANCY (GIRLS) -
ATTRIBUTION", (PAGE 62).**

Coding rules

CHILDBIRTH

- 0 = Still Pregnant
- 2 = Stillbirth
- 3 = Perinatal death
- 4 = Live birth, mother or both kept child
- 5 = Live birth, father kept child
- 6 = Live birth, child adopted/cared for by another family member
- 7 = Live birth, child in foster care
- 8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT - (GIRLS) - THIRD PREGNANCY

INVOLVEMENT IN PLACEMENT DECISION

- 0 = Subject's decision
- 2 = Other(s) made decision, with subject's agreement.
- 3 = Other(s) made decision against subject's own wishes.

Codes

Ever:PKD3E31
Intensity

Ever:PKD3O31
Onset

Ever:PKD4O31

Ever:PKD4I31

Definitions and questions

MOST UPSETTING PREGNANCY

What part of the pregnancy was the most upsetting for her?

IF SUBJECT EVER PREGNANT, COMPLETE ATTRIBUTION AND PAINFUL RECALL ON THE PART OF THE PREGNANCY THAT WAS THE MOST UPSETTING TO THE SUBJECT

Coding rules

UPSETTING PART OF PREGNANCY

- 0 = No upsetting part
- 2 = Finding out girl was pregnant
- 3 = Miscarriage
- 4 = Decision to have abortion
- 5 = Having abortion
- 6 = Stillbirth or perinatal death
- 7 = Birth
- 8 = Placement decision
- 9 = Whole experience

Codes

Ever:PKD5I01
Intensity

Ever:PKD5O01
Onset

FOR REVIEW ONLY


Definitions and questions

Coding rules

Codes



A large, empty rectangular box with a thin black border, intended for definitions and questions. At the top of this box is a solid dark grey horizontal bar. The rest of the box is white and contains a large, light grey watermark that reads "FOR REVIEW ONLY" diagonally from the bottom-left to the top-right.



A solid, vertical grey bar extending from the top to the bottom of the page, intended for codes.

Definitions and questions

PREGNANCY (GIRLS) - AVOIDANCE

*Does she try to avoid these things/thoughts?
Do certain things/thoughts remind her of "life event"?*

What things?

PREGNANCY (GIRLS) - HYPERAROUSAL

Has she been "on the alert" for bad things happening?

Since "life event", has she been more jumpy or irritable?

Has she had trouble sleeping?

**IF SUBJECT IS MALE, COMPLETE.
OTHERWISE, SKIP TO "DEATH OF
LOVED ONE", (PAGE 78).**

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKD6I02
Intensity

PKD6I03
Intensity

FOR REVIEW ONLY

Definitions and questions

MAKES SOMEONE PREGNANT (BOYS)
Has he ever gotten a girl pregnant?

When did he find out she was pregnant?
When did she get pregnant?
How did he find out?
Was he planning to get her pregnant?
Did she want to be pregnant?

IF EVER PRESENT, COMPLETE SECTION ON UP TO THREE PREGNANCIES. OTHERWISE, SKIP TO "DEATH OF LOVED ONE", (PAGE 78).

FOR REVIEW ONLY

Coding rules

MAKES SOMEONE PREGNANT

- 0 = No
- 2 = Yes

DATE OF AWARENESS - MAKES SOMEONE PREGNANT (BOYS)

INTENTIONALITY

- 1 = Planned pregnancy
- 2 = Pregnancy unplanned, wanted
- 3 = Pregnancy unplanned, unwanted

Codes

Ever:PKD7E11
Intensity

Ever:PKD7O11
Onset

Ever:PKD7O12

Ever:PKD7X11

Definitions and questions

PREMATURE TERMINATION OF PREGNANCY (BOYS) - FIRST PREGNANCY

*What happened when she got pregnant?
Is she still pregnant?*

*Did she have the baby?
Who decided what should happen?
Was he involved in the decision?
IF ABORTION, ASK:*

Does he feel OK about how the decision was made?

Coding rules

PREMATURE TERMINATION OF PREGNANCY

- 0 = No
- 2 = Miscarriage
- 3 = Abortion

INVOLVEMENT IN ABORTION DECISION

- 0 = Aware and part of the decision process.
- 2 = Informed but not involved in the decision though willing to be.
- 3 = Not informed until after termination, or not involved.
- 4 = Refused to be involved.

Codes

Ever:PKD8E11
Intensity

Ever:PKD8O11
Onset

Ever:PKD8X11
Frequency

Ever:PKD8X12

FOR REVIEW ONLY

Definitions and questions

CHILDBIRTH (BOYS) - FIRST PREGNANCY

Did she have the baby?
When was that?
What happened with the child?
Does he get to see the baby at all?

Does he want to?
How often does he see him/her?

Coding rules

CHILDBIRTH

- 0 = Still Pregnant
- 2 = Stillbirth
- 3 = Perinatal death
- 4 = Live birth, mother or both kept child
- 5 = Live birth, father kept child
- 6 = Live birth, child adopted/cared for by another family member
- 7 = Live birth, child in foster care
- 8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT - MAKES SOMEONE PREGNANT (BOYS)

CONTACT WITH CHILD

- 0 = Lives with and helps care for child
- 1 = Sees child at least once a week
- 2 = Sees child at least once a month
- 3 = Sees child less than once a month
- 4 = Never sees child

Codes

Ever:PKD9E11
Intensity

Ever:PKD9O11
Onset

Ever:PKE0O11

Ever:PKE0I11

FOR REVIEW ONLY

Definitions and questions

MAKES SOMEONE PREGNANT (BOYS) - SECOND PREGNANCY

Subject became aware that he has ever made a girl pregnant.

Has he ever gotten a girl pregnant?

- When did he find out she was pregnant?*
- When did she get pregnant?*
- How did he find out?*
- Was he planning to get her pregnant?*
- Did she want to be pregnant?*

IF PRESENT, COMPLETE SECTION ON UP TO THREE PREGNANCIES. OTHERWISE, SKIP TO "MAKES SOMEONE PREGNANT (BOYS) - ATTRIBUTION", (PAGE 75).



Coding rules

MAKES SOMEONE PREGNANT

- 0 = Absent
- 2 = Present

DATE OF AWARENESS - MAKES SOMEONE PREGNANT (BOYS) - SECOND PREGNANCY

INTENTIONALITY

- 0 = Planned Pregnancy
- 2 = Pregnancy unplanned, wanted
- 3 = Pregnancy unplanned, unwanted

Codes

Ever:PKD7E21
Intensity

Ever:PKD7O21
Onset

Ever:PKD7O22

Ever:PKD7X21

FOR REVIEW ONLY

Definitions and questions

PREMATURE TERMINATION OF PREGNANCY (BOYS) - SECOND PREGNANCY

Pregnancy ends for reason other than birth (e.g. miscarriage abortion).

What happened when she got pregnant?

Is she still pregnant?

Did she have the baby?

Who decided what should happen?

Was he involved in the decision?

IF ABORTION, ASK:

Does he feel OK about how the decision was made?

Coding rules

PREMATURE TERMINATION OF PREGNANCY

0 = No

2 = Miscarriage

3 = Abortion

INVOLVEMENT IN ABORTION DECISION

0 = Aware and part of the decision process.

2 = Informed but not involved in the decision though willing to be.

3 = Not informed until after termination, or not involved.

4 = Refused to be involved.

Codes

Ever:PKD8E21
Intensity

Ever:PKD8O21
Onset

Ever:PKD8X21
Frequency

Ever:PKD8X22

FOR REVIEW ONLY

Definitions and questions

CHILDBIRTH (BOYS) - SECOND PREGNANCY
 Pregnancy ends in childbirth or is expected to end in childbirth.

Coding rules

CHILDBIRTH

- 0 = Still Pregnant
- 2 = Stillbirth
- 3 = Perinatal death
- 4 = Live birth, mother or both kept child
- 5 = Live birth, father kept child
- 6 = Live birth, child adopted/cared for by another family member
- 7 = Live birth, child in foster care
- 8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT

CONTACT WITH CHILD

- 0 = Lives with and helps care for child
- 1 = Sees child at least once a week
- 2 = Sees child at least once a month
- 3 = Sees child less than once a month
- 4 = Never sees child

Codes

Ever:PKD9E21
 Intensity

Ever:PKD9O21
 Onset

Ever:PKE0O21

Ever:PKE0I21

FOR REVIEW ONLY

Definitions and questions

MAKES SOMEONE PREGNANT (BOYS) - THIRD PREGNANCY

Subject became aware that he has ever made a girl pregnant.

Has he ever gotten a girl pregnant?

- When did he find out she was pregnant?*
- When did she get pregnant?*
- How did he find out?*
- Was he planning to get her pregnant?*
- Did she want to be pregnant?*

IF THIRD PREGNANCY PRESENT, COMPLETE SECTION. OTHERWISE, SKIP TO "MOST UPSETTING PREGNANCY (BOYS)", (PAGE 74).

Coding rules

EVER: MAKES SOMEONE PREGNANT

- 0 = Absent
- 2 = Present

DATE OF AWARENESS - THIRD PREGNANCY

INTENTIONALITY

- 0 = Planned Pregnancy
- 2 = Pregnancy unplanned, wanted
- 3 = Pregnancy unplanned, unwanted

Codes

Ever:PKD7E31
Intensity

Ever:PKD7O31
Onset

Ever:PKD7O32

Ever:PKD7X31

FOR REVIEW ONLY

Definitions and questions

PREMATURE TERMINATION OF PREGNANCY (BOYS) - THIRD PREGNANCY

Pregnancy ends for reason other than birth (e.g. miscarriage, abortion).

What happened when she got pregnant?

Is she still pregnant?
Did she have the baby?
Who decided what should happen?
Was he involved in the decision?
 IF ABORTION, ASK:

Does he feel OK about how the decision was made?

Coding rules

PREMATURE TERMINATION OF PREGNANCY

- 0 = No
- 2 = Miscarriage
- 3 = Abortion

INVOLVEMENT IN ABORTION DECISION

- 0 = Aware and part of the decision process.
- 2 = Informed but not involved in the decision though willing to be.
- 3 = Not informed until after termination, or not involved.
- 4 = Refused to be involved.

Codes

Ever:PKD8E31
Intensity

Ever:PKD8O31
Onset

Ever:PKD8X31
Frequency

Ever:PKD8X32

FOR REVIEW ONLY

Definitions and questions

CHILDBIRTH (BOYS) - THIRD PREGNANCY

Pregnancy ends in childbirth or is expected to end in childbirth.

Did she have the baby?

When was that?

What happened with the child?

Does he get to see the baby at all?

Does he want to?

How often does he see him/her?

**IF MORE THAN ONE PREGNANCY,
ASK MOST UPSETTING PREGNANCY
(BOYS), SKIP TO "MAKES SOMEONE
PREGNANT (BOYS) - ATTRIBUTION",
(PAGE 75).**

Coding rules

CHILDBIRTH

0 = Still Pregnant

2 = Stillbirth

3 = Perinatal death

4 = Live birth, mother or both kept child

5 = Live birth, father kept child

6 = Live birth, child adopted/cared for by another family member

7 = Live birth, child in foster care

8 = Live birth, child released for extra-familial adoption

DATE OF PLACEMENT - CHILDBIRTH (BOYS) - THIRD PREGNANCY

CONTACT WITH CHILD

0 = Lives with and helps care for child

1 = Sees child at least once a week

2 = Sees child at least once a month

3 = Sees child less than once a month

4 = Never sees child

Codes

Ever:PKD9E31
Intensity

Ever:PKD9O31
Onset

Ever:PKE0O31

Ever:PKE0I31

Definitions and questions

MOST UPSETTING PREGNANCY (BOYS)

IF MORE THAN ONE PREGNANCY, ASK WHICH PREGNANCY WAS THE MOST UPSETTING.

What part of that pregnancy was the most upsetting for him?

Coding rules

UPSETTING PART OF PREGNANCY

- 0 = No upsetting part
- 2 = Finding out girl was pregnant
- 3 = Miscarriage
- 4 = Decision to have abortion
- 5 = Having abortion
- 6 = Stillbirth or perinatal death
- 7 = Birth
- 8 = Placement decision
- 9 = Whole experience

Codes

Ever:PKE1101
Intensity

Ever:PKE1001
Onset


FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

**IF MAKES SOMEONE PREGNANT
PAINFULL RECALL PRESENT, ASK
AVOIDANCE AND HYPERAROUSAL.
OTHERWISE, SKIP TO "DEATH OF
LOVED ONE", (PAGE 78).**



FOR REVIEW ONLY

Definitions and questions

MAKES SOMEONE PREGNANT (BOYS) - AVOIDANCE

Do certain things/thoughts remind him of "life event"?

What things?

In what way?

MAKES SOMEONE PREGNANT (BOYS) - HYPERAROUSAL

Since "life event", has he been more jumpy or irritable?

Has he had any trouble sleeping?

Has he been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

Codes

PKE2102
Intensity

PKE2103
Intensity

FOR REVIEW ONLY

Definitions and questions

DEATH OF LOVED ONE

Death of someone close to the subject: biological parent, other parental figure, other relative with whom subject has close ties, other adult who has played a significant role in the child's life, subjects own child, or pet.

IF MORE THEN 2 DEATHS, CODE DEATH OR PARENTAL FIGURE AND ANOTHER THAT THE SUBJECT DESCRIBES AS THE MOST UPSETTING

Has anyone close to him/her died?

- Who was that?*
- What happened?*
- When did it happen?*
- What did s/he die of?*

Coding rules

DEATH OF LOVED ONE #1: RELATIONSHIP TO SUBJECT

- 0 = Absent
- 1 = Biological parent.
- 2 = Step/adoptive/foster parent.
- 3 = Other parental figure.
- 4 = Grandparent
- 5 = Aunt or uncle.
- 6 = Close unrelated adult.
- 7 = Pet
- 8 = Other close related adult.

EVER: DATE OF DEATH LOVED ONE #1

CAUSE OF DEATH - 1

- 1 = Physical illness.
- 2 = Accident
- 3 = Suicide
- 4 = Natural disaster (flood, earthquake).
- 5 = Fire
- 6 = War or terrorism.
- 7 = Riots or urban violence.
- 8 = Noxious agent.
- 9 = Physical violence.
- 10 = Physical abuse.
- 11 = Captivity

DEATH OF LOVED ONE #2: RELATIONSHIP TO SUBJECT

- 0 = Absent
- 1 = Biological parent.
- 2 = Step/adoptive/foster parent.
- 3 = Other parental figure.
- 4 = Grandparent
- 5 = Aunt or uncle.
- 6 = Close unrelated adult.
- 7 = Pet
- 8 = Other close related adult.


Codes

Ever:PKE3E01
Intensity

Ever:PKE3O01

Ever:PKE3X01

Ever:PKE4E01



Definitions and questions

IF DEATH OF ADULT LOVED ONE NOT PRESENT, SKIP TO "DEATH OF SIBLING OR PEER", (PAGE 83).

FOR REVIEW ONLY

Coding rules

EVER: DATE OF DEATH OF LOVED ONE #2

CAUSE OF DEATH - 2

- 1 = Physical illness.
- 2 = Accident
- 3 = Suicide
- 4 = Natural disaster (flood, earthquake).
- 5 = Fire
- 6 = War or terrorism.
- 7 = Riots or urban violence.
- 8 = Noxious agent.
- 9 = Physical violence.
- 10 = Physical abuse.
- 11 = Captivity

Codes

Ever:PKE4O01


Ever:PKE4X01

Definitions and questions

Coding rules

Codes

**IF DEATH OF LOVED ONE PAINFUL
RECALL PRESENT, ASK AVOIDANCE
AND HYPERAROUSAL. OTHERWISE,
SKIP TO "DEATH OF SIBLING OR
PEER", (PAGE 83).**



FOR REVIEW ONLY

Definitions and questions

DEATH OF LOVED ONE-AVOIDANCE
Do certain things remind him/her of "life event"?
What things?
Does s/he try to avoid these things/thoughts?

DEATH OF LOVED ONE-HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Have you been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKE5102
Intensity

PKEI003
Intensity

FOR REVIEW ONLY

Definitions and questions

DEATH OF SIBLING OR PEER
 Death of subject's sibling, close friend or other peer.

IF MORE THAN 2 DEATHS, CODE THOSE THAT THE SUBJECT REPORTS AS MOST UPSETTING.

Has a friend of his/her ever died?

*Or one of his/her brothers or sisters or cousins?
 Who was that?
 What happened?
 When did it happen?
 What did s/he die of?*

Has s/he known anyone around his/her age who has committed suicide?

*What happened?
 When did it happen?*

Coding rules

DEATH OF A CHILD

- 0 = Absent
- 1 = Biological child
- 2 = Adoptive child
- 3 = Step or foster child
- 4 = Cousin or other close child
- 5 = Non-biological child living in the home
- 6 = Childhood friend from school

ONSET: DEATH OF A SIBLING OR PEER #1

DEATH OF A SIBLING OR PEER: CAUSE OF DEATH

- 1 = Physical illness.
- 2 = Accident
- 3 = Suicide
- 4 = Natural disaster (flood, earthquake).
- 5 = Fire
- 6 = War or terrorism.
- 7 = Riots or urban violence.
- 8 = Noxious agent.
- 9 = Physical violence.
- 10 = Physical abuse.
- 11 = Captivity

DEATH OF A SIBLING OR PEER

- 0 = Absent
- 1 = Biological Sibling
- 2 = Step/Adopted/Foster Sibling
- 3 = Close Friend
- 4 = Other Friend
- 5 = Acquaintance at school
- 6 = Other related child

ONSET: DEATH OF A SIBLING OR PEER #2

DEATH OF A SIBLING OR PEER #2: CAUSE OF DEATH

- 1 = Physical illness.

Codes

Ever:PKE6E01
 Intensity

Ever:PKE6O01

 / /

Ever:PKE6X01

Ever:PKE7E01

Ever:PKE7O01

 / /

Ever:PKE7X01


Definitions and questions

IF DEATH OF A SIBLLING PRESENT, COMPLETE ATTRIBUTION AND PAINFUL RECALL FOR THE MOST UPSETTING DEATH. OTHERWISE, SKIP TO "NATURAL DISASTER", (PAGE 88).

Coding rules

- 2 = Accident
- 3 = Suicide
- 4 = Natural disaster (flood, earthquake).
- 5 = Fire
- 6 = War or terrorism.
- 7 = Riots or urban violence.
- 8 = Noxious agent.
- 9 = Physical violence.
- 10 = Physical abuse.
- 11 = Captivity

Codes




FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

**IF DEATH OF A SIBLING PAINFUL
RECALL PRESENT, ASK AVOIDANCE
AND HYPERAROUSAL. OTHERWISE,
SKIP TO "NATURAL DISASTER",
(PAGE 88).**



FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

DEATH OF A SIBLING OR PEER-AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

DEATH OF A SIBLING OR PEER-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

PKE8102
Intensity

PKE8103
Intensity

FOR REVIEW ONLY

Definitions and questions

NATURAL DISASTER

Events not caused by intentional human actions (e.g. floods, hurricanes, tornadoes) in which people actually died or were badly injured or property was extensively damaged, or there was serious risk of these outcomes.

Has s/he ever been in a terrible storm, tornado, or hurricane?

Or an earthquake?

Or a flood?

What happened?

How bad was it?

Were people killed?

Was s/he afraid that people would be killed or badly hurt?

Or that s/he would die or be badly hurt?

When did that happen?

IF NATURAL DISASTER PRESENT COMPLETE. OTHERWISE, SKIP TO "FIRE", (PAGE 91).

Coding rules

NATURAL DISASTER

- 0 = No
- 2 = Storm
- 3 = Tornado
- 4 = Hurricane
- 5 = Earthquake
- 6 = Flood
- 7 = More than one type.

NATURAL DISASTER

- 0 = No
- 2 = Storm
- 3 = Tornado
- 4 = Hurricane
- 5 = Earthquake
- 6 = Flood
- 7 = More than one type.

Codes

Ever:PKE9E01 Intensity

Ever:PKE9O01 Onset

Ever:PKE9V01 Frequency

PKE9I01 Intensity

PKE9O02 Onset

PKE9F01 Frequency

Definitions and questions

NATURAL DISASTER - ATTRIBUTION
In the last 3 months, has "life event" affected any of the problems we have been talking about?
 Which ones?
 In what way?

NATURAL DISASTER: PAINFUL RECALL
In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?
 Even when s/he didn't want them to?
 What was that like?
 Has s/he had any nightmares about the event?

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

Specify

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKE9199
Intensity

PKE9X01

PKE9X02

PKE9X03

PKE9X04

PKE9X05

PKE9X06


PKFOI01
Intensity

Definitions and questions

Coding rules

Codes

**IF NATURAL DISASTER PAINFUL
RECALL PRESENT, ASK AVOIDANCE
AND HYPERAROUSAL. OTHERWISE,
SKIP TO "FIRE", (PAGE 91).**



FOR REVIEW ONLY

Definitions and questions

NATURAL DISASTER: AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

NATURAL DISASTER: HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

FIRE

Fire, either accidentally or deliberately set, in which people actually died or were badly injured or property was extensively damaged, or there was serious risk of these outcomes.

Has s/he ever been in a terrible fire?

What happened?

How bad was it?

Were people killed?

Was s/he afraid that people would be killed or badly hurt?

Or that s/he would die or be badly hurt?

When did that happen?

How does s/he think that the fire started?

Was it an accident?

IF "FIRE" NOT PRESENT, SKIP TO "WAR OR TERRORISM", (PAGE 94).

Coding rules

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

FIRE

0 = Absent

2 = Accidental fire.

3 = Intentionally set fire.

FIRE

0 = Absent

2 = Accidental fire.

3 = Intentionally set fire.

Codes

PKF0I02
Intensity

PKF0I03
Intensity

Ever:PKF1E01
Intensity

Ever:PKF1V01
Frequency

Ever:PKF1O01
Onset

PKF1I01
Intensity

PKF1O02
Onset

Definitions and questions

FIRE - ATTRIBUTION

In the last 3 months, has "life event" affected any of the problems we have been talking about?

*Which ones?
In what way?*

FIRE: PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF "LIFE EVENT" AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
 - 2 = Separation anxiety.
 - 3 = Worries/anxiety.
 - 4 = Obsessions/compulsions.
 - 5 = Depression
 - 6 = Mania
 - 7 = Physical symptoms.
 - 8 = Food-related behavior.
 - 9 = Hyperactivity/ADD
 - 10 = Conduct disorder.
 - 11 = Alcohol/drugs
 - 12 = Psychosis
 - 13 = Relationships with parent #1 and/or parent #2.
 - 14 = Relationships with other parent #1 and/or other parent #2.
 - 15 = Relationships with other adults.
 - 16 = Sibling relationships.
 - 17 = Peer relationships.
- Specify
-

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKF1199
Intensity

PKF1X01

PKF1X02

PKF1X03

PKF1X04

PKF1X05

PKF1X06


PKF2101
Intensity

Definitions and questions

Coding rules

Codes

**IF FIRE PAINFUL RECALL PRESENT,
ASK AVOIDANCE AND
HYPERAROUSAL. OTHERWISE, SKIP
TO "WAR OR TERRORISM", (PAGE 94).**



FOR REVIEW ONLY

Definitions and questions

FIRE: AVOIDANCE
Do certain things remind him/her of "life event"?
What things?
Does s/he try to avoid these things/thoughts?

FIRE: HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

WAR OR TERRORISM
 Subject has lived for at least a day in an area in which civil law was disrupted (e.g. a country at war or an area in which civil war or terrorism has disrupted normal life).
Has s/he ever been in a war?
Or somewhere where armies or terrorists were fighting?
What happened?
When did that happen?
What did s/he see?
Were people killed?
Was s/he afraid that people would be killed?
Was s/he afraid that s/he might be hurt?
Or that s/he would die?
How long was s/he there?

IF WAR OR TERRORISM NOT PRESENT, SKIP TO "WITNESS TO EVENT THAT CAUSED, OR HAD POTENTIAL TO CAUSE, DEATH OR SEVERE INJURY", (PAGE 99).

Coding rules

AVOIDANCE SCREEN

0 = Absent
 2 = Present

HYPERAROUSAL SCREEN

0 = Absent
 2 = Present

WAR OR TERRORISM

0 = No
 2 = Yes

DAYS

WAR OR TERRORISM

0 = No
 2 = Yes

DAYS

Codes

PKF2102
 Intensity

PKF2103
 Intensity

Ever:PKF3E01
 Intensity

Ever:PKF3O01
 Onset

Ever:PKF3D01
 Duration

PKF3101
 Intensity

PKF3O02
 Onset

PKF3D02
 Duration


Definitions and questions

Coding rules

Codes



A large, empty rectangular box with a thin black border. At the top of the box is a solid dark grey horizontal bar. The rest of the box is white and contains a large, light grey watermark that reads "FOR REVIEW ONLY" diagonally from the bottom-left to the top-right.



A solid dark grey vertical bar that spans the height of the page, positioned to the right of the main content area.

Definitions and questions

Coding rules

Codes

**IF WAR OR TERRORISM PAINFUL
RECALL PRESENT, ASK AVOIDANCE
AND HYPERAROUSAL. OTHERWISE,
SKIP TO "WITNESS TO EVENT THAT
CAUSED, OR HAD POTENTIAL TO
CAUSE, DEATH OR SEVERE INJURY",
(PAGE 99).**



FOR REVIEW ONLY

Definitions and questions

WAR OR TERRORISM: AVOIDANCE
Do certain things remind him/her of "life event"?
What things?
Does s/he try to avoid these things/thoughts?

WAR OR TERRORISM: HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKF4102
Intensity

PKF4103
Intensity

FOR REVIEW ONLY

Definitions and questions

WITNESS TO EVENT THAT CAUSED, OR HAD POTENTIAL TO CAUSE, DEATH OR SEVERE INJURY

Person saw or heard but was not the object of an event with potential for life threat or severe physical injury. Include seeing someone shot or killed, hearing someone raped or beaten in an adjacent room, seeing another person killed or severely injured in an accident.

Do not include events seen in movies or on the news.

Has s/he ever seen or heard something really terrible happen to anyone?

*Like someone dying?
Or being badly hurt?
Or being beaten up?
What happened?*

Has s/he ever seen or heard someone in your family hurting or beating up someone else in your family?

Coding rules

WITNESS TO EVENT

- 0 = Absent
- 2 = Present, to stranger.
- 3 = Present, to acquaintance.
- 4 = Present, to friend.
- 5 = Present, to family member.

PERPETRATOR

- 0 = No perpetrator.
- 2 = Unknown perpetrator.
- 3 = Acquaintance
- 4 = Friend
- 5 = Family member.

WITNESS TO EVENT

- 0 = Absent
- 2 = Present, to stranger.
- 3 = Present, to acquaintance.
- 4 = Present, to friend.
- 5 = Present, to family member.

PERPETRATOR

- 0 = No perpetrator.
- 2 = Unknown perpetrator.
- 3 = Acquaintance
- 4 = Friend
- 5 = Family member.

Codes

Ever:PKF5E01
Intensity

Ever:PKF5O01
Onset

Ever:PKF5X01

PKF5I01
Intensity

PKF5O02
Onset

PKF5X02

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

IF WITNESS TO EVENT THAT CAUSED, OR HAD POTENTIAL TO CAUSE, DEATH OR SEVERE INJURY NOT PRESENT, SKIP TO "LEARNED ABOUT EVENT POSSIBLY CAUSING SEVERE INJURY OR DEATH", (PAGE 104).



FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

**IF WITNESS TO EVENT PAINFUL
RECALL PRESENT, ASK AVOIDANCE
AND HYPERAROUSAL. OTHERWISE,
SKIP TO "LEARNED ABOUT EVENT
POSSIBLY CAUSING SEVERE INJURY
OR DEATH", (PAGE 104).**

FOR REVIEW ONLY

Definitions and questions

WITNESS TO EVENT-AVOIDANCE
Do certain things remind him/her of "life event"?
What happened?
Does s/he try to avoid these things/thoughts?

WITNESS TO EVENT-HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKF6102
Intensity

PKF6103
Intensity

FOR REVIEW ONLY

Definitions and questions

LEARNED ABOUT EVENT POSSIBLY CAUSING SEVERE INJURY OR DEATH

Person learned about, but did not see or hear, an event with serious potential for life threat or severe physical injury to a loved one (e.g. first or second degree relative or close personal friend).

Has someone s/he really cares about ever had anything really terrible happen to him/her?

*Or been badly hurt?
Or been beaten up?
What happened?*

IF LEARNED ABOUT EVENT POSSIBLY CAUSING SEVERE INJURY OR DEATH NOT PRESENT, SKIP TO "LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT", (PAGE 108).

Coding rules

LEARNED ABOUT EVENT

- 0 = Absent
- 2 = Present, to friend
- 3 = Present, to 2nd degree relative
- 4 = Present, to 1st degree relative

EVER: PERPETRATOR

- 0 = No perpetrator.
- 2 = Unknown perpetrator.
- 3 = Acquaintance
- 4 = Friend
- 5 = Family member.

LEARNED ABOUT EVENT

- 0 = Absent
- 2 = Present, to friend
- 3 = Present, to 2nd degree relative
- 4 = Present, to 1st degree relative

PERPETRATOR

- 0 = No perpetrator.
- 2 = Unknown perpetrator.
- 3 = Acquaintance
- 4 = Friend
- 5 = Family member.

Codes

Ever:PKF7E01
Intensity

Ever:PKF7O01
Onset

Ever:PKF7X01

PKF7I01
Intensity


PKF7O02
Onset

PKF7X02

Definitions and questions

Coding rules

Codes



Definitions and questions

LEARNED ABOUT EVENT - ATTRIBUTION

In the last 3 months, has this affected any of the problems we've been talking about?

*Which ones?
In what way?*

LEARNED ABOUT EVENT-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

IF LEARNED ABOUT EVENT PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT", (PAGE 108).

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF LIFE EVENT AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKF7E02
Intensity

PKF7X03

PKF7X04

PKF7X05

PKF7X06

PKF7X07

PKF7X08

PKF8I01
Intensity

Definitions and questions


Coding rules

Codes



A large rectangular box with a thin black border. At the top, there is a solid dark grey horizontal bar. The rest of the box is empty white space.

FOR REVIEW ONLY



A solid dark grey vertical bar extending from the top to the bottom of the page.

Definitions and questions

LEARNED ABOUT EVENT-AVOIDANCE
Do certain things remind him/her of "life event"?
 What things?
Does s/he try to avoid these things/thoughts?

LEARNED ABOUT EVENT-HYPERAROUSAL
Since "life event", have you been more jumpy or irritable?
Have you had any trouble sleeping?
Have you been "on the alert" for bad things happening?

LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT
 Person learned about exposure to noxious agent such as chemicals, environmental contaminants, infectious agents such as HIV, or other poisons capable of causing death or severe physical injury. Include radiation exposure after a nuclear power plant accident or accidental ingestion of a toxic substance like pesticide. Do not include fluoridated water or common illnesses like chicken pox.
Has s/he ever had contact with anything that s/he thought might make him/her sick or die?
 Like chemicals, radiation, or other poisons?
Or to a disease that you could die from?
 How did that happen?

IF LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT ABSENT, SKIP TO "CAUSING DEATH OR SEVERE HARM", (PAGE 112).

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

EXPOSURE TO NOXIOUS AGENT

- 0 = No
- 2 = Yes, exposure to chemical
- 3 = Yes, exposure to infectious agent

EXPOSURE TO NOXIOUS AGENT

- 0 = No
- 2 = Yes, exposure to chemical
- 3 = Yes, exposure to infectious agent

Codes

PKF8102
Intensity

PKF8103
Intensity

Ever:PKF9E01
Intensity

Ever:PKF9O01
Onset

PKF9101
Intensity


PKF9O02
Onset

Definitions and questions

Coding rules

Codes

IF LEARNED ABOUT EXPOSURE TO NOXIOUS AGENT PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "CAUSING DEATH OR SEVERE HARM", (PAGE 112).



FOR REVIEW ONLY

Definitions and questions

LEARNED ABOUT EXPOSURE-AVOIDANCE
Do certain things remind him/her of "life event"?
What happened?
Does s/he try to avoid these things/thoughts?

LEARNED ABOUT EXPOSURE-HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKG0102
Intensity

PKG0103
Intensity

FOR REVIEW ONLY

Definitions and questions

CAUSING DEATH OR SEVERE HARM

Person caused an event resulting in death or severe physical injury.

Include causing a car accident, shooting or otherwise injuring another person, i.e. starting a fire. Do not include delusional guilt over events not under subject's control.

Has s/he or someone s/he were with ever hurt another person badly?

Or caused another person to die?

What happened?
Did you mean to hurt him/her?
Was it an accident?

Coding rules

CAUSING DEATH OR SEVERE HARM

- 0 = Absent
- 2 = Severe Harm
- 3 = Death

PERSON HURT

- 2 = Stranger
- 3 = Acquaintance
- 4 = Friend
- 5 = Family member

INTENTIONALITY

- 0 = Harm was accidental.
- 2 = Intended to hurt.
- 3 = Intended to kill.

CAUSING DEATH OR SEVERE HARM

- 0 = Absent
- 2 = Severe Harm
- 3 = Death

PERSON HURT

- 2 = Stranger
- 3 = Acquaintance
- 4 = Friend
- 5 = Family member

INTENTIONALITY

- 0 = Harm was accidental.
- 2 = Intended to hurt.
- 3 = Intended to kill.

Codes

Ever:PKG1E01
Intensity

Ever:PKG1O01
Onset

 / /

Ever:PKG1X01

Ever:PKG1X02

PKG1I01
Intensity

PKG1O02
Onset

 / /

PKG1X03


PKG1X04

Definitions and questions

Coding rules

Codes

IF CAUSING DEATH OR SEVERE INJURY NOT PRESENT, SKIP TO "VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)", (PAGE 117).




FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

IF CAUSING DEATH OR SEVERE HARM PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)", (PAGE 117).



FOR REVIEW ONLY

Definitions and questions

CAUSING DEATH OR SEVERE HARM-AVOIDANCE
Do certain things remind him/her of "life event"?
What happened?
Does s/he try to avoid these things/thoughts?

CAUSING DEATH OR SEVERE HARM-HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKG2102
Intensity

PKG2103
Intensity

FOR REVIEW ONLY

Definitions and questions

VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)

Subject has been the victim of physical violence, with one or more people using force against the subject with potential to cause death or serious injury. Force may have been used in order to get something (e.g. mugging, robbery), or to intimidate or frighten subject, or for its own sake (assault, fight, torture). Victim may have been threatened with a weapon.

Code physical abuse by family member separately.

Has anyone ever hit or hurt him/her badly?

Has anyone ever robbed or mugged him/her?

Or beaten him/her up really badly?

What happened?

Did they threaten him/her with a weapon?

Why did they do it?

Does s/he know who did it?

When was the first time?

Coding rules

VICTIM OF PHYSICAL VIOLENCE

0 = Absent

2 = Some physical injury (e.g., black eye, cuts), or force with potential for such.

3 = Serious injury (e.g., broken limb, unconsciousness, hospitalization), or force with potential for such.

PERSON USING FORCE

2 = Known peer.

3 = Known non-familial adult.

4 = Unknown adult.

5 = Unknown peer.

6 = More than one person.

THREATENED WITH WEAPON

0 = Absent

2 = Weapon used to threaten but not to hurt victim.

3 = Weapon used to threaten and injure victim.

VICTIM OF PHYSICAL VIOLENCE

0 = Absent

2 = Some physical injury (e.g., black eye, cuts), or force with potential for such.

3 = Serious injury (e.g., broken limb, unconsciousness, hospitalization), or force with potential for such.

Codes

Ever:PKG3E01
Intensity

Ever:PKG3V01
Frequency

Ever:PKG3O01
Onset

Ever:PKG3X01

Ever:PKG3E02

PKG3I01
Intensity

PKG3F01
Frequency

PKG3O02
Onset

Definitions and questions

IF VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE) NOT PRESENT, SKIP TO "VICTIM OF PHYSICAL ABUSE", (PAGE 122).

FOR REVIEW ONLY

Coding rules

PERSON USING FORCE

- 2 = Known peer.
- 3 = Known non-familial adult.
- 4 = Unknown adult.
- 5 = Unknown peer.
- 6 = More than one person.

THREATENED WITH WEAPON

- 0 = Absent
- 2 = Weapon used to threaten but not to hurt victim.
- 3 = Weapon used to threaten and injure victim.

Codes

PKG3X02

PKG3I02

Definitions and questions

**VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)
- ATTRIBUTION**

In the last 3 months, has "life event" affected any of the problems we have been talking about?

*Which ones?
In what way?*

VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

*What was that like?
Has s/he had any nightmares about the event?*

Coding rules

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION:

- 1 = School non-attendance.
 - 2 = Separation anxiety.
 - 3 = Worries/anxiety.
 - 4 = Obsessions/compulsions.
 - 5 = Depression
 - 6 = Mania
 - 7 = Physical symptoms.
 - 8 = Food-related behavior.
 - 9 = Hyperactivity/ADD
 - 10 = Conduct disorder.
 - 11 = Alcohol/drugs
 - 12 = Psychosis
 - 13 = Relationships with parent #1 and/or parent #2.
 - 14 = Relationships with other parent #1 and/or other parent #2.
 - 15 = Relationships with other adults.
 - 16 = Sibling relationships.
 - 17 = Peer relationships.
- Specify
-

PAINFUL RECALL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKG3I99
Intensity

PKG3X03

PKG3X04

PKG3X05

PKG3X06

PKG3X07

PKG3X08


PKG4I01
Intensity

Definitions and questions

Coding rules

Codes

**IF PHYSICAL VIOLENCE (NOT ABUSE)
PAINFUL RECALL PRESENT, ASK
AVOIDANCE AND HYPERAROUSAL.
OTHERWISE, SKIP TO "VICTIM OF
PHYSICAL ABUSE", (PAGE 122).**



FOR REVIEW ONLY

Definitions and questions

VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)-AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

VICTIM OF PHYSICAL VIOLENCE (NOT ABUSE)-HYPERAROUSAL

Since "life event", have you been more jumpy or irritable?

Have you had any trouble sleeping?

Have you been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

Codes

PKG4102
Intensity

CKG4103
Intensity

FOR REVIEW ONLY

Definitions and questions

VICTIM OF PHYSICAL ABUSE

Subject has been the victim of physical abuse by a member of the family.

Has anyone in your family ever hit or hurt him/her badly?

*Or beaten him/her up really badly?
What happened?
Did they threaten him/her with a weapon?
Why did they do it?*

Coding rules

VICTIM OF PHYSICAL ABUSE

- 0 = Absent
- 2 = Some physical injury (e.g., black eye, cuts), or force with potential for such.
- 3 = Serious injury (e.g., broken limb, unconsciousness, hospitalization), or force with potential for such.

PERSON USING FORCE

- 2 = Parent in home
 - 3 = Other parent not in home
 - 4 = Sibling in the home
 - 5 = Sibling not in the home
 - 6 = Other adult family member
- Specify

THREATENED WITH WEAPON

- 0 = Absent
- 2 = Weapon used to threaten but not to hurt victim.
- 3 = Weapon used to threaten and injure victim.

VICTIM OF PHYSICAL ABUSE PP

- 0 = Absent
- 2 = Some physical injury (e.g., black eye, cuts), or force with potential for such.
- 3 = Serious injury (e.g., broken limb, unconsciousness, hospitalization), or force with potential for such.

PERSON USING FORCE

- 2 = Parent in home

Codes

Ever:PKG5E01
Intensity

Ever:PKG5O01
Onset

Ever:PKG5X01


Ever:PKG5V01
Frequency

Ever:PKG5E02

PKG5I01
Intensity

PKG5O02
Onset

PKG5X02



Definitions and questions

IF SUBJECT NOT A VICTIM OF PHYSICAL ABUSE, SKIP TO "CAPTIVITY", (PAGE 127).

FOR REVIEW ONLY

Coding rules

- 3 = Other parent not in home
- 4 = Sibling in the home
- 5 = Sibling not in the home
- 6 = Other adult family member

THREATENED WITH WEAPON

- 0 = Absent
- 2 = Weapon used to threaten but not to hurt victim.
- 3 = Weapon used to threaten and injure victim.

Codes

PKG5F01
Frequency

PKG5I02

Definitions and questions

SEEKING HELP (PHYSICAL ABUSE)

Three forms of supportive response are coded: listening, which could provide social support and emotional relief; personal intervention, which is personally attempting to prevent the reoccurrence of the situation; or intervention involving a professional agency, which might be phoning the police, contacting appropriate services, referring the subject to such services, or removing the subject from what s/he experiences as an unsafe environment. Unsupportive responses include unwillingness to listen, reluctance to get involved, denial of the truth of the story, and threatening the subject if anyone else ever told.

Did s/he ever tell anyone about these things?

*Someone his/her age?
A family member?
An adult outside your family?
Did s/he help?*

*What happened?
What did s/he do?*

Did s/he feel s/he/they could have done more?

Coding rules

SEEKING HELP (PHYSICAL ABUSE)

0 = Absent
2 = Present

SUPPORTIVE RESPONSE

0 = Absent
2 = Listening
3 = Personal intervention
4 = Intervention involving professional agency

SUPPORTIVE RESPONSE

0 = Absent
2 = Listening
3 = Personal intervention
4 = Intervention involving professional agency

SUPPORTIVE RESPONSE

0 = Absent
2 = Listening
3 = Personal intervention
4 = Intervention involving professional agency

UNSUPPORTIVE RESPONSE

0 = Absent
2 = Unwillingness to listen
3 = Reluctance to get involved
4 = Denial of truth of story
5 = Threaten child if ever tell anyone

UNSUPPORTIVE RESPONSE

0 = Absent
2 = Unwillingness to listen
3 = Reluctance to get involved
4 = Denial of truth of story
5 = Threaten child if ever tell anyone

UNSUPPORTIVE RESPONSE

0 = Absent
2 = Unwillingness to listen
3 = Reluctance to get involved

Codes

Ever:PKG6X99
Intensity

Ever:PKG6X01

Ever:PKG6X02

Ever:PKG6X03

Ever:PKG6X04

Ever:PKG6X05


Ever:PKG6X06

Definitions and questions

Coding rules

Codes

**IF SEEKING HELP (PHYSICAL ABUSE)
PAINFUL RECALL PRESENT, ASK
AVOIDANCE AND HYPERAROUSAL.
OTHERWISE, SKIP TO "CAPTIVITY",
(PAGE 127).**



FOR REVIEW ONLY

Definitions and questions

<p>VICTIM OF PHYSICAL ABUSE-AVOIDANCE</p> <p><i>Do certain things/thoughts remind him/her of "life event"?</i></p> <p><i>Do you try to avoid these things/thoughts?</i></p>
<p>VICTIM OF PHYSICAL ABUSE-HYPERAROUSAL</p> <p><i>Since "life event", has s/he been more jumpy or irritable?</i></p> <p><i>Has s/he had any trouble sleeping?</i></p> <p><i>Has s/he been "on the alert" for bad things happening?</i></p>
<p>CAPTIVITY</p> <p>Being held against one's will (usually by someone older) under circumstances with potential for death, severe physical injury, sexual or physical assault. Include being kidnapped or held hostage. Do not include grounding, time outs, or being required to stay with a non-desired person or in a non-desired setting such as day care, camp, a hospital, or prison.</p> <p><i>Has s/he ever been kidnapped?</i></p> <p><i>Or taken as a hostage?</i></p> <p><i>Has s/he ever been locked up against his/her will?</i></p> <p><i>What happened?</i> <i>Who did it?</i> <i>How did they treat him/her?</i> <i>What did they want him/her to do?</i> <i>How did they make him/her do what they wanted?</i> <i>How did s/he feel at the time?</i></p>

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

CAPTIVITY

- 0 = Absent
- 2 = Held captive against will for at least a day.
- 3 = Captivity included threats of death, severe injury, or never seeing family member(s) again.

CAPTIVITY

- 0 = Absent
- 2 = Held captive against will for at least a day.
- 3 = Captivity included threats of death, severe injury, or never seeing family member(s) again.

Codes

PKG7I02
Intensity

PKG7I03
Intensity

Ever:PKG8E01
Intensity

Ever:PKG8V01
Frequency

Ever:PKG8O01
Onset

 / /

PKG8I01
Intensity

PKG8F01
Frequency

PKG8O02
Onset

 / /

Definitions and questions

Coding rules

Codes

IF CAPTIVITY NOT PRESENT, SKIP TO "SEXUAL ABUSE OR RAPE", (PAGE 132).




FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

**IF CAPTIVITY PAINFUL RECALL
PRESENT, ASK AVOIDANCE AND
HYPERAROUSAL. OTHERWISE, SKIP
TO "SEXUAL ABUSE OR RAPE",
(PAGE 132).**



FOR REVIEW ONLY

Definitions and questions

CAPTIVITY-AVOIDANCE
Do certain things remind him/her of "life event"?
What things?
Does s/he try to avoid these things/thoughts?

CAPTIVITY-HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

Coding rules

AVOIDANCE SCREEN

- 0 = Absent
- 2 = Present

HYPERAROUSAL SCREEN

- 0 = Absent
- 2 = Present

Codes

PKG9102
Intensity

PKG9103
Intensity

FOR REVIEW ONLY

Definitions and questions

SEXUAL ABUSE OR RAPE

Sexual abuse episode(s) in which a person, termed a perpetrator, involves a child or adolescent in activities for the purpose of the perpetrator's own sexual gratification. These activities can include kissing (that makes a person uncomfortable), genital fondling (over or under clothing), oral-genital or oral-anal contact, genital or anal intercourse, or use of instruments. Sexual abuse does not include medical exams or mutually desires sexual relations with a peer.

Rape is a sudden unexpected (usually isolated) event involving non-consensual sexual intercourse.

Has anyone ever touched him/her in places where they shouldn't?

Has anyone ever touched him/her in ways that made him/her feel funny?

Or seemed wrong to him/her?

Has anyone ever made him /her touch them in ways that made him/her feel uncomfortable?

What happened?

Who was involved?

How did s/he feel about it?

Was s/he upset?

When did it first happen?

How many times has it happened?

Has it happened in the last 3 months?

How about in the last 3 months?

Coding rules

SEXUAL ABUSE OR RAPE

0 = Absent

2 = Present

SEXUAL ABUSE OR RAPE IN LAST 3 MONTHS

0 = Absent

2 = Present

SEXUAL ABUSE

0 = Absent

2 = Present

NUMBER OF TIMES SEXUAL ABUSE

ONSET SEXUAL ABUSE

SEXUAL ABUSE

0 = Absent

2 = Present

LAST 3 MONTHS: NUMBER OF TIMES SEXUAL ABUSE

LAST 3 MONTHS: ONSET OF SEXUAL ABUSE

RAPE

0 = Absent

2 = Present

NUMBER OF TIMES RAPE

ONSET OF RAPE

RAPE

0 = Absent

2 = Present

LAST 3 MONTHS: NUMBER OF TIMES RAPE

Codes

Ever:PKHOX99
Intensity

PKHOX98
Intensity

Ever:PKHOE01

Ever:PKHOV01

Ever:PKH0001

PKHOI01

PKHOF01

PKH0002

Ever:PKHOE02

Ever:PKHOV02

Ever:PKH0003

PKHOI02

PKHOF02

Definitions and questions

**IF NO EVIDENCE OF POSSIBLE
SEXUAL ABUSE, SKIP TO "OTHER
EVENT", (PAGE 138).**

FOR REVIEW ONLY

Coding rules

LAST 3 MONTHS: ONSET OF RAPE

PERPETRATOR

2 = Perpetrator is stranger

3 = Perpetrator is known individual

Specify

Codes

PKH0004

Ever:PKHOX01

Ever:PKHOX02

Ever:PKHOX03

Definitions and questions

COERCION (SEXUAL ABUSE)
 Use of threat of violence to constrain victim.

Did the person ever threaten to hurt X or get him/her in trouble if X didn't do what s/he/they wanted?

Or if s/he told someone?

Did s/he/they actually hurt X?

Did s/he get any cuts, bruises, or marks?

Coding rules

COERCION

0 = Absent

2 = Low coercion: little threat of severe injury or death, but use of criticism, rewards, punishment or loss of privileges to constrain victim.

3 = Moderate coercion: threats (of death or severe physical injury to victim or another person) but not actual use of force.

4 = High coercion: use of force involving threat or death or severe physical injury to victim or another person.

COERCION

0 = Absent

2 = Low coercion: little threat of severe injury or death, but use of criticism, rewards, punishment or loss of privileges to constrain victim.

3 = Moderate coercion: threats (of death or severe physical injury to victim or another person) but not actual use of force.

4 = High coercion: use of force involving threat or death or severe physical injury to victim or another person.

Codes

Ever:PKH2E01
Intensity

PKH2I01
Intensity

FOR REVIEW ONLY

Definitions and questions

SEEKING HELP (SEXUAL ABUSE)

Three forms of supportive response to requests for help are coded: listening, which could provide social support and emotional relief; personal intervention, which is personally attempting to prevent the reoccurrence of the situation; or intervention involving a professional agency, which might be phoning the police, contacting appropriate services, referring the subject to such services, or removing the subject from what s/he experiences as an unsafe environment. Unsupportive responses include unwillingness to listen, reluctance to get involved, denial of the truth of the story, and threatening the child if anyone else ever told.

Did X ever tell anyone about these things?

Did s/he tell someone his/her age?

A family member?

Did s/he help?

What happened?

What did s/he do?

Did you feel s/he/they could have done more?

What did s/he do?

An adult outside your family?

Did you feel s/he/they could have done more

What happened?

Did s/he help?

Coding rules

SEEKING HELP (SEXUAL ABUSE)

0 = Absent

2 = Present

SUPPORTIVE RESPONSE: PEERS

0 = Absent

2 = Listening

3 = Personal intervention

4 = Intervention involving professional agency

SUPPORTIVE RESPONSE: FAMILY MEMBER

0 = Absent

2 = Listening

3 = Personal intervention

4 = Intervention involving professional agency

SUPPORTIVE RESPONSE: OTHER ADULT

0 = Absent

2 = Listening

3 = Personal intervention

4 = Intervention involving professional agency

UNSUPPORTIVE RESPONSE- PEERS

0 = Absent

2 = Unwillingness to listen

3 = Reluctance to get involved

4 = Denial of truth of story

5 = Threaten child if ever tell anyone

UNSUPPORTIVE RESPONSE: FAMILY MEMBER

2 = Unwillingness to listen.

3 = Reluctance to get involved.

4 = Denial of truth of story.

5 = Threaten subject if ever tell anyone.

6 = Threatens to harm others if subject tells.

UNSUPPORTIVE RESPONSE- OTHER ADULT

Codes

Ever:XYZ3I15
Intensity

Ever:PKH3X01


Ever:PKH3X02

Ever:PKH3X03

Ever:PKH4X01

Ever:PKH4X02

Ever:PKH4X03



Definitions and questions

SEXUAL ABUSE: ATTRIBUTION

In the last 3 months, has this affected any of the problems we've been talking about?

*Which ones?
In what way?*

Coding rules

- 2 = Unwillingness to listen.
- 3 = Reluctance to get involved.
- 4 = Denial of truth of story.
- 5 = Threaten subject if ever tell anyone.
- 6 = Threatens to harm others if subject tells.

ATTRIBUTION

- 0 = Absent
- 2 = Present

ATTRIBUTION OF LIFE EVENT AS CONTRIBUTING TO PROBLEM WITH:

- 1 = School non-attendance.
- 2 = Separation anxiety.
- 3 = Worries/anxiety.
- 4 = Obsessions/compulsions.
- 5 = Depression
- 6 = Mania
- 7 = Physical symptoms.
- 8 = Food-related behavior.
- 9 = Hyperactivity/ADD
- 10 = Conduct disorder.
- 11 = Alcohol/drugs
- 12 = Psychosis
- 13 = Relationships with parent #1 and/or parent #2.
- 14 = Relationships with other parent #1 and/or other parent #2.
- 15 = Relationships with other adults.
- 16 = Sibling relationships.
- 17 = Peer relationships.

Codes

- PKH4X10
Intensity
- PKH4X04
- PKH4X05
- PKH4X06
- PKH4X07
- PKH4X08
- PKH4X09

FOR REVIEW ONLY

Definitions and questions

SEXUAL ABUSE OR RAPE-PAINFUL RECALL

In the last 3 months, have thoughts or pictures of "life event" come into his/her mind?

Even when s/he didn't want them to?

What was that like?

Has s/he had any nightmares about the event?

IF SEXUAL ABUSE OR RAPE PAINFUL RECALL PRESENT, ASK AVOIDANCE AND HYPERAROUSAL. OTHERWISE, SKIP TO "OTHER EVENT", (PAGE 138).

Coding rules

PAINFUL RECALL SCREEN

0 = Absent

2 = Present

Codes

PKH5I01
Intensity

FOR REVIEW ONLY

Definitions and questions

SEXUAL ABUSE OR RAPE-AVOIDANCE
Do certain things remind him/her of "life event"?
 What things?
Does s/he try to avoid these things/thoughts?

SEXUAL ABUSE OR RAPE-HYPERAROUSAL
Since "life event", has s/he been more jumpy or irritable?
Has s/he had any trouble sleeping?
Has s/he been "on the alert" for bad things happening?

OTHER EVENT
 Other event that has made subject feel really terrible, upset, frightened, or shook up.
Has anything else really bad happened to him/her?
Or made him/her feel really terrible?
Or really upset or frightened him/her?
 What happened?
 When was that?
 How many times has s/he had upsetting things like that happen?
 Has anything like that happened in the last 3 months?

Coding rules

AVOIDANCE SCREEN

0 = Absent
 2 = Present

HYPERAROUSAL SCREEN

0 = Absent
 2 = Present

OTHER EVENT

0 = Absent
 2 = Present
 Specify

OTHER EVENT

0 = Absent
 2 = Present
 Specify

Codes

PKH5I02
 Intensity

PKH5I03
 Intensity

Ever:PKH6E01
 Intensity

Ever:PKH6V01
 Frequency

Ever:PKH6O01
 Onset

PKH6I01
 Intensity

PKH6F01
 Frequency

PKH6O02
 Onset

Definitions and questions

Coding rules

Codes

IF OTHER EVENT NOT PRESENT, SKIP TO "ACTIVE RECALL", (PAGE 12).




FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

**IF OTHER PAINFUL RECALL PRESENT,
ASK AVOIDANCE AND
HYPERAROUSAL. OTHERWISE, SKIP
TO "ACTIVE RECALL", (PAGE 12).**



FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

OTHER EVENT-AVOIDANCE

Do certain things remind him/her of "life event"?

What things?

Does s/he try to avoid these things/thoughts?

OTHER EVENT-HYPERAROUSAL

Since "life event", has s/he been more jumpy or irritable?

Has s/he had any trouble sleeping?

Has s/he been "on the alert" for bad things happening?

AVOIDANCE SCREEN

0 = Absent

2 = Present

HYPERAROUSAL SCREEN

0 = Absent

2 = Present

PKH7102
Intensity

PKH7103
Intensity

FOR REVIEW ONLY

Definitions and questions

**POST TRAUMATIC STRESS - A
SCREEN FOR LIFE EVENT IN LAST 3 MONTHS**

Mark "Present" if any Life Event in last 3 months had a positive screen.

IF 3 MONTH EVENT MARKED ON CHECKLIST, COMPLETE PTSD SECTION ON EVENT IN LAST 3 MONTHS FROM GROUP B OR A THAT SUBJECT CONSIDERS MOST UPSETTING EVENT IN THE LAST 3 MONTHS.

IF EVER EVENT MARKED ON CHECKLIST, COMPLETE PTSD ON EVENT FROM GROUP B THAT SUBJECT CONSIDERS MOST UPSETTING EVENT EVER.

INTERVIEWER NOTE: Was there a Life Event in the last 3 months with a positive screen?

Coding rules

SCREEN FOR LIFE EVENT IN LAST 3 MONTHS

0 = Absent

2 = Present

PTSD-A EVENT

0 = Absent

1 = New Child(ren) in Home

2 = Parental Separation

3 = Parental Divorce

4 = New Parental Figure

5 = Moving House

6 = Change of School

7 = Loss of Best Friend Through Moving

8 = Breakup with Best Friend

9 = Breakup with Boy/Girlfriend

10 = Chronically Unsafe School/Work/Neighborhood

11 = Parental Arrest

12 = Reduction in Standard of Living

13 = Forced Separation From Home

14 = Diagnosis of Physical Illness

15 = Accident

Codes

PLA9X89
Intensity

PLA9X88

PLA9X89

PLA9X90

PLA9X91

PLA9X92

PLA9X93

PLA9X94

PLA9X95

PLA9X96

PLA9X97

PLA9X98

PLA9X99

PLA9X100

FOR REVIEW ONLY

Definitions and questions

FOR REVIEW ONLY

Coding rules

PTSD-B EVENTS

- 0 = Absent
- 16 = Pregnancy (Girls)
- 17 = Makes Someone Pregnant (Boys)
- 18 = Death of Loved One
- 19 = Death of Sibling/Peer
- 20 = Natural Disaster
- 21 = Fire
- 22 = War or Terrorism
- 23 = Witness to Event
- 24 = Learned about Event
- 25 = Exposure to Noxious Agent
- 26 = Causing Death or Severe Harm
- 27 = Victim of Physical Violence
- 28 = Victim of Physical Abuse
- 29 = Captivity
- 30 = Sexual Abuse or Rape
- 31 = Other

Codes

- PLA9X101
-
- PLA9X102
-
- PLA9X103
-
- PLA9X87
-
- PLA9X88
-
- PLA9X89
-
- PLA9X90
-
- PLA9X91
-
- PLA9X92
-
- PLA9X93
-
- PLA9X94
-
- PLA9X95
-
- PLA9X96
-
- PLA9X97
-
- PLA9X98
-

Definitions and questions

Coding rules

Codes

PLA9X99

PLA9X100

PLA9X101

PLA9X102

**IF LIFE EVENT IN LAST 3 MONTHS
ABSENT, SKIP TO "ACTIVE RECALL",
(PAGE 10).**



FOR REVIEW ONLY

Definitions and questions

ACUTE RESPONSES TO TRAUMATIC EVENT

ACUTE EMOTIONAL RESPONSES

Emotional responses to the event when it occurred.

CHOOSE THE MOST UPSETTING EVENT

Now I would like to ask you about feelings X may have had when the "life event" occurred.

Coding rules

LIFE EVENT IN THE LAST 3 MONTHS

- 0 = Absent
- 1 = New Child(ren) in Home
- 2 = Parental Separation
- 3 = Parental Divorce
- 4 = New Parental Figure
- 5 = Moving House
- 6 = Change of Schools
- 7 = Loss of Best Friend through Moving
- 8 = Breakup with Best Friend
- 9 = Breakup with Boy/Girlfriend
- 10 = Chronically Unsafe Neighborhood
- 11 = Parental Arrest
- 12 = Reduction in Standard of Living
- 13 = Forced Separation from Home
- 14 = Diagnosis of Physical Illness
- 15 = Accident
- 16 = Pregnancy (Girls)
- 17 = Makes Someone Pregnant (Boys)
- 18 = Death of Loved One
- 19 = Death of Sibling or Peer
- 20 = Natural Disaster
- 21 = Fire
- 22 = War or Terrorism
- 23 = Witness to Event
- 24 = Learned about Event
- 25 = Exposure to Noxious Agent
- 26 = Causing Death or Severe Harm
- 27 = Victim of Physical Violence
- 28 = Victim of Physical Abuse
- 29 = Captivity
- 30 = Sexual Abuse or Rape
- 31 = Other

Codes

PLA0101
Intensity

FOR REVIEW ONLY

Definitions and questions

Was s/he suprised by what happened?
Did s/he feel helpless? <i>Like s/he couldn't do anything to make it better?</i>
Did s/he feel like it wasn't really happening? <i>Like it was only a story, not the real thing?</i>
Was she afraid or scared?
Was s/he worried that s/he wasn't safe? Or that s/he might die?
Did s/he get angry?
Did s/he feel nothing at all? <i>Like s/he couldn't feel anything?</i>
Was s/he grossed out or disgusted by what happened?
Did s/he feel out of control? <i>That s/he might not be able to control his/her feelings?</i>
Did s/he feel sad?
Did s/he feel confused? <i>Like s/he couldn't understand what was happening?</i> <i>Like it didn't make any sense?</i>

Coding rules

SURPRISE
0 = Absent
2 = Present

HELPLESSNESS
0 = Absent
2 = Present

DEREALIZATION
0 = Absent
2 = Present

FEAR
0 = Absent
2 = Present

WORRY
0 = Absent
2 = Present

ANGER
0 = Absent
2 = Present

EMOTIONAL NUMBNESS
0 = Absent
2 = Present

DISGUST/REVULSION
0 = Absent
2 = Present

OUT OF CONTROL
0 = Absent
2 = Present

SAD
0 = Absent
2 = Present

CONFUSED
0 = Absent
2 = Present

Codes

PLA1X01

PLA1X02

PLA1X03

PLA1X04

PLA1X05

PLA1X06

PLA1X07

PLA1X08

PLA1X09

PLA1X10

PLA1X11

Definitions and questions

Did s/he feel out of touch with him/herself?
Or cut off from him/herself?
 As if s/he were in a dream?
 As if it wasn't happening to him/her?

Did s/he feel guilty?
 Like it was his/her fault?

Did s/he feel like someone s/he trusted had tricked him/her?

Did s/he feel embarrassed by what was happening?
 Or ashamed?

ACUTE SOMATIC RESPONSES
 Physical responses to the life event when it occurred.

When "life event" occurred, did it affect him/her physically at all?

Did s/he get dizzy or giddy or faint?

Did s/he get a dry mouth?

Did it affect his/her breathing?
 How?

Coding rules

DETACHED
 0 = Absent
 2 = Present

GUILTY
 0 = Absent
 2 = Present

BETRAYED
 0 = Absent
 2 = Present

EMBARRASSED
 0 = Absent
 2 = Present

ACUTE SOMATIC RESPONSES
 0 = Absent
 2 = Present

DIZZINESS/FAINTNESS
 0 = Absent
 2 = Present

DRY MOUTH
 0 = Absent
 2 = Present

CHOKING/SMOTHERING
 0 = Absent
 2 = Present

DIFFICULTY BREATHING
 0 = Absent
 2 = Present

RAPID BREATHING
 0 = Absent
 2 = Present

Codes

PLA1X12

PLA1X13

PLA1X14

PLA1X15

PLA2I90
 Intensity

PLA2X01

PLA2X02

PLA2X03

PLA2X04

PLA2X05

Definitions and questions

<i>Did it affect his/her heart?</i>
<i>Did s/he get a pain in his/her chest?</i>
<i>Did s/he get sweaty?</i>
<i>Or feel sick?</i>
<i>Did s/he have to go to the bathroom?</i>
<i>Did it affect his/her stomach?</i>
<i>Did s/he get diarrhea?</i>
<i>Did you get shaky?</i>
<i>Did his/her muscles get sore?</i>
<i>Did s/he get flushed?</i>
<i>Or pale?</i>
<i>Did s/he have funny feelings in his/her fingers or toes?</i>

Coding rules

PALPITATIONS

- 0 = Absent
- 2 = Present

TIGHTNESS OR PAIN IN CHEST

- 0 = Absent
- 2 = Present

SWEATING

- 0 = Absent
- 2 = Present

NAUSEA

- 0 = Absent
- 2 = Present

URINATING FREQUENTLY

- 0 = Absent
- 2 = Present

BUTTERFLIES IN THE STOMACH

- 0 = Absent
- 2 = Present

DIARRHEA

- 0 = Absent
- 2 = Present

TREMBLING/SHAKING

- 0 = Absent
- 2 = Present

MUSCLE SORENESS

- 0 = Absent
- 2 = Present

FLUSHING

- 0 = Absent
- 2 = Present

PALLOR

- 0 = Absent
- 2 = Present

PARAESTHESIAE

- 0 = Absent
- 2 = Present

Codes

PLA2X06

PLA2X07

PLA2X08

PLA2X09

PLA2X10

PLA2X11

PLA2X12

PLA2X13

PLA2X14

PLA2X15

PLA2X16

PLA2X17

Definitions and questions

Did s/he get a lump in his/her throat?

Did his/her abdomen churn?

INTERVENTION FANTASIES
 During the event, subject imagines doing something extraordinary to stop the event.
During "life event", did s/he imagine or wish that s/he could do something superhuman to get him/her or someone else out of danger?
 What did s/he imagine?
 What happened?

RESCUE FANTASIES DURING EVENT
 During the event, subject imagines being rescued.
During "life event" did s/he imagine or wish that "person at risk" would be rescued?
 What did s/he imagine?
 What happened?

REVENGE FANTASIES
 During the event, subject imagines something that punishes the "cause" of the trauma.
During "life event", did s/he imagine or wish that s/he could get revenge or punish "the cause of the trauma"?
 Or that someone else or something would get revenge?
 What did s/he imagine?
 What happened?

Coding rules

LUMP IN THE THROAT

- 0 = Absent
- 2 = Present

ABDOMINAL CHURNING

- 0 = Absent
- 2 = Present

INTERVENTION FANTASIES

- 0 = Absent
- 2 = Present during event and realized.
- 3 = Present during event but unrealized.

RESCUE FANTASIES DURING EVENT

- 0 = Absent
- 2 = Present during event and realized.
- 3 = Present during event but unrealized.

REVENGE FANTASIES

- 0 = Absent
- 2 = Present during event and realized.
- 3 = Present during event but unrealized.

Codes

PLA2X18

PLA2X19

PLA3X01
Intensity

PLA3X02
Intensity

PLA3X03
Intensity

Definitions and questions

COGNITIVE INTRUSIONS

PAINFUL RECALL OF LIFE EVENT

Unwanted, painful and distressing recollections, memories, thoughts, or images of life event.

In the last 3 months have upsetting memories or pictures in his/her mind of "life event" come back to him/her?

EXTERNALLY CUED PAINFUL RECALL

Painful recall occurring in response to external cues or stimuli, such as particular sights, sounds, smells or situations.

Do any things or places remind him/her of "life event"?

What about sounds or things s/he see?

When that happens does it bring back unpleasant memories of "life event"?

Coding rules

PAINFUL RECALL OF LIFE EVENT

- 0 = Absent
- 2 = Present

EXTERNALLY CUED PAINFUL RECALL

- 0 = Externally cued painful recall absent.
- 2 = Painful recall is intrusive into at least two activities and uncontrollable at least some of the time.
- 3 = Painful recall is intrusive into most activities and nearly always uncontrollable.

HOURS : MINUTES

ONSET: EXTERNALLY CUED PAINFUL RECALL

Codes

PLA4XYZ 00
Intensity

PLA4I01
Intensity

PLA4F01
Frequency

PLA4D01
Duration

PLA4O01

FOR REVIEW ONLY

Definitions and questions

PAINFUL RECALL OF LIFE EVENT - AVOIDANCE

Unwanted, painful and distressing recollections, memories, thoughts, or images of "life event" occurring in response to external cues or stimuli, such as particular sights, sounds, smells or situations.

Does s/he try to avoid any things or places that might remind him/her of "life event"?

Does s/he notice any physical effects when s/he remembers "life event"?

- Like his/her heart racing?*
- Or being short of breath?*
- Or feeling shaky or sick to his/her stomach?*
- What does s/he notice?*
- Does s/he get panicky?*

Do other people notice when s/he is remembering event?

What do they see?
When s/he remembers event, what does s/he do to feel better?

- Does s/he try to think about other things or do things s/he likes to do to take his/her mind off of it?*
- Does s/he talk to you or someone else and ask them for help?*
- Does s/he have a routine of things s/he can think about or do to feel better?*

Coding rules

AVOIDANCE

- 0 = Absent
- 2 = Avoids situations that might provoke painful recall at least sometimes, but not to a degree that prevents a normal lifestyle.
- 3 = Avoidance leads to disruption of normal life and activities and results in a highly restricted lifestyle.

NORMAL SUPPRESSION

- 0 = Absent
- 2 = Uses normal thoughts or normal activities in attempt to reduce painful recall.

OBSESSIVE SUPPRESSION

- 0 = Absent
- 2 = Uses obsessive thoughts or obsessive rituals in attempt to reduce painful recall.

COMPULSIVE SUPPRESSION

- 0 = Absent
- 2 = Uses compulsive behaviors in attempt to reduce painful recall.

AUTONOMIC EFFECTS

- 0 = Absent
- 2 = Notices autonomic changes in response to painful recall, but these do not amount to panic attacks
- 3 = Panic attacks in response to painful recall

NOTICEABLE TO OTHERS

- 0 = No
- 2 = Child reports others notice changes (anxiety, daydreaming, etc.).

Codes

PLA5I01
Intensity

PLA5O01
Onset


PLA6I01

PLA6I02

PLA6I03

PLA7I01

PLA7I02



Definitions and questions

PAINFUL RECALL NOT EXTERNALLY CUED

Recollections not cued by external cues or stimuli.

May be internally cued responses, occurring in response to emotional states, feelings, particular thoughts, autonomic symptoms, bodily sensations, or any other internal cue or stimulus. If internal cues are a response to external stimulus, code as Externally Cued Recollections.

Recollections also may occur without apparent relationship to either external or internal cues or stimuli.

In the last three months have any feelings or emotions reminded him/her of "life event"?

Have any physical feelings or changes in his/her body reminded him/her of it?

When that happens, does it bring back unpleasant memories of "life event"?
What are they like?
How often does that happen?
How long does it last?

When that happens, does s/he try not to have those "feelings", so s/he won't be reminded of "life event"?

Does s/he do anything so as not to have those "feelings" that remind him/her of "life event"?

Does s/he try not to think about life event?
Does s/he do anything to stop him/herself thinking about it?
Can s/he stop thinking about it?
What does s/he do?

Would other people notice when s/he is remembering "life event"?

What would they see?

When s/he "thinks about life event", does s/he notice any physical effects?

What does s/he notice?
Does s/he get panicky?

Coding rules

PAINFUL RECALL NOT EXTERNALLY CUED

0 = Absent

2 = Painful recall is intrusive into at least two activities and uncontrollable at least some of the time.

3 = Painful recall is intrusive into most activities and nearly always uncontrollable.

HOURS : MINUTES

NORMAL SUPPRESSION

0 = Absent

2 = Uses normal thoughts or normal activities in attempt to reduce painful recall.

OBSESSIONAL SUPPRESSION

0 = Absent

2 = Uses obsessional thoughts or obsessional rituals in attempt to reduce painful recall.

COMPULSIVE SUPPRESSION

0 = Absent

2 = Uses compulsive behaviors in attempt to reduce painful recall.

PAINFUL RECALL NOTICABLE TO OTHERS

0 = No

2 = Child reports others notice changes (anxiety, daydreaming, etc.).

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to painful recall, but these do not amount to panic attacks.

3 = Panic attacks in response to painful

Codes

PLA8I01
Intensity

PLA8F01
Frequency

PLA8D01
Duration

PLA8O01
Onset

PLA9I01

PLA9I02

PLA9I03

PLBOI01

PLBOI02

Definitions and questions

ACTIVE RECALL
 Intentional recall of event.

Does s/he ever think about "life event" on purpose?

*Has s/he in the last three months?
 When s/he does so, how does s/he feel?
 Are the feelings painful for him/her?
 Does s/he get worried?
 Or sad?
 Or angry?
 Or feel guilty?
 Does s/he feel better able to cope with what happened?*

Coding rules

recall.

ACTIVE RECALL

- 0 = Absent
- 2 = Present

HOURS : MINUTES

WORRY

- 0 = Absent
- 2 = Present

SADNESS

- 0 = Absent
- 2 = Present

ANGER

- 0 = Absent
- 2 = Present

GUILT

- 0 = Absent
- 2 = Present

SENSE OF MASTERY

- 0 = Absent
- 2 = Present

Codes

PLB1I01
Intensity

PLB1F01
Frequency

PLB1D01
Duration

PLB1O01
Onset

PLB2I01

PLB2I02

PLB2I03

PLB2I04

PLB2I05

FOR REVIEW ONLY

Definitions and questions

FAILURES OF RECALL

Inability to recall important aspects of the "life event", such as the names and faces of participants, or parts of the chronology of the event.

Do not include deliberate attempts not to recall the event.

Does s/he have difficulty remembering some things about "life event"?

What things are hard to remember?

Is that because s/he don't want to remember them, or that s/he just can't?

How much can s/he remember?

Are those memories real clear?

Has it happened in the last three months?

Coding rules

FAILURES OF RECALL

0 = No failure of recall.

1 = Some difficulty recalling certain aspects of the event that can usually be overcome by concentrated attempt to remember.

2 = At least some aspects of the event cannot be recalled, even with effort.

3 = Most or all details of the event cannot be recalled.

Codes

PLB2I06
Intensity

PLB2O01
Onset

FOR REVIEW ONLY

Definitions and questions

RELIVING OF LIFE EVENT

Behaving or feeling as though the "life event" were recurring. The experience may involve a sense of reliving the event, illusory or hallucinatory phenomena, or "flashbacks". Flashbacks involve hallucinatory phenomena of sufficient intensity to impair perception of the real world to a substantial degree.

Include panic attacks where the mental content of the panic episode is related to the "life event".

Include such phenomena even if they occurred at times of intoxication with alcohol or drugs or during sleep cycle.

CODE NIGHTMARES IN ITEMS THAT FOLLOW.

In the last 3 months, has s/he felt as though the "life event" was happening to him/her again, even when it wasn't?

- What was that like?*
- What did s/he do?*
- How long did it last?*
- How often did it happen?*
- How real did it seem?*
- Did s/he feel as though s/he were really there, and that it was really happening again?*
- When it was happening was s/he aware of what was really going on around him/her and where s/he really was?*
- Did the memory of "life event" seem more real than his/her actual surroundings?*
- Did this happen when s/he was falling asleep?
Or waking up?*
- Does s/he ever wake up in the middle of the night feeling this way?*

Coding rules

RELIVING OF LIFE EVENT

- 0 = Absent
- 2 = Able to report sensory phenomena associated with "life event", but still aware of real surroundings to at least some extent.
- 3 = No, or almost no, awareness of real surroundings (flashback).

HOURS : MINUTES

ASSOCIATED PANIC

- 0 = No associated panic attacks.
- 2 = With panic attacks.

HYPNOGOGIC (ON FALLING ASLEEP)

- 0 = Absent
- 2 = Present

HYPNOPOMPIC (ON WAKING)

- 0 = Absent
- 2 = Present

NOCTURNAL

- 0 = Absent
- 2 = Present

DAYLIGHT (WHEN UP AND ABOUT)

- 0 = Absent
- 2 = Present

Codes

PLB3I01
Intensity

PLB3F01
Frequency

PLB3D01
Duration

PLB3O01
Onset


PLB3I02

PLB3I03

PLB3I04

PLB3I05

PLB3I06



Definitions and questions

NIGHTMARES

Frightening dreams that waken subject, with content related to the "life event" (either about "life event" or reminding subject of it). Unpleasant affect apparent when waking, which may be followed rapidly by feelings of relief.

In the last 3 months, has s/he had any nightmares or bad dreams about "life event"?

Or nightmares or bad dreams that aren't about it but remind him/her of it?

Tell me about them.

Do they wake him/her up?

How often do they happen?

When s/he wakes up, does s/he notice any physical effects?

When s/he wakes up is s/he panicky?

Is it hard for him/her to get back to sleep afterwards?

What does s/he do?

Does fear of these dreams make it hard for him/her to get to sleep?

Does s/he have trouble sleeping alone?

Coding rules

NIGHTMARES

0 = Absent

2 = Present

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to nightmares.

3 = Has panic attack in response to nightmares.

REASSURANCE

0 = Absent

2 = Upon waking from nightmare, seeks time limited reassurance or contact.

3 = Upon waking, seeks extended reassurance or contact (e.g. won't go back to bed, conflict arises over need for reassurance).

ANTICIPATORY REASSURANCE

0 = Absent

2 = At bedtime, seeks time limited reassurance or contact (e.g. extended bedtime ritual).

3 = Seeks extended reassurance or contact (e.g. won't go to bed, conflict arises over need for reassurance).

Codes

PLB4I01
Intensity

PLB4O01
Onset

 / /

PLB4I02

PLB4I03

PLB4I04

FOR REVIEW ONLY

Definitions and questions

HYPERAROUSAL

NON-RESTORATIVE SLEEP

Disturbance of usual sleep pattern since "life event" so that subject does not feel rested upon waking and feels tired during the day. Do not include insomnia; sleep is normal but subject feels sleepy during the day.

DO NOT INCLUDE INSOMNIA.

Has s/he been having problems sleeping well in the last three months?

Does s/he feel rested when s/he wakes up in the morning?

Has that changed since "life event"?
Does s/he feel tired during the day from not sleeping well?
Does this make it harder for him/her to do his/her work?
How much of the time does s/he feel this way?
Is it worse when s/he has been thinking about "life event"?

Coding rules

NON-RESTORATIVE SLEEP

- 0 = Absent
- 2 = Present but does not interfere with functioning.
- 3 = Present and interfered with functioning.

AROUSAL

- 0 = Absent
- 2 = Symptom present 0-25% of the time.
- 3 = Symptom present 26-50% of the time.
- 4 = Symptom present 51-75% of the time.
- 5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

- 0 = Absent
- 2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLB5I01
Intensity

PLB5O01
Onset

PLB5F01
Frequency

PLB5I02

PLB5I03

FOR REVIEW ONLY

Definitions and questions

INATTENTION

Difficulty maintaining sufficient involvement to allow completion of age-appropriate and developmentally appropriate tasks requiring concentration.

In the last three months, has s/he had more trouble paying attention than before "life event"?

Is it more difficult for him/her to concentrate?

*Does s/he have trouble remembering things?
Has this caused him/her any problems?
How much of the time does s/he feel this way?
Is it worse when s/he has been thinking about "life event"?*

Coding rules

INATTENTION

0 = Inattention absent in interesting activities.

2 = At least sometimes uncontrollable by the child or by admonition, present in at least 2 interesting activities in any situation.

3 = Nearly always uncontrollable by the child or by admonition, present in most interesting activities.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLB6I01
Intensity

PLB6O01
Onset

PLB6I02

PLB6I03

FOR REVIEW ONLY

Definitions and questions

ANGER

Increased ease of precipitation of externally directed feelings of anger, bad temper, short temper, resentment, or annoyance.

Since "life event" have things "gotten on his/her nerves" more easily?

*What kinds of things?
Is that more than usual?
Or has s/he been more irritable?*

*Has this affected how you get along with people?
How so?
How much of the time does s/he feel this way?
Is it worse when s/he has been thinking about "life event"?*

Coding rules

ANGER

- 0 = Absent
- 2 = Present but does not interfere with functioning or relationships.
- 3 = Present and interfered with functioning or relationships.

AROUSAL

- 0 = Absent
- 2 = Symptom present 0-25% of the time.
- 3 = Symptom present 26-50% of the time.
- 4 = Symptom present 51-75% of the time.
- 5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

- 0 = Absent
- 2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLB7I01
Intensity

PLB7O01
Onset

 / /

PLB7I02

PLB7I03

FOR REVIEW ONLY

Definitions and questions

ANGER DYSCONTROL

Increased outbursts of anger have resulting from inability to control expression of anger as well as used to.

In the last three months, has s/he gotten angry very often?

More than before "life event"?

What has happened?

When s/he gets angry, can s/he control his/her anger as much as s/he used to?

What does s/he do now?

Has it affected how s/he gets along with other people?

How so?

How much of the time does s/he feel this way?

Is it worse when s/he has been thinking about "life event"?

Coding rules

ANGER DYSCONTROL

0 = Absent

2 = Present but does not interfere with functioning or relationships.

3 = Present and interfered with functioning or relationships.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLB8101
Intensity

PLB8001
Onset

PLB8102

PLB8103

FOR REVIEW ONLY

Definitions and questions

HYPERVIGILANCE

Increased general level of awareness and alertness towards surroundings in the absence of imminent danger.

In the last 3 months, has s/he been more "on the alert" for bad things happening than before "life event"?

*What does s/he do?
 Is s/he like that even when there isn't much chance of anything bad happening?
 How much has that affected his/her life?
 How much of the time is s/he like that?
 Has s/he given up doing any things because s/he doesn't want to take any chances?
 Is it worse when s/he has been thinking about "life event"?
 When did that start?*

Coding rules

HYPERVIGILANCE

- 0 = Absent
- 1 = Subjective hypervigilance not manifested in any overt behavioral change.
- 2 = Behavioral manifestations of hypervigilance (e.g. taking care over seating or scanning environment for danger) but they do not limit activities to any major extent.
- 3 = Behavioral manifestations of hypervigilance that preclude the performance of many or most normal activities.

AROUSAL

- 0 = Absent
- 2 = Symptom present 0-25% of the time.
- 3 = Symptom present 26-50% of the time.
- 4 = Symptom present 51-75% of the time.
- 5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

- 0 = Absent
- 2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".


Codes

PLB9I01
Intensity

PLB9O01
Onset

PLB9I02

PLB9I03



Definitions and questions

EXAGGERATED STARTLE RESPONSE

Increase in susceptibility to being startled by minor unexpected stimuli since "life event".

INTERVIEWER SHOULD DEMONSTRATE STARTLE RESPONSE.

In the last 3 months has s/he startled more easily than before "life event"?

Or has s/he been more jumpy than usual?

Do unexpected noises make him/her jump more easily than they used to?
What is it like when that happens?
How often does it happen?
How long does s/he stay "jumpy" afterwards?
How much of the time does s/he feel this way?
Is it worse when s/he has been thinking about "life event"?
When did that start?

Coding rules

EXAGGERATED STARTLE RESPONSE

- 0 = Absent
- 2 = Present, but not noticeable to others.
- 3 = Present, noticeable to others.

AROUSAL

- 0 = Absent
- 2 = Symptom present 0-25% of the time.
- 3 = Symptom present 26-50% of the time.
- 4 = Symptom present 51-75% of the time.
- 5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

- 0 = Absent
- 2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLC0I01
Intensity

PLC0001
Onset

PLC0I02

PLC0I03

FOR REVIEW ONLY

Definitions and questions

NUMBING

DETACHMENT

A generalized subjective sense of being emotionally cut off from other people that has appeared since the occurrence of a "life event".

Since "life event" has s/he felt cut off from other people?

Has s/he been less interested in seeing his/her friends?

*Has s/he actually seen less of his/her friends?
Can you tell me why?
Would s/he like to see more of them?
Or has s/he "gone off" on them?*

LOSS OF POSITIVE AFFECT

Complaint of loss of a previously existing ability to feel or experience emotion. Code loss of positive and negative affect separately.

Since "life event" has it seemed as though s/he has lost some of his/her feelings?

*Has s/he got any feelings left?
Can s/he feel happy or good feelings?*

LOSS OF NEGATIVE AFFECT

Complaint of loss of a previously existing ability to feel or experience emotion. Code loss of positive and negative affect separately.

Since "life event" has it seemed like s/he has lost some of his/her unhappy or negative feelings?

Coding rules

DETACHMENT

- 0 = Absent
- 2 = Feels that it is more difficult to relate emotionally to people than before "life event", but has not reduced social contacts.
- 3 = Has reduced social contacts because of difficulty relating emotionally to people.

LOSS OF POSITIVE AFFECT

- 0 = Absent
- 2 = Loss of affect in at least 2 activities and uncontrollable at least some of the time.
- 3 = Affect is felt to be lost in almost all activities.

ONSET: LOSS OF POSITIVE AFFECT

LOSS OF NEGATIVE AFFECT

- 0 = Absent
- 2 = Loss of affect in at least 2 activities and uncontrollable at least some of the time.
- 3 = Affect is felt to be lost in almost all activities.

Codes

PLC1101
Intensity

PLC1001
Onset

PLC2101
Intensity

PLC2001

PLC3101
Intensity

PLC3001
Onset

Definitions and questions

LOSS OF POSITIVE EMOTIONAL EXPRESSION

Since "life event", unable or unwilling to express emotions to the degree existing before the "life event."

Do not include inexpressiveness that predated the "life event" unless there has clearly been an exacerbation following the "life event".

Is it harder for him/her to show happy or good feelings?

LOSS OF NEGATIVE EMOTIONAL EXPRESSION

Since life event, unable or unwilling to express emotions to the degree existing before the "life event".

Do not include inexpressiveness that predated the "life event" unless there has clearly been an exacerbation following the "life event".

Is it harder for him/her to show unhappy or bad feelings?

Coding rules

LOSS OF POSITIVE EMOTIONAL EXPRESSION

0 = Absent

2 = Less able or willing to talk about or show emotions, or to discuss topics with emotional content or which stimulate emotions.

3 = Almost always unable or unwilling to talk about or show emotions or to discuss topics with emotional content or which stimulate emotions.

ONSET: LOSS OF POSITIVE EMOTIONAL EXPRESSION

LOSS OF NEGATIVE EMOTIONAL EXPRESSION

0 = Absent

2 = Less able or willing to talk about or show emotions, or to discuss topics with emotional content or which stimulate emotions.

3 = Almost always unable or unwilling to talk about or show emotions or to discuss topics with emotional content or which stimulate emotions.


Codes

PLC4I01
Intensity

PLC4O01

PLC5I01
Intensity

PLC5O01
Onset



Definitions and questions

OTHER BEHAVIORS

PLAY RECAPITULATING "LIFE EVENT"

Play involving activities that recapitulate all or some aspects of "life event" (e.g. preoccupation with crashing cars after being in a car accident, or behaviors that mimic "life event").

Has the way s/he plays changed at all since "life event"?

In what way?
In the last 3 months has s/he played games that are like "life event"?

Or acted out what happened?

What does s/he do?

DANGEROUS ACTIVITIES (PTSD - A)

Activities that physically endanger the subject or others.

Since "life event", has s/he taken chances and done risky things?

Or dangerous things?

What has s/he done in the last 3 months?
Is this more than before "life event"?

INCREASED ATTENTION TO RELIGION

Increased interest in or observance of religious ideas and practices since "life event".

Has s/he become more religious since "life event"?

Does s/he think more about God?

Or the Devil?

Does s/he go to "church" more often?
Does s/he read "scripture" more often?
Or pray more?

Coding rules

PLAY RECAPITULATING "LIFE EVENT"

0 = Absent

2 = Present to an extent greater than before the event.

3 = Actions recapitulating life event has become the most frequent or dominant subject of play.

DANGEROUS ACTIVITIES

0 = No

2 = Yes

INCREASED ATTENTION TO RELIGION

0 = Absent

1 = Subjective report of greater interest in, or mental attention to, religious matters. Include increased level of reading religious works here.

2 = Increase in level of religious observances, including normal prayer.

3 = Increase in religious observances including obsessional rituals and compulsive behaviours.

Codes

PLC6I01
Intensity

PLC6O01
Onset
 / /

PLC7I01
Intensity

PLC7O01
Onset
 / /

PLC8I01
Intensity

PLC8O01
Onset
 / /

Definitions and questions

DECREASED ATTENTION TO RELIGION

Decreased interest in or observance of religious ideas and practices since "life event".

*Does s/he have less interest in religion since "life event"?
Does s/he care less about God?
Or the Devil?
Does s/he go to "church" less frequently?
Does s/he read "scripture" less?
Or pray less?*

OMEN FORMATION

Following the "life event", subject has developed superstitious beliefs or practices to mitigate or prevent recurrences of the event or other possible or imagined "life events".

*Is s/he superstitious about things?
Are there signs that mean bad things will happen?
Or signs that make him/her think that s/he'll be OK?
What are they?
Does s/he think that these signs are really true?
Did s/he believe in them before "life event" or are they new?*

Coding rules

DECREASED ATTENTION TO RELIGION

- 0 = Absent
- 2 = Subjective report of decreased interest in, or mental attention to, religious matters. Include decreased level of reading religious works here.
- 3 = Decrease in level of religious observances, including prayer.

OMEN FORMATION

- 0 = Not present.
- 1 = Superstitious beliefs not resulting in any overt behavior.
- 2 = Superstitious beliefs that have resulted in overt behavior (e.g. carrying charms or rabbits feet).
- 3 = Activities meeting criteria for obsessional rituals or compulsive behaviors.


Codes

PLC9I01
Intensity

PLC9O01
Onset

PLD0I01
Intensity

PLD0O01
Onset



Definitions and questions

SURVIVOR GUILT

A subjective belief or feeling of responsibility for the "life event" or its prevention, or a feeling that the subject should have substituted (or been substituted) for another who was more severely affected.

Does s/he feel guilty about what happened during "life event"?

Does s/he ever feel it was his/her fault, even though it wasn't?

Does s/he sometimes feel that s/he should have prevented "life event" even though s/he couldn't?
Does s/he ever wish that s/he and not "specific other person" should have "specific other person's" fate?
Does s/he ever feel bad about what you did during "life event"?

IF THE CHILD FEELS GUILTY OR RESPONSIBLE, PROVIDE REASSURANCE AND COMFORT

REVENGE FANTASIES AFTER EVENT

In the last 3 months subject imagined doing something to punish the "cause" of the trauma.

Does s/he still wish that s/he could get revenge or punish "the cause of the trauma"?

Or that something would happen to get back at "the cause"?

What does s/he wish would happen?

Coding rules

SURVIVOR GUILT

- 0 = Absent
- 2 = Present

REVENGE FANTASIES

- 0 = Absent
- 2 = Present

Codes

PLD1I01
Intensity

PLD1O01
Onset

PLD2I01
Intensity

PLD2O01
Onset

FOR REVIEW ONLY

Definitions and questions

CHANGED EXPECTATION OF LONG-TERM FUTURE

Marked change in the subject's expectations of the future, involving the expectation that some or all adult roles will NOT be attained. Code regardless of justification, except in the case of subjects with a current life-threatening illness.

Has "life event" changed what s/he thinks the future will be like?

In what way?

Has it changed what s/he thinks about getting married?

Or having children?

In what way?

How long does s/he expect to live?

Has that changed?

Coding rules

CHANGED EXPECTATIONS OF LONG-TERM FUTURE

0 = Absent

2 = Expects to reach adulthood, but predicts poor attainment of adult roles (e.g. does not expect to get married, get a job, or have children); or expects to reach adulthood but is not certain about it.

3 = Does not expect to survive to adulthood.

Codes

PLD3I01
Intensity

PLD3O01
Onset

FOR REVIEW ONLY

Definitions and questions

**POST TRAUMATIC STRESS - B
SCREEN FOR LIFE EVENT: LIFETIME**

Mark "Present" if any Lifetime Life Event had a positive screen.

INTERVIEWER NOTE: Is there a Lifetime Life Event with a positive screen?

**IF LIFETIME LIFE EVENT ABSENT,
SKIP TO ""PSYCHOTIC"
ABNORMALITIES OF THOUGHT AND
SPEECH", (PAGE 3).**



Coding rules

SCREEN FOR LIFE EVENT: LIFETIME

0 = Absent

2 = Present

Codes

Ever:PLA8X38
Intensity

FOR REVIEW ONLY

Definitions and questions

ACUTE RESPONSES TO TRAUMATIC EVENT

ACUTE EMOTIONAL RESPONSES

Emotional responses to the event when it occurred.

Now I would like to ask you about feelings X may have had when the "life event" occurred.

Was s/he surprised by what happened?

Did s/he feel helpless?
Like s/he couldn't do anything to make it better?

Did s/he feel like it wasn't really happening?
Like it was only a story, not the real thing?

Was s/he afraid or scared?

Coding rules

PTSD B PRESENT

0 = Absent

2 = Present

PTSD B-EVENT

16 = Makes Someone Pregnant (Girls)

17 = Makes Someone Pregnant (Boys)

18 = Death of Loved One

19 = Death of Sibling or Peer

20 = Natural Disaster

21 = Fire

22 = War or Terrorism

23 = Witness to Event

24 = Learned About Event

25 = Exposure to Noxious Agent

26 = Causing Death or Severe Harm

27 = Victim of Physical Violence

28 = Victim of Physical Abuse

29 = Captivity

30 = Sexual Abuse or Rape

31 = Other

SURPRISE

0 = Absent

2 = Present

HELPLESSNESS

0 = Absent

2 = Present

DEREALIZATION

0 = Absent

2 = Present

FEAR

0 = Absent

2 = Present

Codes

PLM0E90
Intensity

PLE0E01

PLE1X01

PLE1X02

PLE1X03

PLE1X04

Definitions and questions

Was s/he worried that s/he wasn't safe?
Or that s/he might die?
Did s/he get angry?
Did s/he feel nothing at all?
<i>Like s/he couldn't feel anything?</i>
Was s/he grossed out or disgusted by what happened?
Did s/he feel out of control?
<i>That s/he might not be able to control his/her feelings?</i>
Did s/he feel sad?
Did s/he feel confused?
<i>Like s/he couldn't understand what was happening?</i>
<i>Like it didn't make any sense?</i>
Did s/he feel out of touch with him/herself?
Or cut off from him/herself?
<i>As if s/he were in a dream?</i>
<i>As if it wasn't happening to him/her?</i>
Did s/he feel guilty?
<i>Like it was his/her fault?</i>
Did s/he feel like someone s/he trusted had tricked him/her?
Did s/he feel embarrassed by what was happening?
<i>Or ashamed?</i>

Coding rules

WORRY
0 = Absent
2 = Present
ANGER
0 = Absent
2 = Present
EMOTIONAL NUMBNESS
0 = Absent
2 = Present
DISGUST/REVULSION
0 = Absent
2 = Present
OUT OF CONTROL
0 = Absent
2 = Present
SAD
0 = Absent
2 = Present
CONFUSED
0 = Absent
2 = Present
DETACHED
0 = Absent
2 = Present
GUILTY
0 = Absent
2 = Present
BETRAYED
0 = Absent
2 = Present
EMBARRASSED
0 = Absent
2 = Present

Codes

PLE1X05	<input type="checkbox"/>
PLE1X06	<input type="checkbox"/>
PLE1X07	<input type="checkbox"/>
PLE1X08	<input type="checkbox"/>
PLE1X09	<input type="checkbox"/>
PLE1X10	<input type="checkbox"/>
PLE1X11	<input type="checkbox"/>
PLE1X12	<input type="checkbox"/>
PLE1X13	<input type="checkbox"/>
PLE1X14	<input type="checkbox"/>
PLE1X15	<input type="checkbox"/>

Definitions and questions

<p>ACUTE SOMATIC RESPONSES</p> <p>Physical responses to the life event when it occurred.</p> <p><i>When "life event" occurred, did it affect him/her physically at all?</i></p> <p><i>What did s/he tell you?</i></p> <p><i>Did s/he get dizzy or giddy or faint?</i></p> <p><i>Did s/he get a dry mouth?</i></p> <p><i>Did it affect his/her breathing? How?</i></p> <p><i>Did it affect his/her heart?</i></p> <p><i>Did s/he get a pain in his/her chest?</i></p> <p><i>Did s/he get sweaty?</i></p> <p><i>Or feel sick?</i></p> <p><i>Did s/he have to go to the bathroom?</i></p>

Coding rules

ACUTE SOMATIC RESPONSES

- 0 = Absent
- 2 = Present

DIZZINESS/FAINTNESS

- 0 = Absent
- 2 = Present

DRY MOUTH

- 0 = Absent
- 2 = Present

CHOKING/SMOTHERING

- 0 = Absent
- 2 = Present

DIFFICULTY BREATHING

- 0 = Absent
- 2 = Present

RAPID BREATHING

- 0 = Absent
- 2 = Present

PALPITATIONS

- 0 = Absent
- 2 = Present

TIGHTNESS OR PAIN IN CHEST

- 0 = Absent
- 2 = Present

SWEATING

- 0 = Absent
- 2 = Present

NAUSEA

- 0 = Absent
- 2 = Present

URINATING FREQUENTLY

- 0 = Absent
- 2 = Present

Codes

PLE2I90
Intensity

PLE2X01

PLE2X02

PLE2X03

PLE2X04

PLE2X05

PLE2X06

PLE2X07

PLE2X08

PLE2X09

PLE2X10

Definitions and questions

<i>Did it affect his/her stomach?</i>
<i>Did s/he get diarrhea?</i>
<i>Did s/he get shaky?</i>
<i>Did his/her muscles get sore?</i>
<i>Did s/he get flushed?</i>
<i>Or pale?</i>
<i>Did s/he have funny feelings in his/her fingers or toes?</i>
<i>Did s/he get a lump in his/her throat?</i>
<i>Did his/her abdomen churn?</i>
INTERVENTION FANTASIES
During the event, subject imagines doing something extraordinary to stop the event.
<i>During "life event", did s/he imagine or wish that s/he could do something superhuman to get him/her or someone else out of danger?</i>
<i>What did s/he imagine?</i>
<i>What happened?</i>

Coding rules

BUTTERFLIES IN THE STOMACH

- 0 = Absent
- 2 = Present

DIARRHEA

- 0 = Absent
- 2 = Present

TREMBLING/SHAKING

- 0 = Absent
- 2 = Present

MUSCLE SORENESS

- 0 = Absent
- 2 = Present

FLUSHING

- 0 = Absent
- 2 = Present

PALLOR

- 0 = Absent
- 2 = Present

PARAESTHESIAE

- 0 = Absent
- 2 = Present

LUMP IN THE THROAT

- 0 = Absent
- 2 = Present

ABDOMINAL CHURNING

- 0 = Absent
- 2 = Present

INTERVENTION FANTASIES

- 0 = Absent
- 2 = Present during event and realized.
- 3 = Present during event but unrealized.

Codes

PLE2X11

PLE2X12

PLE2X13

PLE2X14

PLE2X15

PLE2X16

PLE2X17

PLE2X18

PLE2X19

PLE3X01
Intensity

Definitions and questions

RESCUE FANTASIES DURING EVENT

During the event, subject imagines being rescued.

During "life event" did s/he imagine or wish that "person at risk" would be rescued?

*What did s/he imagine?
What happened?*

REVENGE FANTASIES

During the event, subject imagines something that punishes the "cause" of the trauma.

During "life event", did s/he imagine or wish that s/he could get revenge or punish "the cause of the trauma"?

*Or that someone else or something would get revenge?
What did s/he imagine?
What happened?*

Coding rules

RESCUE FANTASIES

- 0 = Absent
- 2 = Present during event and realized.
- 3 = Present during event but unrealized.

REVENGE FANTASIES

- 0 = Absent
- 2 = Present during event and realized.
- 3 = Present during event but unrealized.

Codes

PLE3X02
Intensity

PLE3X03
Intensity

FOR REVIEW ONLY

Definitions and questions

COGNITIVE INTRUSIONS

PAINFUL RECALL OF LIFE EVENT -B

Unwanted, painful and distressing recollections, memories, thoughts, or images of life event.

In the last 3 months have upsetting memories or pictures in his/her mind of "life event" come back to him/her?

EXTERNALLY CUED PAINFUL RECALL - PTS-B

Painful recall occurring in response to external cues or stimuli, such as particular sights, sounds, smells, or situations.

ASK AVOIDANCE AND SUPPRESSION QUESTIONS IF NO EXTERNALLY CUED PAINFUL RECALL PRESENT.

Do any things or places remind him/her of "life event"?

What about sounds or things s/he see?

When that happens does it bring back unpleasant memories of "life event"?

Coding rules

PAINFUL RECALL OF LIFE EVENT

- 0 = Absent
- 2 = Present

EXTERNALLY CUED PAINFUL RECALL

- 0 = Externally cued painful recall absent.
- 2 = Painful recall is intrusive into at least two activities and uncontrollable at least some of the time.
- 3 = Painful recall is intrusive into most activities and nearly always uncontrollable.

HOURS : MINUTES

Codes

XYZAB02
Intensity

PLE4I01
Intensity

PLE4F01
Frequency

PLE4D01
Duration

PLE4O01
Onset

FOR REVIEW ONLY

Definitions and questions

COGNITIVE INTRUSION - AVOIDANCE

Does s/he try to avoid any things or places that might remind him/her of "life event"?

Does s/he notice any physical effects when s/he remembers "life event"?

*Like his/her heart racing?
Or being short of breath?
Or feeling shaky or sick to his/her stomach?
What does s/he notice?
Does s/he get panicky?*

Do other people notice when s/he is remembering event?

What do they see?

When s/he remembers event, what does s/he do to feel better?

*Does s/he try to think about other things or do things s/he likes to do to take his/her mind off of it?
Does s/he talk to you or someone else and ask them for help?
Does s/he have a routine of things s/he can think about or do to feel better?*

Do other people notice when s/he is remembering "life event"?

What would they see?

When s/he remembers event, what does s/he do to feel better?

*Does s/he try to think of other things or do things s/he likes to take his/her mind off it?
Does s/he talk to someone and ask them to help him/her?
Does s/he have a routine of things s/he can think about or do to feel better?*

Coding rules

AVOIDANCE

0 = Absent

2 = Avoids situations that might provoke painful recall at least sometimes, but not to a degree that prevents a normal lifestyle.

3 = Avoidance leads to disruption of normal life and activities and results in a highly restricted lifestyle.

ONSET: AVOIDANCE

NORMAL SUPPRESSION

0 = Absent

2 = Uses normal thoughts or normal activities in attempt to reduce painful recall.

OBSESSIVE SUPPRESSION

0 = Absent

2 = Uses obsessional thoughts or obsessional rituals in attempt to reduce painful recall.

COMPULSIVE SUPPRESSION

0 = Absent

2 = Uses compulsive behaviors in attempt to reduce painful recall.

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to painful recall, but these do not amount to panic attacks.

3 = Panic attacks in response to painful recall.

PAINFUL RECALL NOTICEABLE TO OTHERS

0 = No

2 = Child reports others notice changes (anxiety, daydreaming, etc.).

Codes

PLE5I01
Intensity

PLE5O01

PLE6I01

PLE6I02

PLE6I03

PLE7I01

PLE7I02

Definitions and questions

PAINFUL RECALL NOT EXTERNALLY CUED

Recollections not cued by external cues or stimuli.

May be internally cued responses, occurring in response to emotional states, feelings, particular thoughts, autonomic symptoms, bodily sensations, or any other internal cue or stimulus. If internal cues are a response to external stimulus, code as Externally Cued Recollections.

Recollections also may occur without apparent relationship to either external or internal cues or stimuli.

In the last three months have any feelings or emotions reminded him/her of "life event"?

Have any physical feelings or changes in his/her body reminded him/her of it?

When that happens, does it bring back unpleasant memories of "life event"?
What are they like?
How often does that happen?
How long does it last?

When that happens, does s/he try not to have those "feelings", so s/he won't be reminded of "life event"?

Does s/he do anything so as not to have those "feelings" that remind him/her of "life event"?

Does s/he try not to think about "life event"?
Does s/he do anything to stop him/herself thinking about "life event"?
Can s/he stop thinking about it?
What does s/he do?

Would other people notice when s/he is remembering "life event"?

What would they see?

When s/he "thinks about life event", does s/he notice any physical effects?

What does s/he notice?
Does s/he get panicky?

Coding rules

PAINFUL RECALL NOT EXTERNALLY CUED

0 = Absent

2 = Painful recall is intrusive into at least two activities and uncontrollable at least some of the time.

3 = Painful recall is intrusive into most activities and nearly always uncontrollable.

HOURS : MINUTES

NORMAL SUPPRESSION

0 = Absent

2 = Uses normal thoughts or normal activities in attempt to reduce painful recall.

OBSESSIONAL SUPPRESSION

0 = Absent

2 = Uses obsessional thoughts or obsessional rituals in attempt to reduce painful recall.

COMPULSIVE SUPPRESSION

0 = Absent

2 = Uses compulsive behaviors in attempt to reduce painful recall.

PAINFUL RECALL NOTICABLE TO OTHERS

0 = No

2 = Child reports others notice changes (anxiety, daydreaming, etc.).

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to painful recall, but these do not amount to panic attacks.

3 = Panic attacks in response to painful

Codes

PLE8I01
Intensity

PLE8F01
Frequency

PLE8D01
Duration

PLE8O01
Onset

 / /

PLE9I01

PLE9I02

PLE9I03

PLFOI01

PLFOI02

Definitions and questions

ACTIVE RECALL
 Intentional recall of event.

Does s/he ever think about "life event" on purpose?

*Has s/he in the last three months?
 When s/he does so, how does s/he feel?
 Are the feelings painful for him/her?
 Does s/he get worried?
 Or sad?
 Or angry?
 Or feel guilty?
 Does s/he feel better able to cope with what happened?*

Coding rules

recall.

ACTIVE RECALL

0 = Absent

2 = Present

HOURS : MINUTES

WORRY

0 = Absent

2 = Present

SADNESS

0 = Absent

2 = Present

ANGER

0 = Absent

2 = Present

GUILT

0 = Absent

2 = Present

SENSE OF MASTERY

0 = Absent

2 = Present

Codes

PLF1I01
Intensity

PLF1F01
Frequency

PLF1D01
Duration

PLF1O01
Onset

PLF2I01

PLF2I02

PLF2I03

PLF2I04

PLF2I05

FOR REVIEW ONLY

Definitions and questions

FAILURES OF RECALL

Inability to recall important aspects of the "life event", such as the names and faces of participants, or parts of the chronology of the event.

Do not include deliberate attempts not to recall the event.

Does s/he have difficulty remembering some things about "life event"?

- What things are hard to remember?*
- Is that because s/he doesn't want to remember them, or that s/he just can't?*
- How much can s/he remember?*
- Are those memories real clear?*
- Has it happened in the last three months?*

Coding rules

FAILURES OF RECALL

- 0 = No failure of recall.
- 1 = Some difficulty recalling certain aspects of the event that can usually be overcome by concentrated attempt to remember.
- 2 = At least some aspects of the event cannot be recalled, even with effort.
- 3 = Most or all details of the event cannot be recalled.

Codes

PLF2I06
Intensity

PLF2O01
Onset

FOR REVIEW ONLY

Definitions and questions

RELIVING OF LIFE EVENT

Behaving or feeling as though the "life event" were recurring. The experience may involve a sense of reliving the event, illusory or hallucinatory phenomena, or "flashbacks". Flashbacks involve hallucinatory phenomena of sufficient intensity to impair perception of the real world to a substantial degree.

Include panic attacks where the mental content of the panic episode is related to the "life event".

Include such phenomena even if they occurred at times of intoxication with alcohol or drugs or during sleep cycle.

CODE NIGHTMARES IN ITEMS THAT FOLLOW.

In the last 3 months, has s/he felt as though the "life event" was happening to him/her again, even when it wasn't?

- What was that like?*
- What did s/he do?*
- How long did it last?*
- How often did it happen?*
- How real did it seem?*
- Did s/he feel as though s/he were really there, and that it was really happening again?*
- When it was happening was s/he aware of what was really going on around him/her and where s/he really was?*
- Did the memory of "life event" seem more real than his/her actual surroundings?*
- Did this happen when s/he was falling asleep?
Or waking up?*
- Does s/he ever wake up in the middle of the night feeling this way?*

Coding rules

RELIVING OF "LIFE EVENT"

- 0 = Absent
- 2 = Able to report sensory phenomena associated with "life event", but still aware of real surroundings to at least some extent.
- 3 = No, or almost no, awareness of real surroundings (flashback).

HOURS : MINUTES

ASSOCIATED PANIC

- 0 = No associated panic attacks.
- 2 = With panic attacks.

HYPNOGOGIC (ON FALLING ASLEEP)

- 0 = Absent
- 2 = Present

HYPNOPOMPIC (ON WAKING)

- 0 = Absent
- 2 = Present

NOCTURNAL

- 0 = Absent
- 2 = Present

DAYLIGHT (WHEN UP AND ABOUT)

- 0 = Absent
- 2 = Present

Codes

PLF3I01
Intensity

PLF3F01
Frequency

PLF3D01
Duration

PLF3O01
Onset


PLF3I02

PLF3I03

PLF3I04

PLF3I05

PLF3I06



Definitions and questions

NIGHTMARES

Frightening dreams that waken subject, with content related to the "life event" (either about "life event" or reminding subject of it). Unpleasant affect apparent when waking, which may be followed rapidly by feelings of relief.

In the last 3 months, has s/he had any nightmares or bad dreams about "life event"?

Or nightmares or bad dreams that aren't about it but remind him/her of it?

Tell me about them.

Do they wake him/her up?

How often do they happen?

When s/he wakes up, does s/he notice any physical effects?

When s/he wakes up is s/he panicky?

Is it hard for him/her to get back to sleep afterwards?

What does s/he do?

Does fear of these dreams make it hard for him/her to get to sleep?

Do s/he have trouble sleeping alone?

Coding rules

NIGHTMARES

0 = Absent

2 = Present

AUTONOMIC EFFECTS

0 = Absent

2 = Notices autonomic changes in response to nightmares.

3 = Has panic attack in response to nightmares.

REASSURANCE

0 = Absent

2 = Upon waking from nightmare, seeks time limited reassurance or contact.

3 = Upon waking, seeks extended reassurance or contact (e.g. won't go back to bed, conflict arises over need for reassurance).

ANTICIPATORY REASSURANCE

0 = Absent

2 = At bedtime, seeks time limited reassurance or contact (e.g. extended bedtime ritual).

3 = Seeks extended reassurance or contact (e.g. won't go to bed, conflict arises over need for reassurance).

Codes

PLF4I01
Intensity

PLF4O01
Onset

 / /

PLF4I02

CLF4I03

PLF4I04

FOR REVIEW ONLY

Definitions and questions

HYPERAROUSAL

NON-RESTORATIVE SLEEP

Disturbance of usual sleep pattern since "life event" so that subject does not feel rested upon waking and feels tired during the day. Do not include insomnia; sleep is normal but subject feels sleepy during the day.

DO NOT INCLUDE INSOMNIA

Has s/he been having problems sleeping well in the last three months?

Does s/he feel rested when s/he wakes up in the morning?

Has that changed since "life event"?
Does s/he feel tired during the day from not sleeping well?
Does this make it harder for him/her to do work?
How much of the time does s/he feel this way?
Is it worse when s/he has been thinking about "life event"?

Coding rules

NON-RESTORATIVE SLEEP

- 0 = Absent
- 2 = Present but does not interfere with functioning.
- 3 = Present and interfered with functioning.

AROUSAL

- 0 = Absent
- 2 = Symptom present 0-25% of the time.
- 3 = Symptom present 26-50% of the time.
- 4 = Symptom present 51-75% of the time.
- 5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

- 0 = Absent
- 2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLF5I01
Intensity

PLF5O01
Onset

PLF5F01
Frequency

PLF5I02

PLF5I03

FOR REVIEW ONLY

Definitions and questions

INATTENTION

Difficulty maintaining sufficient involvement to allow completion of age-appropriate and developmentally appropriate tasks requiring concentration.

In the last three months, has s/he had more trouble paying attention than before "life event"?

Is it more difficult for him/her to concentrate?

*Does s/he have trouble remembering things?
Has this caused him/her any problems?
How much of the time does s/he feel this way?
Is it worse when s/he has been thinking about "life event"?*

Coding rules

INATTENTION

0 = Inattention absent in interesting activities.

2 = At least sometimes uncontrollable by the child or by admonition, present in at least 2 interesting activities in any situation.

3 = Nearly always uncontrollable by the child or by admonition, present in most interesting activities.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLF6I01
Intensity

PLF6O01
Onset

PLF6I02

PLF6I03

FOR REVIEW ONLY

Definitions and questions

ANGER

Increased ease of precipitation of externally directed feelings of anger, bad temper, short temper, resentment, or annoyance.

Since "life event" have things "gotten on his/her nerves" more easily?

*What kinds of things?
Is that more than usual?
Or has s/he been more irritable?*

*Has this affected how s/he gets along with people?
How so?
How much of the time does s/he feel this way?
Is it worse when s/he has been thinking about "life event"?*

Coding rules

ANGER

0 = Absent

2 = Present but does not interfere with functioning or relationships.

3 = Present and interfered with functioning or relationships.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLF7I01
Intensity

PLF7O01
Onset

 / /

PLF7I02

PLF7I03

FOR REVIEW ONLY

Definitions and questions

ANGER DYSCONTROL

Since "life event", increased outbursts of anger have resulted from inability to control expression of anger as well as you used to.

In the last three months, has s/he gotten angry very often?

More than before "life event"?

What has happened?

When s/he gets angry, can s/he control his/her anger as much as s/he used to?

What does s/he do now?

Has it affected how s/he gets along with other people?

How so?

How much of the time does s/he feel this way?

Is it worse when s/he has been thinking about "life event"?

Coding rules

ANGER DYSCONTROL

0 = Absent

2 = Present but does not interfere with functioning or relationships.

3 = Present and interfered with functioning or relationships.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLF8101
Intensity

PLF8001
Onset

 / /

PLF8102

PLF8103

FOR REVIEW ONLY

Definitions and questions

HYPERVIGILANCE

Increased general level of awareness and alertness towards surroundings in the absence of imminent danger.

In the last 3 months, has s/he been more "on the alert" for bad things happening than before "life event"?

*What does s/he do?
Is s/he like that even when there isn't much chance of anything bad happening?
How much has that affected his/her life?
How much of the time is s/he like that?
Has s/he given up doing any things because s/he doesn't want to take any chances?
Is it worse when s/he has been thinking about "life event"?*

Coding rules

HYPERVIGILANCE

0 = Absent

1 = Subjective hypervigilance not manifested in any overt behavioral change.

2 = Behavioral manifestations of hypervigilance (e.g. taking care over seating or scanning environment for danger) but they do not limit activities to any major extent.

3 = Behavioral manifestations of hypervigilance that preclude the performance of many or most normal activities.

AROUSAL

0 = Absent

2 = Symptom present 0-25% of the time.

3 = Symptom present 26-50% of the time.

4 = Symptom present 51-75% of the time.

5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

0 = Absent

2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLF9I01
Intensity

PLF9O01
Onset

PLF9I02

PLF9I03

FOR REVIEW ONLY

Definitions and questions

EXAGGERATED STARTLE RESPONSE

Increase in susceptibility to being startled by minor unexpected stimuli since "life event".

INTERVIEWER SHOULD DEMONSTRATE STARTLE RESPONSE.

In the last 3 months has s/he startled more easily than before "life event"?

Or has s/he been more jumpy than usual?

Do unexpected noises make him/her jump more easily than they used to?
What is it like when that happens?
How often does it happen?
How long does s/he stay "jumpy" afterwards?
How much of the time does s/he feel this way?
Is it worse when s/he has been thinking about "life event"?

Coding rules

EXAGGERATED STARTLE RESPONSE

- 0 = Absent
- 2 = Present, but not noticeable to others.
- 3 = Present, noticeable to others.

AROUSAL

- 0 = Absent
- 2 = Symptom present 0-25% of the time.
- 3 = Symptom present 26-50% of the time.
- 4 = Symptom present 51-75% of the time.
- 5 = Symptom present 76-100% of the time.

PHASIC EXACERBATION

- 0 = Absent
- 2 = Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

Codes

PLG0101
Intensity

PLG0001
Onset

 / /

PLG0102

PLG0103

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

NUMBING

DETACHMENT

A generalized subjective sense of being emotionally cut off from other people that has appeared since the occurrence of a "life event".

Since "life event" has s/he felt cut off from other people?

Have s/he been less interested in seeing his/her friends?

*Has s/he actually seen less of his/her friends?
Can you tell me why?
Would s/he like to see more of them?
Or has s/he "gone off" them?*

LOSS OF AFFECT - POSITIVE

Complaint of loss of a previously existing ability to feel or experience emotion. Code loss of positive and negative affect separately.

Since "life event" has it seemed as though s/he has lost some of his/her feelings?

*Does s/he have any feelings left?
Can s/he feel happy or good feelings?*

LOSS OF AFFECT - NEGATIVE

Complaint of loss of a previously existing ability to feel or experience emotion. Code loss of positive and negative affect separately.

What about unhappy or negative feelings?

DETACHMENT

0 = Absent

2 = Feels that it is more difficult to relate emotionally to people than before "life event", but has not reduced social contacts.

3 = Has reduced social contacts because of difficulty relating emotionally to people.

PLG1101
Intensity

PLG1001
Onset

LOSS OF POSITIVE AFFECT

0 = Absent

2 = Loss of affect in at least 2 activities and uncontrollable at least some of the time.

3 = Affect is felt to be lost in almost all activities.

PLG2101
Intensity

PLG2001
Onset

LOSS OF NEGATIVE AFFECT

0 = Absent

2 = Loss of affect in at least 2 activities and uncontrollable at least some of the time.

3 = Affect is felt to be lost in almost all activities.

PLG3101
Intensity

PLG3001
Onset

Definitions and questions

<p>LOSS OF EMOTIONAL EXPRESSION - POSITIVE</p> <p>Since life event, unable or unwilling to express emotions to the degree existing before the life event.</p> <p>Do not include inexpressiveness that predated the life event unless there has clearly been an exacerbation following the life event.</p> <p><i>Is it harder for him/her to show happy or good feelings?</i></p>
<p>LOSS OF EMOTIONAL EXPRESSION - NEGATIVE</p> <p>Since life event, unable or unwilling to express emotions to the degree existing before the life event.</p> <p>Do not include inexpressiveness that predated the life event unless there has clearly been an exacerbation following the life event.</p> <p><i>Is it harder for him/her to show sad or bad feelings</i></p>

Coding rules

LOSS OF POSITIVE EMOTIONAL EXPRESSION

0 = Absent

2 = Less able or willing to talk about or show emotions, or to discuss topics with emotional content or which stimulate emotions.

3 = Almost always unable or unwilling to talk about or show emotions or to discuss topics with emotional content or which stimulate emotions.

LOSS OF NEGATIVE EMOTIONAL EXPRESSION

0 = Absent

2 = Less able or willing to talk about or show emotions, or to discuss topics with emotional content or which stimulate emotions.

3 = Almost always unable or unwilling to talk about or show emotions or to discuss topics with emotional content or which stimulate emotions.

Codes

PLG4I01
Intensity

PLG4O01
Onset

PLG5I01
Intensity

PLG5O01
Onset

FOR REVIEW ONLY

Definitions and questions

Coding rules

Codes

OTHER BEHAVIORS

PLAY RECAPITULATING LIFE EVENT

Activity that recapitulates all or some aspects of "life event" (e.g. preoccupation with crashing toy cars after being in a car accident).

Has the way s/he plays changed at all since "life event"?

In what way?

In the last three months has s/he played games that are like "life event"?

Or acted out what happened?

What does s/he do?

DANGEROUS ACTIVITIES

Activities that physically endanger the subject or others.

Since "life event", has s/he taken chances and done risky things?

Or dangerous things?

*What has s/he done in the last 3 months?
Is this more than before "life event"?*

INCREASED ATTENTION TO RELIGION

Increased interest in or observance of religious ideas and practices since life event.

Has s/he become more religious since "life event"?

Does s/he think more about God?

Or the Devil?

*Does s/he go to "church" more often?
Does s/he read "scripture" more often?
Or pray more often?*

PLAY RECAPITULATING "LIFE EVENT"

0 = Absent

2 = Present to an extent greater than before the event.

3 = Actions recapitulating life event has become the most frequent or dominant subject of play.

DANGEROUS ACTIVITIES

0 = No

2 = Yes

INCREASED ATTENTION TO RELIGION

0 = Absent

1 = Subjective report of greater interest in, or mental attention to, religious matters. Include increased level of reading religious works here.

2 = Increase in level of religious observances, including normal prayer.

3 = Increase in religious observances including obsessional rituals and compulsive behaviours.

PLG6101
Intensity

PLG6001
Onset

PLG7101
Intensity

PLG7001
Onset

PLG8101
Intensity

PLG8001
Onset

Definitions and questions

DECREASED ATTENTION TO RELIGION

Decreased interest in or observance of religious ideas and practices since life event.

Does s/he have less interest in religion since "life event"?

*Does s/he care less about God?
Or the Devil?
Does s/he go to "church" less frequently?
Does s/he read "scripture" less?
Or pray less?*

OMEN FORMATION

Following the life event, child has developed superstitious beliefs or practices to mitigate or prevent recurrences of the event or other possible or imagined life events.

Is s/he superstitious about things?

Are there signs that mean bad things will happen?

Or signs that make him/her think that s/he'll be OK?

*What are they?
Does s/he think that these signs are really true?
Did s/he believe in them before "life event" or are they new?*

Coding rules

DECREASED ATTENTION TO RELIGION

- 0 = Absent
- 2 = Subjective report of decreased interest in, or mental attention to, religious matters. Include decreased level of reading religious works here.
- 3 = Decrease in level of religious observances, including prayer.

OMEN FORMATION

- 0 = Not present.
- 1 = Superstitious beliefs not resulting in any overt behavior.
- 2 = Superstitious beliefs that have resulted in overt behavior (e.g. carrying charms or rabbits feet).
- 3 = Activities meeting criteria for obsessional rituals or compulsive behaviors.

Codes

PLG9I01
Intensity

PLG9O01
Onset

PLHOI01
Intensity

PLHO001
Onset

FOR REVIEW ONLY

Definitions and questions

SURVIVOR GUILT

A subjective belief or feeling of responsibility for the life event or its prevention, or a feeling that the subject should have substituted (or been substituted) for another who was more severely affected.

Does s/he feel guilty about what happened during "life event"?

Does s/he ever feel it was his/her fault, even though it wasn't?

Does s/he sometimes feel that s/he should have prevented "life event" even though s/he couldn't?
Does s/he ever wish that s/he and not "specific other person" should have "specific other person's" fate?
Does s/he ever feel bad about what s/he did during "life event"?

IF THE CHILD FEELS GUILTY OR RESPONSIBLE, PROVIDE REASSURANCE AND COMFORT.

REVENGE FANTASIES AFTER EVENT

In the last 3 months subject imagined doing something to punish the "cause" of the trauma.

Does s/he still wish that s/he could get revenge or punish "the cause of the trauma"?

Or that something would happen to get back at "the cause"?

What does s/he wish would happen?

Coding rules

SURVIVOR GUILT

- 0 = Absent
- 2 = Present

REVENGE FANTASIES

- 0 = Absent
- 2 = Present

Codes

PLH1I01
Intensity

PLH1O01
Onset

PLH2I01
Intensity

PLH2O01
Onset

FOR REVIEW ONLY

Definitions and questions

CHANGED EXPECTATION OF LONG-TERM FUTURE

Marked change in the subject's expectations of the future, involving the expectation that some or all adult roles will NOT be attained. Code regardless of justification, except in the case of subjects with a current life-threatening illness.

Has "life event" changed what s/he thinks the future will be like?

In what way?

Has it changed what s/he thinks about getting married?

Or having children?

In what way?

How long does s/he expect to live?

Has that changed?

Coding rules

CHANGED EXPECTATIONS OF LONG-TERM FUTURE

0 = Absent

2 = Expects to reach adulthood, but predicts poor attainment of adult roles (e.g. does not expect to get married, get a job, or have children); or expects to reach adulthood but is not certain about it.

3 = Does not expect to survive to adulthood.

Codes

PLH3I01
Intensity

PLH3O01
Onset

FOR REVIEW ONLY