

## Substance Use Variable List

| <b>Name</b> | <b>Label</b>   | <b>3-month</b> | <b>Ever</b> |
|-------------|--|----------------|-------------|
| JALCONS     | Age of Onset: Alcohol                                  |                | X           |
| JALCUSE     | Ever: Alcohol Use                                      |                | X           |
| JALCUSE3    | 3 Month: Alcohol Use                                   | X              |             |
| JALCFREQ    | 3 Month: Number of drinking episodes                   | X              |             |
| JALCMAL     | 3 Month: Any maladaptive behavior                      | X              |             |
| JALCMAL1    | 3 Month: Subjective Need/Craving                       | X              |             |
| JALCMAL2    | 3 Month: Use to Improve Mood                           | X              |             |
| JALCMAL3    | 3 Month: Much Time Spent in Alcohol-related Activities | X              |             |
| JALCMAL4    | 3 Month: Tolerance                                     | X              |             |
| JALCMAL5    | 3 Month: Overconsumption                               | X              |             |
| JALCMAL6    | 3 Month: Uncontrollable Use                            | X              |             |
| JALCMAL7    | 3 Month: Narrowed Use Repertoire                       | X              |             |
| JALCMAL8    | 3 Month: Morning Use                                   | X              |             |
| JALCMAL9    | 3 Month: Disinhibited Aggression                       | X              |             |
| JALCMAL10   | 3 Month: Disinhibited Sexuality                        | X              |             |
| JALCMAL11   | 3 Month: Poor Judgment                                 | X              |             |
| JALCMAL12   | 3 Month: Social problems at Home                       | X              |             |
| JALCMAL13   | 3 Month: Social problems with Friends                  | X              |             |
| JALCMAL14   | 3 Month: Reduction in Other Activities                 | X              |             |

|                |                                   |   |   |
|----------------|-----------------------------------|---|---|
| JALCMAL15      | 3 Month: Affected School/Work     | X |   |
| JALCMAL16      | 3 Month: Dangerous Activities     | X |   |
| JALCMAL17      | 3 Month: Alcohol-related Crime    | X |   |
| JALCMAL18      | 3 Month: Trouble with the Law     | X |   |
| JALCMAL19      | 3 Month: Mood Lability            | X |   |
| JALCMAL20      | 3 Month: Physical Problems        | X |   |
| JALCMAL21      | 3 Month: Blackouts                | X |   |
| JALCMAL22      | 3 Month: Unconsciousness          | X |   |
| J4_SDP2        | 3 month: Alcohol Dependence       | X |   |
| J4NABU2        | 3 month: Alcohol Abuse            | X |   |
| J4NWD1         | 3 Month: Withdrawal               | X |   |
| J4NCUT1        | 12 Month: Tried to Cut Down       |   |   |
| JALCUSEWKE     | Ever: Alcohol Use Weekly          |   | X |
| JALCUSEWK3     | 3 Month: Alcohol Use Weekly       | X |   |
| JALCUSEDLYE    | Ever: Alcohol Use Daily           |   | X |
| JALCUSEDLY3    | 3 Month: Alcohol Use Daily        | X |   |
| CALCDRUNKE     | Ever: Drunk                       |   | X |
| CALCDRUNK3     | 3 Month: Drunk                    | X |   |
| CALCDRUNKFREQ3 | 3 Month: Frequency of Drunkenness | X |   |

## JALCONS: Age of onset: Alcohol

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Age of onset of alcohol use in days.

Informant: Child report is default. Use parent report if child denies initiation, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CHA4E01a (Ever drunk alcohol without permission) | Y           | Y           |
| P/CHA4O01 (Onset of use without permission)        | Y           | Y           |
| P/CHA3O01 (Onset of ever drunk alcohol)            | Y           | Y           |
| P/CAA1O01 (Age in days)                            | Y           | Y           |

# SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

## Definitions and questions

**ALCOHOL USE**

Include any use of alcohol (beer, cooler, wine, hard liquor), even with parental permission.

**\*Have you ever tried drinking alcohol?**

**\*What about hard liquor?**

*When did you first try it?*

*Have you had any in the last 3 months?*

*How often do you drink alcohol?*  
*How much do you drink in the average week?*

IF THE SUBJECT HAS EVER DRUNK ALCOHOL, CONTINUE.

OTHERWISE SKIP TO DRUG USE SECTION (PAGE 214)

**USE OF ALCOHOL WITHOUT PERMISSION FROM A RESPONSIBLE ADULT**

Drinking alcohol without permission from a responsible adult, whether alcohol obtained legally or illegally.

**\*Have you ever drunk any alcohol without permission?**

*When was that?*

*What about during the last 3 months?*

*How often have you done it?*

*Have you ever drunk alcohol on 5 consecutive days in the last 3 months?*

*Do you usually drink alcohol on your own or with other people?*  
*Do you ever drink alcohol on your own?*

*When did that start?*

## Coding rules

### EVER ALCOHOL USE

0 = Never drunk alcohol  
2 = Has drunk alcohol at some time

### NUMBER OF DRINKS

Code average number of drinks per week during last 3 months:  
1 drink= 1 bottle of beer  
1 glass of wine  
1 shot of spirits

### FREQUENCY OF DRINKING EPISODES

During last 3 months

### SOLITARY/ACCOMPANIED

0 = Solitary  
2 = Often accompanied, but < 50% of the time  
3 = Accompanied 50% or more of the time

### EVER: USE WITHOUT PERMISSION

0 = Has never drunk alcohol without permission  
2 = Has drunk alcohol without permission at some time

### USE WITHOUT PERMISSION

0 = Has not drunk alcohol without permission during last 3 months  
2 = Has drunk alcohol without permission during last 3 months

## Codes

CHA3E01

Ever: Intensity

CHA3O01

Ever: Onset

CHA3I01

Number of drinks

CHA3F01

Frequency

CHA3X01

Solitary

CHA4E01

Ever: Intensity

CHA4I01

Intensity

CHA4F01

Frequency

CHA4O01

Onset

---

## GLOSSARY NOTES

---

### USE OF ALCOHOL WITHOUT PERMISSION

Drinking alcohol without permission from a responsible adult, whether the alcohol was obtained legally or illegally.

---

### N, WEIGHTED PREVALENCE, and MISSING DATA

---

| CAPA     |     | YAPA   |     |
|----------|-----|--------|-----|
| Weighted | N   | Weight | N   |
| Median   |     | Median |     |
| 14.01    | 816 | 16.51  | 527 |

Missing data notes:

- Other notes: 1 case has an onset date of 0, and 10 cases report an onset date of 915 days (= 2.5 years) or less. There are a few cases of onset dates without permission after age 21 (even though, by law, parental permission is no longer required at that age).

---

### OTHER VARIABLES

---

None.

---

### SAS CODE

---

```
* Create age in days from parent report. If parent doesn't exist then use child report;
```

```
if paalo01 gt 0 then agedays=paalo01;  
else if caalo01 gt 0 then agedays=caalo01;
```

```
* Subtract onset date in days from current age in days in order to create onset age in days.
```

```
*Child report;
```

```
calcons=.;
```

```
if CHA4E01a ge 1 then do;
```

```
    if (. <= agedays < 7665) then calcons =(agedays-CHA4O01);
```

```
    else if (agedays >=7665 and cha3o01 >=7665) then calcons
```

```
=(agedays-cha3o01);
```

```
end;
```

```
label calcons='Child-reported Age of Onset: Alcohol';
```

```
*Parent report (not available after wave 8 / age 17);
palcons=.;
if (PHA4E01a ge 1) then do;
    if (. <= agedays < 7665) then palcons =(agedays-PHA4O01);
    end;
label palcons='Parent-reported Age of Onset: Alcohol';

*Joint report;
Jalcons= CALCONS;
if (CALCONS eq .) or (CHA4E01a eq 0 AND PHA4E01a GE 1) then Jalcons=
pALCONS;
label Jalcons ='Age of Onset: Alcohol';

****Retain lowest value of jalcons to date****;
Jalcons1=min(Jalcons, Jalcons1);
label Jalcons1='Lowest Value Age of Onset: Alcohol to date';
```

JALCUSE: Ever: Alcohol use

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Ever used alcohol without parental permission to date.

- Before age 21: Use without parental permission.
- After age 21: Ever used (if the corresponding onset date is greater than 21).

Informant: Child report is default. However, if the child report is missing, or the child has denied substance use, parent report is used.

---

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

---

**RAW VARIABLE(S)**

---

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CHA4E01a (Ever drunk alcohol without permission) | Y           | Y           |
| P/CHA3E01a (Ever drunk alcohol)                    | Y           | Y           |
| P/CHA3O01 (Onset of ever drunk alcohol)            | Y           | Y           |

## SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

**ALCOHOL USE**

Include any use of alcohol (beer, cooler, wine, hard liquor), even with parental permission.

**\*Have you ever tried drinking alcohol?**

**\*What about hard liquor?**

*When did you first try it?*

*Have you had any in the last 3 months?*

*How often do you drink alcohol?*  
*How much do you drink in the average week?*

IF THE SUBJECT HAS EVER DRUNK ALCOHOL,  
CONTINUE.

OTHERWISE SKIP TO DRUG USE SECTION (PAGE  
214)

**USE OF ALCOHOL WITHOUT PERMISSION FROM A  
RESPONSIBLE ADULT**

Drinking alcohol without permission from a responsible  
adult, whether alcohol obtained legally or illegally.

**\*Have you ever drunk any alcohol without permission?**

*When was that?*

*What about during the last 3 months?*

*How often have you done it?*

*Have you ever drunk alcohol on 5 consecutive days in  
the last 3 months?*

*Do you usually drink alcohol on your own or with other  
people?*  
*Do you ever drink alcohol on your own?*

*When did that start?*

Coding rules

**EVER ALCOHOL USE**  
0 = Never drunk alcohol  
2 = Has drunk alcohol at some time

**NUMBER OF DRINKS**  
Code average number of drinks per week  
during last 3 months:  
1 drink= 1 bottle of beer  
          1 glass of wine  
          1 shot of spirits

**FREQUENCY OF DRINKING EPISODES**  
During last 3 months

**SOLITARY/ACCOMPANIED**  
0 = Solitary  
2 = Often accompanied, but < 50% of the  
time  
3 = Accompanied 50% or more of the time

**EVER: USE WITHOUT PERMISSION**  
0 = Has never drunk alcohol without  
permission  
2 = Has drunk alcohol without permission  
at some time

**USE WITHOUT PERMISSION**  
0 = Has not drunk alcohol without  
permission during last 3 months  
2 = Has drunk alcohol without permission  
during last 3 months

Codes

**CHA3E01**  
Ever: Intensity

**CHA3O01**  
Ever: Onset

**CHA3I01**  
Number of drinks

**CHA3F01**  
Frequency

**CHA3X01**  
Solitary

**CH4E01**  
Ever: Intensity

**CH4I01**  
Intensity

**CH4F01**  
Frequency

**CH4O01**  
Onset



---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.01       | 1    | 0.10       | 5    |
| 0 | 87.35      | 5766 | 58.32      | 1243 |
| 1 | 12.64      | 907  | 41.57      | 884  |

Missing data notes:

- CAPA: no notes.
- YAPA: no notes.

---

## OTHER VARIABLES

---

**JALCUSEE:** Ever: Alcohol use to date.

- For **JALCUSEE**, the highest value to date is retained across waves. Therefore, if the **JALCUSEE** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
Jalcusee=max(Jalcuse, Jalcusee);  
label jalcusee ='Ever: Alcohol use to date';
```

---

## SAS CODE

---

```
*Child-reported ever use without permission;  
if CHA4E01a ge 1 then calcuse=1;  
else if (agedays >=7665 and cha3o01 >=7665 and CHA3E01a ge 1) then  
calcuse=1;  
else if CHA4E01a ne . then calcuse=0;  
label calcuse='Child-reported ever: alcohol use';  
  
*Parent-reported ever use without permission (not available after wave  
8 / age 17);  
if PHA4E01a ge 1 then Pcalcuse=1;  
else if PHA4E01a ne . then Pcalcuse=0;
```

```
label Palcuse='Parent-reported ever: alcohol use';

*Joint report of use without permission;
jalcuse= CALCUSE;
if (CALCUSE eq .) or (calcuse=0 and palcuse=1) then jalcuse= PALCUSE;
label jalcuse ='Ever: Alcohol Use';
```

## JALCUSE3: 3 Month: Alcohol use

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Use of alcohol without parental permission within last 3 months.

- Before age 21: Used alcohol without parental permission.
- After age 21: Ever used alcohol (if the corresponding onset date is greater than 21).

Informant: Child report is default. However, if the child report is missing, or the child has denied substance use, parent report is used.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CHA4I01a (Drunken alcohol without permission in last 3 months) | Y           | Y           |
| P/CHA3O01 (Onset of ever drunk alcohol)                          | Y           | Y           |
| P/CHA3E01a (Ever drunk alcohol)                                  | Y           | Y           |

---

# SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

**ALCOHOL USE**

Include any use of alcohol (beer, cooler, wine, hard liquor), even with parental permission.

**\*Have you ever tried drinking alcohol?**

**\*What about hard liquor?**

*When did you first try it?*

*Have you had any in the last 3 months?*

*How often do you drink alcohol?*  
*How much do you drink in the average week?*

IF THE SUBJECT HAS EVER DRUNK ALCOHOL, CONTINUE.

OTHERWISE SKIP TO DRUG USE SECTION (PAGE 214)

**USE OF ALCOHOL WITHOUT PERMISSION FROM A RESPONSIBLE ADULT**

Drinking alcohol without permission from a responsible adult, whether alcohol obtained legally or illegally.

**\*Have you ever drunk any alcohol without permission?**

*When was that?*

*What about during the last 3 months?*

*How often have you done it?*

*Have you ever drunk alcohol on 5 consecutive days in the last 3 months?*

*Do you usually drink alcohol on your own or with other people?*  
*Do you ever drink alcohol on your own?*

*When did that start?*

Coding rules

**EVER ALCOHOL USE**

0 = Never drunk alcohol  
2 = Has drunk alcohol at some time

**NUMBER OF DRINKS**

Code average number of drinks per week during last 3 months:  
1 drink= 1 bottle of beer  
          1 glass of wine  
          1 shot of spirits

**FREQUENCY OF DRINKING EPISODES**

During last 3 months

**SOLITARY/ACCOMPANIED**

0 = Solitary  
2 = Often accompanied, but < 50% of the time  
3 = Accompanied 50% or more of the time

**EVER: USE WITHOUT PERMISSION**

0 = Has never drunk alcohol without permission  
2 = Has drunk alcohol without permission at some time

**USE WITHOUT PERMISSION**

0 = Has not drunk alcohol without permission during last 3 months  
2 = Has drunk alcohol without permission during last 3 months

Codes

**CHA3E01**

Ever: Intensity

**CHA3O01**

Ever: Onset

 / 

**CHA3I01**

Number of drinks

**CHA3F01**

Frequency

**CHA3X01**

Solitary

**CHM2E01**

Ever: Intensity

**CHM2I01**

Intensity

**CHM2F01**

Frequency

**CHM4O01**

Onset

 /

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.01       | 2    | 0.14       | 8    |
| 0 | 94.05      | 6233 | 78.52      | 1708 |
| 1 | 5.94       | 439  | 21.35      | 416  |

Missing data notes:

- CAPA: no notes.
- YAPA: no notes.

---

## OTHER VARIABLES

---

**JALCUSE33:** 3 Month: Alcohol use to date

- For **JALCUSE33**, the highest value to date is retained across waves. Therefore, if the **JALCUSE33** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
Jalcuse33=max(Jalcuse3, Jalcuse33);  
label jalcuse33 = '3 Month: Alcohol use to date';
```

---

## SAS CODE

---

```
*Child-reported ever use without permission;  
if CHA4I01a ge 1 then calcuse3=1;  
else if (agedays >=7665 and cha3o01 >=7665 and CHA3E01a ge 1) then  
calcuse3=1;  
else if CHA4I01a ne . then calcuse3=0;  
label calcuse3='Child-reported 3-month: alcohol use w/in past 3 mo w/o  
permission';  
  
*Parent-reported ever use without permission (not available after wave  
8 / age 17);  
if PHA4I01a ge 1 then Palcuse3=1;  
else if PHA4I01a ne . then Palcuse3=0;
```

```
label Palcuse3='Parent-reported 3-month: alcohol use w/in past 3 mo w/o  
permission';
```

```
*Joint report of use without permission;
```

```
Jalcuse3= CALCUSE3;
```

```
if (CALCUSE3 eq .) or (calcuse3=0 and palcuse3=1) then jalcuse3=  
PALCUSE3;
```

```
label jalcuse3 ='3 Month: Alcohol use';
```

## JALCFREQ: 3 Month: Number of drinking episodes

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Frequency of drinking episodes in the last 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies use, but parent reports it, c) child and parent report use, but child reports a frequency of 0, or d) child and parent report use, but child frequency is missing;

Note: Youth that have indicated that they have ever used without parental permission sometimes did not report a frequency (and may have a 0 on JALCFREQ).

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CHA4E01a (Ever drunk alcohol without permission)             | Y           | Y           |
| P/CHA4F01a (Frequency of drinking episodes without permission) | Y           | Y           |
| CHA3O01 (Onset of ever drunk alcohol)                          | Y           |             |
| CHA3E01a (Ever drunk alcohol)                                  | Y           |             |
| CHA3F01a (Frequency of drinking episodes)                      | Y           |             |

---

# SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

## Definitions and questions

### ALCOHOL USE

Include any use of alcohol (beer, cooler, wine, hard liquor), even with parental permission.

*\*Have you ever tried drinking alcohol?*

*\*What about hard liquor?*

*When did you first try it?*

*Have you had any in the last 3 months?*

*How often do you drink alcohol?*

*How much do you drink in the average week?*

IF THE SUBJECT HAS EVER DRUNK ALCOHOL, CONTINUE.

OTHERWISE SKIP TO DRUG USE SECTION (PAGE 214)

### USE OF ALCOHOL WITHOUT PERMISSION FROM A RESPONSIBLE ADULT

Drinking alcohol without permission from a responsible adult, whether alcohol obtained legally or illegally.

*\*Have you ever drunk any alcohol without permission?*

*When was that?*

*What about during the last 3 months?*

*How often have you done it?*

*Have you ever drunk alcohol on 5 consecutive days in the last 3 months?*

*Do you usually drink alcohol on your own or with other people?*

*Do you ever drink alcohol on your own?*

*When did that start?*

## Coding rules

### EVER ALCOHOL USE

0 = Never drunk alcohol

2 = Has drunk alcohol at some time

### NUMBER OF DRINKS

Code average number of drinks per week during last 3 months:

1 drink= 1 bottle of beer

1 glass of wine

1 shot of spirits

### FREQUENCY OF DRINKING EPISODES

During last 3 months

### SOLITARY/ACCOMPANIED

0 = Solitary

2 = Often accompanied, but < 50% of the time

3 = Accompanied 50% or more of the time

### EVER: USE WITHOUT PERMISSION

0 = Has never drunk alcohol without permission

2 = Has drunk alcohol without permission at some time

### USE WITHOUT PERMISSION

0 = Has not drunk alcohol without permission during last 3 months

2 = Has drunk alcohol without permission during last 3 months

## Codes

CHA3E01

Ever: Intensity

CHA3O01

Ever: Onset

CHA3I01

Number of drinks

CHA3F01

Frequency

CHA3X01

Solitary

CHA4E01

Ever: Intensity

CHA4I01

Intensity

CHA4F01

Frequency

CHA4O01

Onset



---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

| CAPA               |      | YAPA               |      |
|--------------------|------|--------------------|------|
| Weighted<br>Median | N    | Weighted<br>Median | N    |
| 0.00               | 6670 | 0.00               | 2124 |

Missing data notes:

- CAPA: no notes.
- YAPA: no notes.

---

## OTHER VARIABLES

---

**JALCFREQE**: 3 Month: Highest frequency of number of drinking episodes to date.

- For **JALCFREQE**, the highest value to date is retained across waves. Therefore, if the **JALCFREQE** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
Jalcfrege=max(Jalcfreq, Jalcfrege);  
label Jalcfrege ='3 Month: Highest frequency of Number of drinking  
episodes to date';
```

---

## SAS CODE

---

```
*Child-reported frequency;  
**Not available for use with parental permission after age 21;  
if CHA4E01a ge 1 then calcfreq=CHA4F01a;  
else if (agedays >=7665 and cha3o01 >=7665 and CHA3E01a ge 1) then  
calcfreq=CHA3F01a;  
else if CHA4E01a ne . then calcfreq=0;  
label calcfreq='Child-reported 3 Month: Number of drinking episodes ' ;  
  
**Create parent report of ever use;  
if PHA4E01a ge 1 then Palcfreq=PHA4F01a;  
else if PHA4E01a ne . then Palcfreq=0;  
label Palcfreq='Parent-reported 3 Month: 3 Month: Number of drinking  
episodes ' ;
```

```
Jalcfreq= CALCFREQ;  
if (CALCFREQ eq .) or  
(CHA4E01a eq 0 and pHA4E01a GE 1) or  
(CHA4E01a eq 2 and pHA4E01a GE 2 and CHA4F01a=0) or  
(CHA4E01a eq 2 and pHA4E01a GE 2 and CHA4F01a eq .)  
then Jalcfreq= pALCfreq;  
label Jalcfreq ='3 Month: Alcohol Use - 3 Month: Number of drinking  
episodes';
```

**JALCMAL: 3 Month: Any maladaptive behavior**

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Any maladaptive behavior in last 3 months.  
 The CAPA assess 22 different maladaptive behaviors that are secondary to substance use (e.g., intensity of alcohol involved in tolerance). Of the 22, 16 are criteria for substance abuse or dependence.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

**RAW VARIABLE(S)**

---

|   | CAPA | YAPA |
|---|------|------|
| P/CIA0I02 (Maladaptive behavior: Intensity of alcohol involved in subjective need for "substance")            | Y    | Y    |
| P/CIA1I02 (Maladaptive behavior: Intensity of alcohol involved in uses "substance" to improve mood)           | Y    | Y    |
| P/CIA2I02 (Maladaptive behavior: Intensity of alcohol involved in time spent in "substance"-related behavior) | Y    | Y    |
| P/CIA3I02 (Maladaptive behavior: Intensity of alcohol   | Y    | Y    |

|  |   |   |
|--|---|---|
| involved in tolerance)   |   |   |
| P/CIA4I02 (Maladaptive behavior: Intensity of alcohol involved in overconsumption)                     | Y | Y |
| P/CIA5I02 (Maladaptive behavior: Intensity of alcohol involved in uncontrollable "substance" use)      | Y | Y |
| P/CIA6I02 (Maladaptive behavior: Intensity of alcohol involved in narrowed "substance" use repertoire) | Y | Y |
| P/CIA7I02 (Maladaptive behavior: Intensity of alcohol involved in morning "substance" use)             | Y | Y |
| P/CIA8I02 (Maladaptive behavior: Intensity of alcohol involved in disinhibited aggression)             | Y | Y |
| P/CIA9I02 (Maladaptive behavior: Intensity of alcohol involved in disinhibited sexuality)              | Y | Y |
| P/CIB0I02 (Maladaptive behavior: Intensity of alcohol involved in poor judgment)                       | Y | Y |
| P/CIB1I02 (Maladaptive behavior: Intensity of alcohol involved in social problems in family)           | Y | Y |
| P/CIB2I02 (Maladaptive behavior: Intensity of alcohol involved in social problems with friends)        | Y | Y |
| P/CIB3I02 (Maladaptive behavior: Intensity of alcohol involved in reduced activities)                  | Y | Y |
| P/CIB4I02 (Maladaptive behavior: Intensity of alcohol involved in affected school/work)                | Y | Y |
| P/CIB5I02 (Maladaptive behavior: Intensity of alcohol involved in dangerous activities)                | Y | Y |
| P/CIB6I04 (Maladaptive behavior: Intensity of alcohol involved in "substance"-related crime)           | Y | Y |
| P/CIB7I02 (Maladaptive behavior: Intensity of alcohol involved in trouble with the law)                | Y | Y |
| P/CIB8I02 (Maladaptive behavior: Intensity of alcohol involved in mood lability)                       | Y | Y |
| P/CIB9I02 (Maladaptive behavior: Intensity of alcohol involved in physical problems)                   | Y | Y |
| P/CIC0I02 (Maladaptive behavior: Intensity of alcohol involved in blackouts)                           | Y | Y |
| P/CIC1I02 (Maladaptive behavior: Intensity of alcohol involved in unconsciousness)                     | Y | Y |

# SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

**DISINHIBITED AGGRESSION**

After using "substance" the subject has been verbally or physically aggressive in a way that is not characteristic of his/her behavior when not intoxicated.

***"Have you gotten into any arguments when you were "high (drunk)"?"***

***"When you've used a lot of "substance" do you get bad-tempered or angry?"***

*More than usual?  
How often in the last 3 months?  
When did that start?*

***"Have you gotten into any physical fights when you were "high (drunk)" in the last 3 months?"***

*How often?  
When did that start?*

Coding rules

**DISINHIBITED AGGRESSION**

0 = Not unusually aggressive when under the influence of "substance"

2 = Has been atypically verbally aggressive when under the influence of "substance" during last 3 months

3 = Has been atypically physically aggressive when under the influence of "substance" during last 3 months

**ALCOHOL**

**CANNABIS**

**COCAINE ETC.**

**AMPHETAMINES ETC.**

**INHALANTS**

**HEROIN/OTHER OPIOIDS**

**HALLUCINOGENS**

**SEDATIVES**

Codes

**CIAB**

**I01**

Intensity

Frequency **F01**

Onset **O01**

Intensity **I02**

Intensity **I03**

Intensity **I04**

Intensity **I05**

Intensity **I06**

Intensity **I07**

Intensity **I08**

Intensity **I09**

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 98.68         | 6548 | 79.91         | 1740 |
| 1 | 1.32          | 126  | 20.09         | 392  |

---

## OTHER VARIABLES

---

**Cmalsum2:** Sum of maladaptive behavior variables not included in dependence/abuse criteria

**Cmalsum3:** Any of maladaptive behavior variables not included in dependence/abuse criteria

**JALCMALE:** 3 Month: Any maladaptive behavior to date

```
cmalsum2 = sum (JALCMAL1, JALCMAL2, JALCMAL7, JALCMAL8, JALCMAL21,
JALCMAL22);
label cmalsum2 = '3 month: Sum of non-diagnostic maladaptive behaviors
';

if cmalsum2 ge 1 then cmalsum3 = 1;
else if cmalsum2 ne . then cmalsum3 = 0;
label cmalsum3 = '3 month: Any non-diagnostic maladaptive behaviors ';

jalcmale= max (jalcmal, jalcmale);
label jalcmale='3 Month: Any maladaptive behavior to date';
```

---

## SAS CODE

---

```
**Sum of child-reported maladaptive behaviors;
calcmal=sum (CIA0I02, CIA1I02, CIA2I02, CIA3I02, CIA4I02, CIA5I02,
CIA6I02, CIA7I02, CIA8I02, CIA9I02,
CIB0I02, CIB1I02, CIB2I02, CIB3I02, CIB4I02, CIB5I02, CIB6I04,
CIB7I02, CIB8I02, CIB9I02, CIC0I02,
CIC1I02);

**Dichotomize child-reported maladaptive behaviors;
if calcmal ge 1 then calcmal=1;
```

```

else if calcmal ne . then calcmal = 0;

**Sum of parent-reported of any maladaptive behavior;
palcmal=sum (PIA0I02, PIA1I02, PIA2I02, PIA3I02, PIA4I02, PIA5I02,
PIA6I02, PIA7I02, PIA8I02, PIA9I02,
  PIB0I02, PIB1I02, PIB2I02, PIB3I02, PIB4I02, PIB5I02, PIB6I04,
PIB7I02, PIB8I02, PIB9I02, PIC0I02,
PIC1I02);

**Dichotomize child-reported any maladaptive behavior;
if palcmal ge 1 then palcmal=1;
else if palcmal ne . then palcmal = 0;

*Array to create joint reports for all maladaptive behaviors above;
array csub  calcmal;
  array psub  palcmal;
  array jsub  jalcmal;

do over jsub;
  if      csub=1      then jsub=1;
  else if (csub=. and psub ge 1) or (csub=0 and psub ge 1) then
jsub=1;
  else if csub ne . or psub ne . then jsub=0;
  end;

label jalcmal='3 Month: Any Alcohol-related Maladaptive behavior';

```

JALCMAL1: 3 Month: Subjective Need/Craving

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Subjective need for alcohol within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CIA0I02 (Maladaptive behavior: Intensity of alcohol involved in subjective need for "substance") | Y           | Y           |



## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

### Definitions and questions

#### SUBJECTIVE NEED FOR "SUBSTANCE"

A feeling of need or craving to consume "substance", that is, at least sometimes, intrusive into other thoughts or activities, and cannot always be controlled except through using "substance".

*Do you sometimes need "substance" to help you get through the day?*

*When did that start?*

*How often in the last 3 months?*

*When do you have your first "substance" of the day?*

*Do you miss it if you can't get "substance" ?*

*What happens if you don't get "substance"?*

### Coding rules

#### SUBJECTIVE NEED FOR "SUBSTANCE"

2 - On at least some days feels an uncontrollable craving for "substance" that intrudes into thoughts or other activities, unless satisfied.

3 - Nearly every day feels an uncontrollable craving for "substance" that is intrusive into nearly every activity, unless satisfied.

#### SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

### Codes

CIA0I01

CIA0F01  
Frequency

CIA0O01  
Onset

CIA0I02

CIA0I03

CIA0I04

CIA0I05

CIA0I06

CIA0I07

CIA0I08

CIA0I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.96         | 6666 | 98.46         | 2099 |
| 1 | 0.04          | 8    | 1.54          | 33   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA0I02 ge 1 then CALCMAL1=1;
else if CIA0I02 ne . then CALCMAL1=0;
label CALCMAL1= 'Maladaptive behavior: Child-reported any maladaptive
behavior involving subject need for "substance in past 3 mos';
label CIA0I02 = 'Maladaptive behavior: Intensity of alcohol involved in
subjective need for "substance"';

*Parent-reported;
if PIA0I02 ge 1 then PALCMAL1=1;
else if PIA0I02 ne . then PALCMAL1=0;
label PALCMAL1= 'Maladaptive behavior: Parent-reported any maladaptive
behavior involving subject need for "substance in past 3 mos';
label PIA0I02 = 'Maladaptive behavior: Intensity of alcohol involved in
subjective need for "substance"';

*Joint report;
JALCMAL1= CALCMAL1;
if (CALCMAL1 eq .) or (CALCMAL1=0 and PALCMAL1=1) then JALCMAL1=
PALCMAL1;
label JALCMAL1 = '3 Month: Subjective Need/Craving';
```

## JALCMAL2: 3 Month: Use to Improve Mood

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Uses alcohol to improve mood within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|   | <u>CAPA</u> | <u>YAPA</u> |
|---|-------------|-------------|
| P/CIA1I02 (Maladaptive behavior: Intensity of alcohol involved in uses "substance" to improve mood) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

### Definitions and questions

#### USES "SUBSTANCE" TO IMPROVE MOOD

The subject described using "substance" in an attempt to relieve dysphoria, anxiety, or irritability, or to induce an increased feeling of well-being.

*Do you sometimes use "substance" to cheer yourself up when you feel low?*

*Or to make yourself feel less anxious?*

*When did that start?*

*How often does that happen?*

*Is that usually why you use "substance"?*

### Coding rules

#### USES "SUBSTANCE" TO IMPROVE MOOD

2 - Sometimes uses "substance" to improve mood (< 50% of the time)

3 - Usually uses "substance" to improve mood (> 50% of the time)

#### SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

### Codes

CLA1I01  
Intensity

CLA1F01  
Frequency

CLA1O01  
Onset

CLA1I02

CLA1I03

CLA1I04

CLA1I05

CLA1I06

CLA1I07

CLA1I08

CLA1I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.77         | 6652 | 96.20         | 2046 |
| 1 | 0.23          | 22   | 3.80          | 86   |

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA1I02 ge 1 then CALCMAL2=1;
else if CIA1I02 ne . then CALCMAL2=0;
label CALCMAL2= 'Maladaptive behavior: Child-reported any maladaptive
behavior involving uses "substance" to improve mood in past 3 mos';
label CIA1I02 = 'Maladaptive behavior: Intensity of alcohol involved in
uses "substance" to improve mood';
*Parent-reported;
if PIA1I02 ge 1 then PALCMAL2=1;
else if PIA1I02 ne . then PALCMAL2=0;
label PALCMAL2= 'Maladaptive behavior: Parent-reported any maladaptive
behavior involving uses "substance" to improve mood in past 3 mos';
label PIA1I02 = 'Maladaptive behavior: Intensity of alcohol involved in
uses "substance" to improve mood';

*Joint report;
JALCMAL2= CALCMAL2;
if (CALCMAL2 eq .) or (CALCMAL2=0 and PALCMAL2=1) then JALCMAL2=
PALCMAL2;
label JALCMAL2 = '3 Month: Use to Improve Mood';
```

## JALCMAL3: 3 Month: Much Time Spent in Alcohol-related Activities

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Time spent in alcohol-related behavior within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL3 is part of diagnostic criteria for alcohol dependence.

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

### RAW VARIABLE(S)

---

|  | CAPA | YAPA |
|--|------|------|
| P/CIA2I02 (Maladaptive behavior: Intensity of alcohol involved in time spent in "substance-related behavior) | Y    | Y    |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

### Definitions and questions

#### TIME SPENT IN "SUBSTANCE" RELATED BEHAVIOR

Amount of time spent in "substance" related behavior including activities associated with getting and consuming "substance" and recovering from the effects of using "substance".

*How much time do you spend using "substance"?*

*Or getting "substance"?*

*Or getting it ready to use?*

*Or recovering from the effects of using it ?*

#### COST OF SUBSTANCES PER WEEK IN LAST 3 MONTHS

*How much did you spend per week in the last 3 months on drugs and alcohol?*

*How do you pay for your use of "substance"?*

*Where do you get the money?*

### Coding rules

#### TIME SPENT

- 0 = < 1 hour per day
- 2 = 1-3 hours per day
- 3 = > 3 hours per day

#### SUBSTANCE LIST

- 1 = Alcohol
- 2 = Cannabis
- 3 = Cocaine Etc.
- 4 = Amphetamines Etc.
- 5 = Inhalants
- 6 = Heroin/Other Opioids
- 7 = Hallucinogens
- 8 = Sedatives

#### COST PER WEEK FOR ALL SUBSTANCES COMBINED

### Codes

CIA2I01  
Intensity

CIA2I02

CIA2I03

CIA2I04

CIA2I05

CIA2I06

CIA2I07

CIA2I08

CIA2I09

CIA2X01

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.63      | 6628 | 88.84      | 1921 |
| 1 | 0.37       | 46   | 11.16      | 211  |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA2I02 ge 1 then CALCMAL3=1;
else if CIA2I02 ne . then CALCMAL3=0;
label CALCMAL3= 'Maladaptive behavior: Child-reported any maladaptive
behavior involved in time spent in "substance"-related behavior in past 3
mos';
label CIA2I02 = 'Maladaptive behavior: Intensity of alcohol involved in
time spent in "substance"-related behavior';

*Parent-reported;
if PIA2I02 ge 1 then PALCMAL3=1;
else if PIA2I02 ne . then PALCMAL3=0;
label PALCMAL3= 'Maladaptive behavior: Parent-reported any maladaptive
behavior involved in time spent in substance-related behavior in past 3
mos';
label PIA2I02 = 'Maladaptive behavior: Intensity of alcohol involved in
time spent in substance-related behavior';

*Joint report;
JALCMAL3= CALCMAL3;
if (CALCMAL3 eq .) or (CALCMAL3=0 and PALCMAL3=1) then JALCMAL3=
PALCMAL3;
```



```
label JALCMAL3 = '3 Month: Much Time Spent in Alcohol-related  
Activities';
```

## JALCMAL4: 3 Month: Tolerance

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Tolerance to alcohol within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL4 is part of diagnostic criteria for alcohol dependence.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CIA3I02 (Maladaptive behavior: Intensity of alcohol involved in tolerance) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

### Definitions and questions

#### TOLERANCE

The need for increased intake of "substance" (by at least 50%) to reduce previously experienced psychological or behavioral changes associated with "substance" use.

*Do you need to use more "substance" than you used to, to have the same effect?*

*Are you able to tolerate larger amounts of "substance" than you used to?*

*How much more?*

*When did you start to need more?*

### Coding rules

#### TOLERANCE

0 = Does not show tolerance.

2 = Needs to use "substance" at least 50% more then previously to obtain desired effect or can tolerate at least 50% more than previously.

#### SUBSTANCE LIST

1 = Alcohol

2 = Cannabls

3 = Cocaine Etc.

4 = Amphetamines Etc.

5 = Inhalants

6 = Heroin/Other Opioids

7 = Hallucnogens

8 = Sedatives

### Codes

CIA3I01  
Intensity

CIA3O01  
Onset

 / /

CIA3I02

CIA3I03

CIA3I04

CIA3I05

CIA3I06

CIA3I07

CIA3I08

CIA3I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.74      | 6642 | 93.95      | 2024 |
| 1 | 0.26       | 32   | 6.05       | 108  |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA3I02 ge 1 then CALCMAL4=1;
else if CIA3I02 ne . then CALCMAL4=0;
label CALCMAL4= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in tolerance in past 3 mos';
label CIA3I02 = 'Maladaptive behavior: Intensity of alcohol involved in
tolerance';

*Parent-reported;
if PIA3I02 ge 1 then PALCMAL4=1;
else if PIA3I02 ne . then PALCMAL4=0;
label PALCMAL4= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in tolerance in past 3 mos';
label PIA3I02 = 'Maladaptive behavior: Intensity of alcohol involved in
tolerance';

*Joint report;
JALCMAL4= CALCMAL4;
if (CALCMAL4 eq .) or (CALCMAL4=0 and PALCMAL4=1) then JALCMAL4=
PALCMAL4;
label JALCMAL4 = '3 Month: Tolerance ';
```

## JALCMAL5: 3 Month: Overconsumption

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Overconsumption of alcohol within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL5 is part of diagnostic criteria for alcohol dependence.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CIA4I02 (Maladaptive behavior: Intensity of alcohol involved in overconsumption) | Y           | Y           |

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

### Definitions and questions

#### OVERCONSUMPTION

Consumption of more "substance" than intended on a particular occasion. If regular overconsumption is present, consider carefully whether the subject's behavior also conforms to the definition of a Narrowed "Substance" Use Repertoire.

*Do you sometimes use more "substance" than you mean to?*

*How often has that happened in the last 3 months?  
When did that start?*

### Coding rules

#### OVERCONSUMPTION

0 = Has not used "substance" more than meant to.

2 = Sometimes uses "substance" more than meant to.

#### SUBSTANCE LIST

1 = Alcohol

2 = Cannabis

3 = Cocaine Etc.

4 = Amphetamines Etc.

5 = Inhalants

6 = Heroin/Other Opioids

7 = Hallucinogens

8 = Sedatives

### Codes

CIA4I01

Intensity

CIA4F01

Frequency

CIA4O01

Onset

CIA4I02

CIA4I03

CIA4I04

CIA4I05

CIA4I06

CIA4I07

CIA4I08

CIA4I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.62      | 6646 | 93.22      | 2011 |
| 1 | 0.38       | 28   | 6.78       | 121  |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA4I02 ge 1 then CALCMAL5=1;
else if CIA4I02 ne . then CALCMAL5=0;
label CALCMAL5= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in overconsumption in past 3 mos';
label CIA4I02 = 'Maladaptive behavior: Intensity of alcohol involved in
overconsumption';

*Parent-reported;
if PIA4I02 ge 1 then PALCMAL5=1;
else if PIA4I02 ne . then PALCMAL5=0;
label PALCMAL5= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in overconsumption in past 3 mos';
label PIA4I02 = 'Maladaptive behavior: Intensity of alcohol involved in
overconsumption';

*Joint report;
JALCMAL5= CALCMAL5;
if (CALCMAL5 eq .) or (CALCMAL5=0 and PALCMAL5=1) then JALCMAL5=
PALCMAL5;
label JALCMAL5 = '3 Month: Overconsumption ';
```

## JALCMAL6: 3 Month: Uncontrollable Use

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Uncontrollable alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL6 is part of diagnostic criteria for alcohol dependence.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|   | <u>CAPA</u> | <u>YAPA</u> |
|---|-------------|-------------|
| P/CIA5I02 (Maladaptive behavior: Intensity of alcohol involved in uncontrollable "substance" use) | Y           | Y           |



## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

### Definitions and questions

#### UNCONTROLLABLE "SUBSTANCE" USE

Episodes in which, whatever his/her original intentions, the subject keeps on using "substance" until unable to use "substance" any more, either because of the unavailability of further "substance" or because of physical incapability (e.g. severe nausea).

*If you once start using "substance", do you ever find that you just can't stop until all the "substance" is gone?*

*Or until you physically can't take any more (e.g. because of unconsciousness, vomiting, "sore lungs", etc.)?*

*Do you ever use "substance" just because it's there*

*How often does that happen?  
When did that start?*

### Coding rules

#### UNCONTROLLABLE SUBSTANCE USE

0 = Never unable to resist using "substance" until no further "substance" available or unable to use "substance" any more.

2 = Sometimes (

3 = Usually (> 50% of the time) unable to stop until no further "substance" available or unable to use "substance" any more.

#### SUBSTANCE LIST

- 1 = Alcohol
- 2 = Cannabis
- 3 = Cocaine Etc.
- 4 = Amphetamines Etc.
- 5 = Inhalants
- 6 = Heroin/Other Opioids
- 7 = Hallucinogens
- 8 = Sedatives

### Codes

CIA5I01  
Intensity

CIA5F01  
Frequency

CIA5O01  
Onset

CIA5I02

CIA5I03

CIA5I04

CIA5I05

CIA5I06

CIA5I07

CIA5I08

CIA5I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.89         | 6646 | 97.27         | 2080 |
| 1 | 0.11          | 28   | 2.73          | 52   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA5I02 ge 1 then CALCMAL6=1;
else if CIA5I02 ne . then CALCMAL6=0;
label CALCMAL6= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in uncontrollable "substance" use in past 3 mos';
label CIA5I02 = 'Maladaptive behavior: Intensity of alcohol involved in
uncontrollable "substance" use';

*Parent-reported;
if PIA5I02 ge 1 then PALCMAL6=1;
else if PIA5I02 ne . then PALCMAL6=0;
label PALCMAL6= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in uncontrollable "substance" use in past 3 mos';
label PIA5I02 = 'Maladaptive behavior: Intensity of alcohol involved in
uncontrollable "substance" use';

*Joint report;
JALCMAL6= CALCMAL6;
if (CALCMAL6 eq .) or (CALCMAL6=0 and PALCMAL6=1) then JALCMAL6=
PALCMAL6;
label JALCMAL6 = '3 Month: Uncontrollable Use';
```

## JALCMAL7: 3 Month: Narrowed Use Repertoire

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Narrowed alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|   | <u>CAPA</u> | <u>YAPA</u> |
|---|-------------|-------------|
| P/CIA6I02 (Maladaptive behavior: Intensity of alcohol involved in narrowed "substance" use) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

### Definitions and questions

#### NARROWED "SUBSTANCE" USE REPERTOIRE

The subject's tends to use "substance" in the same way in any situation, even when a particular pattern may be inappropriate. For instance using "substance" heavily when on a first date, or using "substance" as much whether alone or in company. Subject is unable to have a repertoire of substance using behaviors; patterns of heavy use are no longer differentiated by environment.

*Do you "get high (drunk) (use substance)" in inappropriate circumstances?*

*Like where?*

*Do have different patterns of using "substance" in different situations?*

*Do you vary how you use "substances" depending on the situation?*

*When did that start to happen?*

*Like when you go on a date, as compared with when you are with your friends?*

### Coding rules

#### NARROED "SUBSTANCE" USE REPERTOIRE

0 = No

2 = Yes

#### SUBSTANCE LIST

1 = Alcohol

2 = Cannabls

3 = Cocaine Etc.

4 = Amphetamines Etc.

5 = Inhalants

6 = Heroin/Other Opioids

7 = Hallucinogens

8 = Sedatives

### Codes

CIA6I01  
Intensity

CIA6O01  
Onset

CIA6I02

CIA6I03

CIA6I04

CIA6I05

CIA6I06

CIA6I07

CIA6I08

CIA6I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.96         | 6665 | 99.34         | 2121 |
| 1 | 0.04          | 9    | 0.66          | 11   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA6I02 ge 1 then CALCMAL7=1;
else if CIA6I02 ne . then CALCMAL7=0;
label CALCMAL7= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in narrowed "substance" use repertoire in past 3 mos';
label CIA6I02 = 'Maladaptive behavior: Intensity of alcohol involved in
narrowed "substance" use repertoire';

*Parent-reported;
if PIA6I02 ge 1 then PALCMAL7=1;
else if PIA6I02 ne . then PALCMAL7=0;
label PALCMAL7= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in narrowed "substance" use repertoire in past 3 mos';
label PIA6I02 = 'Maladaptive behavior: Intensity of alcohol involved in
narrowed "substance" use repertoire';

*Joint report;
JALCMAL7= CALCMAL7;
if (CALCMAL7 eq .) or (CALCMAL7=0 and PALCMAL7=1) then JALCMAL7=
PALCMAL7;
label JALCMAL7 = '3 Month: Narrowed Use Repertoire';
```

JALCMAL8: 3 Month: Morning Use

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Morning alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CIA7I02 (Maladaptive behavior: Intensity of alcohol involved in morning "substance" use) | Y           | Y           |

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

Definitions and questions

**MORNING "SUBSTANCE" USE**

Use of "substance" within 2 hours of rising.

*Do you use "substance" in the morning?*

*How often in the last 3 months?*

*When did that start?*

*Do you feel you need it in the morning?*

*Did you take anything else instead?*

Coding rules

**MORNING SUBSTANCE USE**

0 - No

2 - Yes

**SUBSTANCE LIST**

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

Codes

CIA7I01

Intensity

CIA7F01

Frequency

CIA7O01

Onset

CIA7I02

CIA7I03

CIA7I04

CIA7I05

CIA7I06

CIA7I07

CIA7I08

CIA7I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.91         | 6665 | 98.67         | 2109 |
| 1 | 0.09          | 9    | 1.33          | 23   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA7I02 ge 1 then CALCMAL8=1;
else if CIA7I02 ne . then CALCMAL8=0;
label CALCMAL8= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in morning "substance" use in past 3 mos';
label CIA7I02 = 'Maladaptive behavior: Intensity of alcohol involved in
morning "substance" use';

*Parent-reported;
if PIA7I02 ge 1 then PALCMAL8=1;
else if PIA7I02 ne . then PALCMAL8=0;
label PALCMAL8= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in morning "substance" use in past 3 mos';
label PIA7I02 = 'Maladaptive behavior: Intensity of alcohol involved in
morning "substance" use';

*Joint report;
JALCMAL8= CALCMAL8;
if (CALCMAL8 eq .) or (CALCMAL8=0 and PALCMAL8=1) then JALCMAL8=
PALCMAL8;
label JALCMAL8 = '3 Month: Morning Use';
```



## JALCMAL9: 3 Month: Disinhibited Aggression

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Disinhibited aggression with alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL9 is part of diagnostic criteria for alcohol abuse.

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

### RAW VARIABLE(S)

---

|  | CAPA | YAPA |
|--|------|------|
| P/CIA8I02 (Maladaptive behavior: Intensity of alcohol involved in disinhibited aggression) | Y    | Y    |

## SAMPLE INTERVIEW SECTION

**Definitions and questions**

**DISINHIBITED AGGRESSION**

After using "substance" the subject has been verbally or physically aggressive in a way that is not characteristic of his/her behavior when not intoxicated.

*Have you gotten into any arguments when you were "high (drunk)"?*

*When you've used a lot of "substance" do you get bad-tempered or angry?*

*More than usual?*  
*How often in last 3 months?*  
*When did that start?*  
*Have you gotten into any physical fights when you were "high (drunk)" in the last 3 months?*

*How often?*  
*When did that start?*

**Coding rules**

**DISINHIBITED AGGRESSION**

0 - Not unusually aggressive when under the influence of "substance".

2 - Has been atypically verbally aggressive when under the influence of "substance" during last 3 months.

3 - Has been atypically physically aggressive when under the influence of "substance" during last 3 months.

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

**Codes**

CIA8I01  
Intensity

CIA8F01  
Frequency

CIA8O01  
Onset

CIA8I02

CIA8I03

CIA8I04

CIA8I05

CIA8I06

CIA8I07

CIA8I08

CIA8I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.77         | 6656 | 97.31         | 2084 |
| 1 | 0.23          | 18   | 2.69          | 48   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA8I02 ge 1 then CALCMAL9=1;
else if CIA8I02 ne . then CALCMAL9=0;
label CALCMAL9= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in disinhibited aggression in past 3 mos';
label CIA8I02 = 'Maladaptive behavior: Intensity of alcohol involved in
disinhibited aggression';

*Parent-reported;
if PIA8I02 ge 1 then PALCMAL9=1;
else if PIA8I02 ne . then PALCMAL9=0;
label PALCMAL9= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in disinhibited aggression in past 3 mos';
label PIA8I02 = 'Maladaptive behavior: Intensity of alcohol involved in
disinhibited aggression';

*Joint report;
JALCMAL9= CALCMAL9;
if (CALCMAL9 eq .) or (CALCMAL9=0 and PALCMAL9=1) then JALCMAL9=
PALCMAL9;
label JALCMAL9 = '3 Month: Disinhibited Aggression';
```

## JALCMAL10: 3 Month: Disinhibited Sexuality

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Disinhibited sexuality with alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL10 is part of diagnostic criteria for alcohol abuse.

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

### RAW VARIABLE(S)

---

|   | CAPA | YAPA |
|---|------|------|
| P/CIA9I02 (Maladaptive behavior: Intensity of alcohol involved in disinhibited sexuality) | Y    | Y    |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**DISINHIBITED SEXUALITY**

After using "substance" the subject is sexually provocative, or forward in a way that is not characteristic of his/her behavior when not intoxicated.

*Have you made a pass at anyone when you were "high (drunk)"?*

*Have you tried to pick anyone up when you were "high (drunk)"?*

*What happened?*  
*Is that the sort of thing that you would do when you hadn't been using "substance"?*  
*How often in the last 3 months?*  
*When did that start?*

**Coding rules**

**DISINHIBITED SEXUALITY**

0 - No episodes of disinhibited sexuality during last 3 months.

2 - Has been atypically sexually disinhibited while under the influence of "substance" during the last 3 months.

3 - Has sexually assaulted someone while under the influence of "substance", during the last 3 months.

  

**SUBSTANCE LIST**

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

**Codes**

CIA9T01  
Intensity

  

CIA9F01  
Frequency

CIA9O01  
Onset

  

CIA9T02

CIA9T03

CIA9T04

CIA9T05

CIA9T06

CIA9T07

CIA9T08

CIA9T09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.86         | 6664 | 96.34         | 2073 |
| 1 | 0.14          | 10   | 3.66          | 59   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIA9I02 ge 1 then CALCMAL10=1;
else if CIA9I02 ne . then CALCMAL10=0;
label CALCMAL10= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in disinhibited sexuality in past 3 mos';
label CIA9I02 = 'Maladaptive behavior: Intensity of alcohol involved in
disinhibited sexuality';

*Parent-reported;
if PIA9I02 ge 1 then PALCMAL10=1;
else if PIA9I02 ne . then PALCMAL10=0;
label PALCMAL10= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in disinhibited sexuality in past 3 mos';
label PIA9I02 = 'Maladaptive behavior: Intensity of alcohol involved in
disinhibited sexuality';

*Joint report;
JALCMAL10= CALCMAL10;
if (CALCMAL10 eq .) or (CALCMAL10=0 and PALCMAL10=1) then JALCMAL10=
PALCMAL10;
label JALCMAL10 ='3 Month: Disinhibited Sexuality';
```

## JALCMAL11: 3 Month: Poor Judgment

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Poor judgment due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL11 is part of diagnostic criteria for alcohol abuse.

---

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

---

### RAW VARIABLE(S)

---

---

|  | CAPA | YAPA |
|--|------|------|
| P/CIB0I02 (Maladaptive behavior: Intensity of alcohol involved in poor judgment) | Y    | Y    |

---

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

Definitions and questions

**POOR JUDGMENT**

After using "substance", the subject shows poor judgment, as defined in the Mania section.

Uncharacteristic behaviors performed with disregard for possible negative consequences.

*Did you do anything that you regret?*

*Or did anything that seemed really stupid afterwards?*

*What?*

*How often in the last 3 months has something that you regretted happened?*

*When did that start?*

Coding rules

**POOR JUDGMENT**

- 0 - Absent
- 2 - Treatment for alcohol.
- 3 - Treatment for drugs.
- 4 - Treatment for both.

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB0101  
Intensity

CIB0F01  
Frequency

CIB0O01  
Onset

CIB0102

CIB0103

CIB0104

CIB0105

CIB0106

CIB0107

CIB0108

CIB0109



---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.84         | 6660 | 97.11         | 2082 |
| 1 | 0.16          | 14   | 2.89          | 50   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB0I02 ge 1 then CALCMAL11=1;
else if CIB0I02 ne . then CALCMAL11=0;
label CALCMAL11= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in poor judgment in past 3 mos';
label CIB0I02 = 'Maladaptive behavior: Intensity of alcohol involved in
poor judgment';

*Parent-reported;
if PIB0I02 ge 1 then PALCMAL11=1;
else if PIB0I02 ne . then PALCMAL11=0;
label PALCMAL11= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in poor judgment in past 3 mos';
label PIB0I02 = 'Maladaptive behavior: Intensity of alcohol involved in
poor judgment';

*Joint report;
JALCMAL11= CALCMAL11;
if (CALCMAL11 eq .) or (CALCMAL11=0 and PALCMAL11=1) then JALCMAL11=
PALCMAL11;
label JALCMAL11 ='3 Month: Poor Judgment';
```

## JALCMAL12: 3 Month: Social problems at Home

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Social problems at home due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL12 is part of diagnostic criteria for alcohol abuse.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CIB1I02 (Maladaptive behavior: Intensity of alcohol involved in social problems in family) | Y           | Y           |

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

Definitions and questions

**SOCIAL PROBLEMS AT HOME**

Relationship problems with parents or siblings that have resulted from "substance" use.

CODE AS IN INCAPACITY SECTION.

Coding rules

**SOCIAL PROBLEMS IN FAMILY**

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB1101  
Intensity

CIB1001  
Offset

CIB1102

CIB1103

CIB1104

CIB1105

CIB1106

CIB1107

CIB1108

CIB1109

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.88      | 6657 | 99.26      | 2113 |
| 1 | 0.12       | 17   | 0.74       | 19   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB1I02 ge 1 then CALCMAL12=1;
else if CIB1I02 ne . then CALCMAL12=0;
label CALCMAL12= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in social problems in family in past 3 mos';
label CIB1I02 = 'Maladaptive behavior: Intensity of alcohol involved in
social problems in family';

*Parent-reported;
if PIB1I02 ge 1 then PALCMAL12=1;
else if PIB1I02 ne . then PALCMAL12=0;
label PALCMAL12= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in social problems in family in past 3 mos';
label PIB1I02 = 'Maladaptive behavior: Intensity of alcohol involved in
social problems in family';

*Joint report;
JALCMAL12= CALCMAL12;
if (CALCMAL12 eq .) or (CALCMAL12=0 and PALCMAL12=1) then JALCMAL12=
PALCMAL12;
label JALCMAL12 ='3 Month: Social problems at Home';
```

## JALCMAL13: 3 Month: Social problems with Friends

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Social problems with friends due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL13 is part of diagnostic criteria for alcohol abuse.

---

| CAPA | YAPA |
|------|------|
|------|------|

|   |   |
|---|---|
| Y | Y |
|---|---|

---

### RAW VARIABLE(S)

---

---

|   | CAPA | YAPA |
|---|------|------|
| P/CIB2I02 (Maladaptive behavior: Intensity of alcohol involved in social problems with friends) | Y    | Y    |

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

Definitions and questions

**SOCIAL PROBLEMS WITH FRIENDS**

Relationship problems with peers that have resulted from "substance use".

CODE AS IN INCAPACITY SECTION.

*What do your friends think?*

*Has it caused any trouble with your friends or other people your own age?*

*What happened?*

*When did that start?*

*Have you lost any friends because of using "substance"?*

*Have you changed your friends since you've been using "substance"?*

Coding rules

**SOCIAL PROBLEM WITH FRIENDS**

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB2101  
Intensity

CIB2001  
Onset

CIB2102

CIB2103

CIB2104

CIB2105

CIB2106

CIB2107

CIB2108

CIB2109

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.96      | 6666 | 99.38      | 2123 |
| 1 | 0.04       | 8    | 0.62       | 9    |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB2I02 ge 1 then CALCMAL13=1;
else if CIB2I02 ne . then CALCMAL13=0;
label CALCMAL13= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in social problems with friends in past 3 mos';
label CIB2I02 = 'Maladaptive behavior: Intensity of alcohol involved in
social problems with friends';

*Parent-reported;
if PIB2I02 ge 1 then PALCMAL13=1;
else if PIB2I02 ne . then PALCMAL13=0;
label PALCMAL13= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in social problems with friends in past 3 mos';
label PIB2I02 = 'Maladaptive behavior: Intensity of alcohol involved in
social problems with friends';

*Joint report;
JALCMAL13= CALCMAL13;
if (CALCMAL13 eq .) or (CALCMAL13=0 and PALCMAL13=1) then JALCMAL13=
PALCMAL13;
label JALCMAL13 ='3 Month: Social problems with Friends';
```

## JALCMAL14: 3 Month: Reduction in Other Activities

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Reduced activities due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL14 is part of diagnostic criteria for alcohol dependence.

---

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

---

### RAW VARIABLE(S)

---

---

|   | CAPA | YAPA |
|---|------|------|
| P/CIB3I02 (Maladaptive behavior: Intensity of alcohol involved in reduced activities) | Y    | Y    |

---



---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

Definitions and questions

**REDUCED ACTIVITIES**

A reduction in activities that has resulted from "substance" use.

*Have you stopped doing any things that you used to enjoy because of using "substance"?*

*What?*

*Why did you stop?*

*Have you given up anything else?*

*When did that start?*

Coding rules

**REDUCED ACTIVITIES**

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB3101  
Intensity

CIB3001  
Onset

CIB3102

CIB3103

CIB3104

CIB3105

CIB3106

CIB3107

CIB3108

CIB3109

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 100.00        | 6672 | 99.94         | 2128 |
| 1 | 0.00          | 2    | 0.06          | 4    |

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB3I02 ge 1 then CALCMAL14=1;
else if CIB3I02 ne . then CALCMAL14=0;
label CALCMAL14= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in reduced activities in past 3 mos';
label CIB3I02 = 'Maladaptive behavior: Intensity of alcohol involved in
reduced activities';

*Parent-reported;
if PIB3I02 ge 1 then PALCMAL14=1;
else if PIB3I02 ne . then PALCMAL14=0;
label PALCMAL14= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in reduced activities in past 3 mos';
label PIB3I02 = 'Maladaptive behavior: Intensity of alcohol involved in
reduced activities';

*Joint report;
JALCMAL14= CALCMAL14;
if (CALCMAL14 eq .) or (CALCMAL14=0 and PALCMAL14=1) then JALCMAL14=
PALCMAL14;
label JALCMAL14 = '3 Month: Reduction in Other Activities';
```

JALCMAL15: 3 Month: Affected School/Work

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Affected school/work due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL15 is part of diagnostic criteria for alcohol abuse.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|   | <u>CAPA</u> | <u>YAPA</u> |
|---|-------------|-------------|
| P/CIB4I02 (Maladaptive behavior: Intensity of alcohol involved in affected school/work) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**SCHOOL/WORK AFFECTED**

Negative effects on school/work, performance and/or achievement that have resulted from "substance" use.

CODE AS IN INCAPACITY SECTION.

*Has your school/work ever been affected because you were using "substance"?*

*When was that?*

*What happened?*

*What about during the last 3 months?*

*Have you ever been to school/work when you were "high (drunk)"?*

*What happened?*

*Have you gotten into any trouble at school or elsewhere where "substance" was involved?*

*What happened?*

*Have you neglected your work because of "substance"?*

*Have you missed any school because of "substance use"?*

*How much?*

*When was that?*

*What about in the last 3 months?*

**Coding rules**

**SCHOOL/WORK AFFECTED**

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

**MISSED SCHOOL**

**MISSED WORK**

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabls
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

**Codes**

CIB4I01  
Intensity

CIB4O01  
Onset

CIB4F01

CIB4F02

CIB4I02

CIB4I03

CIB4I04

CIB4I05

CIB4I06

CIB4I07

CIB4I08

CIB4I09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.83         | 6660 | 99.39         | 2117 |
| 1 | 0.17          | 14   | 0.61          | 15   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB4I02 ge 1 then CALCMAL15=1;
else if CIB4I02 ne . then CALCMAL15=0;
label CALCMAL15= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in affected school/work in past 3 mos';
label CIB4I02 = 'Maladaptive behavior: Intensity of alcohol involved in
affected school/work';

*Parent-reported;
if PIB4I02 ge 1 then PALCMAL15=1;
else if PIB4I02 ne . then PALCMAL15=0;
label PALCMAL15= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in affected school/work in past 3 mos';
label PIB4I02 = 'Maladaptive behavior: Intensity of alcohol involved in
affected school/work';

*Joint report;
JALCMAL15= CALCMAL15;
if (CALCMAL15 eq .) or (CALCMAL15=0 and PALCMAL15=1) then JALCMAL15=
PALCMAL15;
label JALCMAL15 ='3 Month: Affected School/Work';
```

## JALCMAL16: 3 Month: Dangerous Activities

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Dangerous activities due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL16 is part of diagnostic criteria for alcohol abuse.

---

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

---

### RAW VARIABLE(S)

---

---

|   | CAPA | YAPA |
|---|------|------|
| P/CIB5I02 (Maladaptive behavior: Intensity of alcohol involved in dangerous activities) | Y    | Y    |

---

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

Definitions and questions

**DANGEROUS ACTIVITIES**

Activities that physically endanger either the subject or others, undertaken while intoxicated, such as driving while intoxicated, or operating machinery while intoxicated.

*Have you done any dangerous things when you were "high (drunk)" in the last 3 months/*

*Like driving?*

*What happend?*

*How often in the ast 3 months?*

*When did that start?*

Coding rules

**DANGEROUS ACTIVITIES**

0 - No

2 - Yes

**SUBSTANCE LIST**

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

Codes

CIB5101

Intensity

CIB5F01

Frequency

CIB5O01

Onset

CIB5102

CIB5103

CIB5104

CIB5105

CIB5106

CIB5107

CIB5108

CIB5109

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.91         | 6667 | 95.87         | 2054 |
| 1 | 0.09          | 7    | 4.13          | 78   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB5I02 ge 1 then CALCMAL16=1;
else if CIB5I02 ne . then CALCMAL16=0;
label CALCMAL16= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in dangerous activities in past 3 mos';
label CIB5I02 = 'Maladaptive behavior: Intensity of alcohol involved in
dangerous activities';

*Parent-reported;
if PIB5I02 ge 1 then PALCMAL16=1;
else if PIB5I02 ne . then PALCMAL16=0;
label PALCMAL16= 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in dangerous activities in past 3 mos';
label PIB5I02 = 'Maladaptive behavior: Intensity of alcohol involved
in dangerous activities';

*Joint report;
JALCMAL16= CALCMAL16;
if (CALCMAL16 eq .) or (CALCMAL16=0 and PALCMAL16=1) then JALCMAL16=
PALCMAL16;
label JALCMAL16 ='3 Month: Dangerous Activities';
```



JALCMAL17: 3 Month: Alcohol-related Crime

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Alcohol-related crime due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL17 is part of diagnostic criteria for alcohol abuse.

---

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

---

**RAW VARIABLE(S)**

---

---

|  | CAPA | YAPA |
|--|------|------|
| P/CIB6I04 (Maladaptive behavior: Intensity of alcohol involved in "substance"-related crime) | Y    | Y    |

---

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**"SUBSTANCE" RELATED CRIME**

Illegal activities undertaken either to obtain "substance", or associated with intoxication with "substance".

PROSTITUTION IS ALSO CODED AS SEXUAL ACTIVITY FOR GAIN.

DEALING IS ALSO CODED AS DEALING DRUGS.

*Have you done anything illegal while you were "high" in the last 3 months?*

*What did you do?*  
*Did you get caught?*  
*What happened?*  
*When was the first time?*  
*Have you ever stolen to get money for "substance"?*  
*Or stolen any "substance"?*

*Have you ever ben a runner or dealer to get money for "substance"?*

*Have you ever had sex with anyone to get "substance"?*

**Coding rules**

**"SUBSTANCE" RELATED CRIME**

- 0 - No
- 2 - Yes

**DEALING**

- 0 - No
- 2 - Yes

**PROSTITUTION**

- 0 - No
- 2 - Yes

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucnogens
- 8 - Sedatives

**Codes**

CIB6101  
Intensity

CIB6001  
Onset

CIB6102

CIB6103

CIB6104

CIB6105

CIB6106

CIB6107

CIB6108

CIB6109

CIB6110

CIB6111

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.90      | 6666 | 99.06      | 2110 |
| 1 | 0.10       | 8    | 0.94       | 22   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB6I04 ge 1 then CALCMAL17=1;
else if CIB6I04 ne . then CALCMAL17=0;
label CALCMAL17= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in "substance"-related crime in past 3 mos';
label CIB6I04 = 'Maladaptive behavior: Intensity of alcohol involved in
"substance"-related crime';

*Parent-reported;
if PIB6I04 ge 1 then PALCMAL17=1;
else if PIB6I04 ne . then PALCMAL17=0;
label PALCMAL17 = 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in "substance"-related crime in past 3 mos';
label PIB6I04 = 'Maladaptive behavior: Intensity of alcohol involved in
"substance"-related crime';

*Joint report;
JALCMAL17= CALCMAL17;
if (CALCMAL17 eq .) or (CALCMAL17=0 and PALCMAL17=1) then JALCMAL17=
PALCMAL17;
label JALCMAL17 = '3 Month: Alcohol-related Crime';
```

JALCMAL18: 3 Month: Trouble with the Law

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Trouble with the law due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL18 is part of diagnostic criteria for alcohol abuse.

---

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

---

**RAW VARIABLE(S)**

---

---

|   | CAPA | YAPA |
|---|------|------|
| P/CIB6I04 (Maladaptive behavior: Intensity of alcohol involved in trouble with the law) | Y    | Y    |

---

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

Definitions and questions

**TROUBLE WITH THE LAW**

Any involvement with the police associated with using "substance".

*Have you been in trouble with the police in the last 3 months on account of using "substance"?*

*What happened?*

*When did that start?*

Coding rules

**TROUBLE WITH LAW**

0 - No

2 - Yes

**SUBSTANCE LIST**

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

Codes

CIB7101

Intensity

Ever: CIB7001

Onset

CIB7102

CIB7103

CIB7104

CIB7105

CIB7106

CIB7107

CIB7108

CIB7109

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.91      | 6663 | 99.21      | 2107 |
| 1 | 0.09       | 11   | 0.79       | 25   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB7I02 ge 1 then CALCMAL18=1;
else if CIB7I02 ne . then CALCMAL18=0;
label CALCMAL18= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in trouble with the law in past 3 mos';
label CIB7I02 = 'Maladaptive behavior: Intensity of alcohol involved in
trouble with the law';

*Parent-reported;
if PIB7I02 ge 1 then PALCMAL18=1;
else if PIB7I02 ne . then PALCMAL18=0;
label PALCMAL18 = 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in trouble with the law in past 3 mos';
label PIB7I02 = 'Maladaptive behavior: Intensity of alcohol involved in
trouble with the law';

*Joint report;
JALCMAL18= CALCMAL18;
if (CALCMAL18 eq .) or (CALCMAL18=0 and PALCMAL18=1) then JALCMAL18=
PALCMAL18;
label JALCMAL18 = '3 Month: Trouble with the Law';
```

## JALCMAL19: 3 Month: Mood Lability

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Mood lability due to alcohol use within past the 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL19 is part of diagnostic criteria for alcohol abuse.

---

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

---

### RAW VARIABLE(S)

---

---

|  | CAPA | YAPA |
|--|------|------|
| P/CIB8I02 (Maladaptive behavior: Intensity of alcohol involved in mood lability) | Y    | Y    |

---

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**MOOD LABILITY**

Unstable mood swings, often from excessive joviality to maudlin misery or anxiety. Mood lability should only be coded here if it is sufficiently pronounced as to lead to effects that seem inappropriate to the situation (such as copious, apparently unprovoked, weeping in a bar), or appear to have interfered with the normal course of conversation or activities.

*Did your mood change at all when you were high?*

*How did you feel?*  
*What was it like?*  
*Was your mood very up and down?*  
*What about in the last 3 months?*  
*When did that start?*

**Coding rules**

**MOOD LABILITY**

0 - Absent

2 - Symptom Intrusive Into at least 2 activities and uncontrollable at least some of the time.

3 - Symptom Intrusive Into almost all activities and hardly ever controllable.

**SUBSTANCE LIST**

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

**Codes**

CIB8101  
Intensity

CIB8001  
Onset

CIB8102

CIB8103

CIB8104

CIB8105

CIB8106

CIB8107

CIB8108

CIB8109



---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.98         | 6671 | 99.55         | 2125 |
| 1 | 0.02          | 3    | 0.45          | 7    |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB8I02 ge 1 then CALCMAL19=1;
else if CIB8I02 ne . then CALCMAL19=0;
label CALCMAL19= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in mood lability in past 3 mos';
label CIB8I02 = 'Maladaptive behavior: Intensity of alcohol involved in
mood lability';

*Parent-reported;
if PIB8I02 ge 1 then PALCMAL19=1;
else if PIB8I02 ne . then PALCMAL19=0;
label PALCMAL19 = 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in mood lability in past 3 mos';
label PIB8I02 = 'Maladaptive behavior: Intensity of alcohol involved in
mood lability';

*Joint report;
JALCMAL19= CALCMAL19;
if (CALCMAL19 eq .) or (CALCMAL19=0 and PALCMAL19=1) then JALCMAL19=
PALCMAL19;
label JALCMAL19 = '3 Month: Mood Lability';
```

## JALCMAL20: 3 Month: Physical Problems

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Physical problems due to alcohol use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JALCMAL20 is part of diagnostic criteria for alcohol dependence.

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

### RAW VARIABLE(S)

---

|  | CAPA | YAPA |
|--|------|------|
| P/CIB9I02 (Maladaptive behavior: Intensity of alcohol involved in physical problems) | Y    | Y    |

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

Definitions and questions

**PHYSICAL PROBLEMS**

Include any physical problems that either stem directly from intoxication (such as those resulting from injuries from an accident while intoxicated), or that a physician has told the subject are related to "substance" use.

MAKE WRITTEN NOTE OF NATURE OF PHYSICAL PROBLEMS.

*Have you had any other physical problems on account of "substance" in the last 3 months?*

*When did that start?*

*Did anyone tell you that using "substance" was responsible?*

*Were you hospitalized because of it?*

*Did you carry on using "substance" anyway?*

Coding rules

**PHYSICAL PROBLEMS**

- 0 - Absent
- 2 - Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB9101  
Intensity

Ever: CIB9001  
Onset

CIB9102

CIB9103

CIB9104

CIB9105

CIB9106

CIB9107

CIB9108

CIB9109

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.99         | 6673 | 99.83         | 2129 |
| 1 | 0.01          | 1    | 0.17          | 3    |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIB9I02 ge 1 then CALCMAL20=1;
else if CIB9I02 ne . then CALCMAL20=0;
label CALCMAL20= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in physical problems in past 3 mos';
label CIB9I02 = 'Maladaptive behavior: Intensity of alcohol involved in
physical problems';

*Parent-reported;
if PIB9I02 ge 1 then PALCMAL20=1;
else if PIB9I02 ne . then PALCMAL20=0;
label PALCMAL20 = 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in physical problems in past 3 mos';
label PIB9I02 = 'Maladaptive behavior: Intensity of alcohol involved in
physical problems';

*Joint report;
JALCMAL20= CALCMAL20;
if (CALCMAL20 eq .) or (CALCMAL20=0 and PALCMAL20=1) then JALCMAL20=
PALCMAL20;
label JALCMAL20 = '3 Month: Physical Problems';
```

JALCMAL21: 3 Month: Blackouts

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Blackouts within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CIC0I02 (Maladaptive behavior: Intensity of alcohol involved in blackouts) | Y           | Y           |

# SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

**BLACKOUTS**  
 Episodes of amnesia lasting at least 1 hour that occur in relation to bouts of heavy "substance" use.

*Have there been any times when you couldn't remember what had happened when you were using "substance"?*

*Tell me about it?*  
*When did that start?*  
*Has it happened in the last 3 months?*  
*How often?*  
*How long was the period that you couldn't remember?*

Coding rules

**STLI: BLACKOUTS**

- 0 - No
- 2 - Yes

**BLACKOUTS**

- 0 - No
- 2 - Yes

**HOURS : MINUTES**

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

Ever:CIC0E01

CIC0i01

CIC0F01  
Frequency

CIC0D01  
Duration

CIC0O01  
Onset

CIC0i02

CIC0i03

CIC0i04

CIC0i05

CIC0i06

CIC0i07

CIC0i08

CIC0i09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.01          | 2    | 0.43          | 16   |
| 0 | 99.82         | 6655 | 96.78         | 2059 |
| 1 | 0.17          | 17   | 2.79          | 57   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIC0I02 ge 1 then CALCMAL21=1;
else if CIC0I02 ne . then CALCMAL21=0;
label CALCMAL21= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in blackouts in past 3 mos';
label CIC0I02 = 'Maladaptive behavior: Intensity of alcohol involved in
blackouts';

*Parent-reported;
if PIC0I02 ge 1 then PALCMAL21=1;
else if PIC0I02 ne . then PALCMAL21=0;
label PALCMAL21 = 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in blackouts in past 3 mos';
label PIC0I02 = 'Maladaptive behavior: Intensity of alcohol involved in
blackouts';

*Joint report;
JALCMAL21= CALCMAL21;
if (CALCMAL21 eq .) or (CALCMAL21=0 and PALCMAL21=1) then JALCMAL21=
PALCMAL21;
label JALCMAL21 = '3 Month: Blackouts';
```

JALCMAL22: 3 Month: Unconsciousness

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Unconsciousness within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

---

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

---

**RAW VARIABLE(S)**

---

---

|  | CAPA | YAPA |
|--|------|------|
| P/CIC1I02 (Maladaptive behavior: Intensity of alcohol involved in unconsciousness) | Y    | Y    |

---



## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**UNCONSCIOUSNESS**  
 Code here episodes in which the subject takes "substance" until unconscious.

*Have you ever passed out?*

*How about in the last 3 months?*  
*When did that first happen?*

**Coding rules**

**UNCONSCIOUSNESS**

- 0 - No
- 2 - Yes

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

**Codes**

|                      |                                  |
|----------------------|----------------------------------|
| CIC1101<br>Intensity | <input type="text"/>             |
| CIC1F01<br>Frequency | <input type="text"/>             |
| CIC1O01<br>Onset     | <input type="text" value="/ /"/> |
| CIC1102              | <input type="text"/>             |
| CIC1103              | <input type="text"/>             |
| CIC1104              | <input type="text"/>             |
| CIC1105              | <input type="text"/>             |
| CIC1106              | <input type="text"/>             |
| CIC1107              | <input type="text"/>             |
| CIC1108              | <input type="text"/>             |
| CIC1109              | <input type="text"/>             |

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA          |      | YAPA          |      |
|---|---------------|------|---------------|------|
|   | Weighted<br>% | N    | Weighted<br>% | N    |
| . | 0.00          | 0    | 0.00          | 0    |
| 0 | 99.66         | 6631 | 95.93         | 2041 |
| 1 | 0.34          | 43   | 4.07          | 91   |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported;
if CIC1I02 ge 1 then CALCMAL22=1;
else if CIC1I02 ne . then CALCMAL22=0;
label CALCMAL22= 'Maladaptive behavior: Child-reported intensity of
alcohol involved in unconsciousness in past 3 mos';
label CIC1I02 = 'Maladaptive behavior: Intensity of alcohol involved in
unconsciousness';

*Parent-reported;
if PIC1I02 ge 1 then PALCMAL22=1;
else if PIC1I02 ne . then PALCMAL22=0;
label PALCMAL22 = 'Maladaptive behavior: Parent-reported intensity of
alcohol involved in unconsciousness in past 3 mos';
label PIC1I02 = 'Maladaptive behavior: Intensity of alcohol involved in
unconsciousness';

*Joint report;
JALCMAL22= CALCMAL22;
if (CALCMAL22 eq .) or (CALCMAL22=0 and PALCMAL22=1) then JALCMAL22=
PALCMAL22;
label JALCMAL22 = '3 Month: Unconsciousness';
```

## J4\_SDP2: Alcohol use – Dependence

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

**Definition:** A maladaptive pattern of alcohol use, leading to clinically significant impairment or distress, as manifested by three or more of the following seven criteria, occurring at any time in the same 12-month period:

1. Tolerance, as defined by either of the following:
  - a. A need for markedly increased amounts of alcohol to achieve intoxication or desired effect.
  - b. Markedly diminished effect with continued use of the same amount of alcohol.
2. Withdrawal, as defined by either of the following:
  - a. The characteristic withdrawal syndrome for alcohol (refer to DSM-IV or **J4NWD1** for further details).
  - b. Alcohol is taken to relieve or avoid withdrawal symptoms.
3. Alcohol is often taken in larger amounts or over a longer period than was intended.
4. There is a persistent desire or there are unsuccessful efforts to cut down or control alcohol use.
5. A great deal of time is spent in activities necessary to obtain alcohol, use alcohol or recover from its effects.
6. Important social, occupational, or recreational activities are given up or reduced because of alcohol use.
7. Alcohol use is continued despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by the alcohol (e.g., continued drinking despite recognition that an ulcer was made worse by alcohol consumption).

| DSM-IV Criterion for Alcohol Dependence   | Corresponding CAPA/YAPA Variable |
|---|----------------------------------|
| 1. Tolerance  | P/CIA3I02                        |
| 2. Withdrawal   | J4NWD1                           |
| 3. Alcohol is often taken in larger amounts or over a longer period than was intended.  | P/CIA4I02<br>P/CIA5I02           |
| 4. Persistent desire or there are unsuccessful efforts to cut down or control alcohol use.  | J4NCUT1                          |
| 5. A great deal of time is spent in activities necessary to obtain alcohol, use alcohol or recover from its effects.  | P/CIA2I02                        |
| 6. Important social, occupational, or recreational activities are given up or reduced because of alcohol use.   | P/CIB3I02                        |
| 7. Alcohol use is continued despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by the alcohol. | P/CIB9I02                        |

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

**RAW VARIABLE(S)**

---

|  | CAPA | YAPA |
|--|------|------|
| P/CIA3I02 (Intensity of alcohol involved in tolerance)     | Y    | Y    |
| J4NWD1 (Withdrawal)  | Y    | Y    |
| P/CIA4I02 (Intensity of overconsumption)                   | Y    | Y    |
| P/CIA5I02 (Intensity of alcohol involved in uncontrollable | Y    | Y    |

|                  |  |   |   |
|------------------|--|---|---|
|                  | “substance” use)   |   |   |
| <b>J4NCUT1</b>   | (Cut Down on substance)  | Y | Y |
| <b>P/CIA2I02</b> | (Intensity of alcohol involved in time spent in<br>‘substance’-related behavior) | Y | Y |
| <b>P/CIB3I02</b> | (Intensity of alcohol involved in reduced<br>activity)                           | Y | Y |
| <b>P/CIB9I02</b> | (Intensity of alcohol involved in physical<br>problems)                          | Y | Y |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**TOLERANCE**

The need for increased intake of "substance" (by at least 50%) to reduce previously experienced psychological or behavioral changes associated with "substance" use.

*Do you need to use more "substance" than you used to, to have the same effect?*

*Are you able to tolerate larger amounts of "substance" than you used to?*

*How much more?*  
*When did you start to need more?*

**Coding rules**

**TOLERANCE**

0 - Does not show tolerance.

2 - Needs to use "substance" at least 50% more than previously to obtain desired effect or can tolerate at least 50% more than previously.

**SUBSTANCE LIST**

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

**Codes**

CIA3101  
Intensity

CIA3001  
Onset

CIA3102

CIA3103

CIA3104

CIA3105

CIA3106

CIA3107

CIA3108

CIA3109

---

## GLOSSARY NOTES

---

### USE OF ALCOHOL WITHOUT PERMISSION

Drinking alcohol without permission from a responsible adult, whether the alcohol was obtained legally or illegally.

---

### N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.92      | 6655 | 96.12      | 2063 |
| 1 | 0.08       | 19   | 3.88       | 69   |

Missing data notes:

- CAPA: no notes.
- YAPA: no notes.

---

### OTHER VARIABLES

---

**J4NSDP2:** Number of alcohol dependence symptoms.

---

### SAS CODE

---

```
j4nsdp2= sum((CIA3I02 ge 1 or PIA3I02 ge 1),(CIA4I02 ge 1 or PIA4I02 ge 1 or CIA5I02 ge 1 or PIA5I02 ge 1),(CIA2I02 ge 1 or PIA2I02 ge 1), (CIB3I02 ge 1 or PIB3I02 ge 1), (CIB9I02 ge 1 or PIB9I02 ge 1), (j4nwd1), (j4ncut1));  
label j4nsdp2='N of Alcohol dependence symptoms';  
  
if j4nsdp2 ge 3 then j4_sdp2=1;  
else if j4nsdp2 ne . then j4_sdp2=0;  
label j4_sdp2='Alcohol Dependence';
```

## J4\_ABU2: Number of Alcohol Abuse Symptoms – Abuse

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

### DESCRIPTION

---

Definition: A maladaptive pattern of alcohol abuse leading to clinically significant impairment or distress, as manifested by one or more of the following, occurring within a 12-month period:

1. Recurrent alcohol use resulting in failure to fulfill major role obligations at work, school, or home (e.g., repeated absences or poor work performance related to substance use; substance-related absences, suspensions or expulsions from school; or neglect of children or household).
2. Recurrent alcohol use in situations in which it is physically hazardous (e.g., driving an automobile or operating a machine).
3. Recurrent alcohol-related legal problems (e.g., arrests for alcohol-related disorderly conduct).
4. Continued alcohol use despite persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the alcohol (e.g., arguments with spouse about consequences of intoxication or physical fights).

| DSM-IV Criterion for Alcohol Abuse  | Corresponding CAPA/YAPA Variable     |
|---|--------------------------------------|
| 1. Recurrent alcohol use resulting in failure to fulfill major role obligations at work, school, or home. | <b>P/CIB4I02</b>                     |
| 2. Recurrent alcohol use in situations in which it is physically hazardous.                               | <b>P/CIB5I02</b>                     |
| 3. Recurrent alcohol-related legal problems.  | <b>P/CIB6I04</b><br><b>P/CIB7I02</b> |



- |  |  |
|--|--|
| 4. Continued alcohol use despite persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the alcohol. | <b>P/CIA8I02</b><br><b>P/CIA9I02</b><br><b>CIB1I02</b><br><b>CIB2I02</b><br><b>P/CIB0I02</b><br><b>P/CIB8I02</b> |
|--|--|
- 

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <b>CAPA</b> | <b>YAPA</b> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|  | <b>CAPA</b> | <b>YAPA</b> |
|--|-------------|-------------|
| <b>P/CIB4I02</b> (Intensity of alcohol problems involved in affecting school/work) | Y           | Y           |
| <b>P/CIB5I02</b> (Intensity of alcohol involved in dangerous activities)           | Y           | Y           |
| <b>P/CIB6I04</b> (Intensity of alcohol involved in "substance"-related crime)      | Y           | Y           |
| <b>P/CIB7I02</b> (Intensity of alcohol involved in trouble with the law)           | Y           | Y           |
| <b>P/CIA8I02</b> (Intensity of alcohol involved in disinhibited aggression)        | Y           | Y           |
| <b>P/CIA9I02</b> (Intensity of alcohol involved in disinhibited sexuality)         | Y           | Y           |
| <b>CIB1I02</b> (Intensity of alcohol involved in social problems in family)        | Y           | Y           |
| <b>CIB2I02</b> (Intensity of alcohol involved in social problems with friends)     | Y           | Y           |
| <b>P/CIB0I02</b> (Intensity of alcohol involved in Poor judgment)                  | Y           | Y           |
| <b>P/CIB8I02</b> (Intensity of alcohol involved in mood lability)                  | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**DISINHIBITED SEXUALITY**

After using "substance" the subject is sexually provocative, or forward in a way that is not characteristic of his/her behavior when not intoxicated.

*Have you made a pass at anyone when you were "high (drunk)"?*

*Have you tried to pick anyone up when you were "high (drunk)"?*

*What happened?*  
*Is that the sort of thing that you would do when you hadn't been using "substance"?*  
*How often in the last 3 months?*  
*When did that start?*

**Coding rules**

**DISINHIBITED SEXUALITY**

0 - No episodes of disinhibited sexuality during last 3 months.

2 - Has been atypically sexually disinhibited while under the influence of "substance" during the last 3 months.

3 - Has sexually assaulted someone while under the influence of "substance", during the last 3 months.

  

**SUBSTANCE LIST**

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

**Codes**

CIA9T01  
Intensity

  

CIA9F01  
Frequency

CIA9O01  
Onset

  

CIA9T02

CIA9T03

CIA9T04

CIA9T05

CIA9T06

CIA9T07

CIA9T08

CIA9T09

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.00       | 0    | 0.00       | 0    |
| 0 | 99.37      | 6614 | 89.97      | 1944 |
| 1 | 0.63       | 60   | 10.03      | 188  |

Missing data notes:

- CAPA: no notes.
- YAPA: no notes.

---

## OTHER VARIABLES

---

**J4NABU2:** Number of alcohol abuse symptoms

---

### SAS CODE

---

```
j4nabu2= sum((CIB4I02 ge 1 or PIB4I02 ge 1),(CIB5I02 ge 1 or PIB5I02 ge 1), (CIB6I04 ge 1 or PIB6I04 ge 1 or CIB7I02 ge 1 or PIB7I02 ge 1), (CIA8I02 ge 1 or PIA8I02 ge 1 or CIA9I02 ge 1 or PIA9I02 ge 1 or CIB1I02 ge 1 or PIB1I02 ge 1 or CIB2I02 ge 1 or PIB2I02 ge 1 or CIB0I02 ge 1 or PIB0I02 ge 1 or CIB8I02 ge 1 or PIB8I02 ge 1));  
label j4nabu2='N of Alcohol Abuse symptoms';  
  
if j4nabu2 ge 1 then j4_abu2=1;  
else if j4nabu2 ne . then j4_abu2=0;  
label j4_abu2='Alcohol Abuse';
```

## J4NWD1: 3 Month: Withdrawal

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

**Definition:** The development of an alcohol-specific maladaptive behavioral change with physiological and cognitive concomitants, that is due to the cessation of, or reduction in, heavy and prolonged alcohol use.

1. Cessation of (or reduction in) alcohol use that has been heavy and prolonged.
2. Two (or more) of the following, developing within several hours to a few days after Criterion 1:
  - a. Autonomic hyperactivity (e.g., sweating or pulse rate greater than 100)
  - b. Increased hand tremor
  - c. Insomnia
  - d. Nausea or vomiting
  - e. Transient visual, tactile, or auditory hallucinations or illusions
  - f. Psychomotor agitation
  - g. Anxiety
  - h. Grand mal seizures
3. The symptoms in Criterion 2 cause clinically significant distress or impairment in social, occupational, or other important areas of functioning.
4. The symptoms are not due to a general medical condition and are not better accounted for by another mental disorder.  
Specify if: With Perceptual Disturbances

| DSM-IV Criterion for Alcohol Withdrawal   | Corresponding CAPA/YAPA Variable                      |
|---|---|
| 1. Cessation of (or reduction in) alcohol use that has been heavy and prolonged.  | <b>J4NCUT1</b>  |
| 2. Two (or more) of the following, developing within several hours to a few days after Criterion 1:   | <b>CHM2I03a</b><br><b>CHM2I01a</b><br><b>CHM2I02a</b> |
| a. Autonomic hyperactivity (e.g., sweating or pulse rate greater than 100)  | <b>CHM2I09a</b><br><b>CHM2I05a</b><br><b>CHM2I06a</b> |
| b. Increased hand tremor  | <b>CHM2I10a</b>                                       |
| c. Insomnia   |   |
| d. Nausea or vomiting   |   |
| e. Transient visual, tactile, or auditory hallucinations or illusions   |   |
| f. Psychomotor agitation  |   |
| g. Anxiety  |   |
| h. Grand mal seizures   |   |
| 3. The symptoms in Criterion 2 cause clinically significant distress or impairment in social, occupational, or other important areas of functioning.                |   |
| 4. The symptoms are not due to a general medical condition and are not better accounted for by another mental disorder.<br>Specify if: With Perceptual Disturbances |   |

Informant: Child report is default.

| CAPA | YAPA |
|------|------|
| Y    | Y    |

---

**RAW VARIABLE(S)**

---

|   | <b>CAPA</b> | <b>YAPA</b> |
|---|-------------|-------------|
| <b>CHM2I01a</b> (3 Month: Alcohol Withdrawal: Tremors)                          | Y           | Y           |
| <b>CHM2I02a</b> (3 Month: Alcohol Withdrawal:<br>Nausea/Vomiting)               | Y           | Y           |
| <b>CHM2I03a</b> (3 Month: Alcohol Withdrawal: Autonomic<br>Hyperactivity)       | Y           | Y           |
| <b>CHM2I05a</b> (3 Month: Alcohol Withdrawal: Insomnia)                         | Y           | Y           |
| <b>CHM2I06a</b> (3 Month: Alcohol Withdrawal: Anxiety)                          | Y           | Y           |
| <b>CHM2I09a</b> (3 Month: Alcohol Withdrawal: Perceptual<br>Distortions)        | Y           | Y           |
| <b>CHM2I10a</b> (3 Month: Alcohol Withdrawal: Seizures)                         | Y           | Y           |
| <b>CHM1I01a</b> (3 Month: Drinks/uses another substance to<br>avoid withdrawal) | Y           | Y           |
| <b>PHA3E01a</b> (Alcohol: Ever Use)   | Y           |             |
| <b>PHA6I01a</b> (Alcohol: Used Daily)   | Y           |             |
| <b>PHA3F01a</b> (Alcohol: Frequency of Drinking Episodes)                       | Y           |             |

---

## SAMPLE INTERVIEW SECTION

---

### Definitions and questions

#### TREMOR

Coarse peripheral tremor, occurring during periods of reduced alcohol intake (such as on rising in the morning) and relieved by alcohol or use of other substances.

*Did your hands (tongue, eyelids) shake?*

*Can you show me what it was like?  
When did that start?*

#### NEUSEA/VOMITING

Nausea or vomiting, occurring during periods of reduced alcohol intake (such as on rising in the morning) and relieved by alcohol or use of other substances (unless such substances either not available or withheld)

*Did you feel nauseous?*

*Did you vomit?  
When did that start?*

#### AUTONOMIC HYPERACTIVITY

Sings of autonomic hyperactivity, such as sweating, tachycardia, palpitations, increased respiratory rate, or flushing, associate with reduced alcohol intake (such as on rising in the morning) and relieved by alcohol or other substances (unless such substances either not available or withheld).

*Did you notice any other physical symptoms?*

*Did you get sweaty?  
Or did you notice you heart beating fast?  
When did that start?*

#### HEADACHE

Headache of any sort associated with reduced alcohol intake (such as on rising in the morning) and relieved by alcohol or other substances (unless such substances either not available or withheld).

*Did you get a headache?*

*How long did it last?  
When did it start?*

### Coding rules

#### TREMOR

0 - No  
2 - Yes

#### NAUSEA/VOMITING

0 - No  
2 - Yes

#### AUTONOMIC HYPERACTIVITY

0 - No  
2 - Yes

#### HEADACHE

0 - No  
2 - Yes

### Codes

Ever:CHM2101

Ever:CHN2102

Ever:CHM2103

Ever:CHM2104

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.01       | 2    | 0.04       | 2    |
| 0 | 99.98      | 6670 | 99.78      | 2127 |
| 1 | 0.00       | 2    | 0.18       | 3    |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
* ONLY child-reported withdrawal;
if sum((CHM2I01a ge 2), (CHM2I02a ge 2), (CHM2I03a ge 2), (CHM2I05a ge
2), (CHM2I06a ge 2), (CHM2I09a ge 2), (CHM2I10a ge 2) ) ge 2 or
CHM1I01a ge 2 then C4NWD1=1;
else if CHM2I01a ne . or CHM2I02a ne . or CHM2I03a ne . or CHM2I05a ne
. or CHM2I06a ne . or CHM2I09a ne . or CHM2I10a ne . or CHM1I01a ne .
then C4NWD1=0;

label CHM2I01a = '3 Month: Alcohol Withdrawal: Tremors';
label CHM2I02a = '3 Month: Alcohol Withdrawal: Nausea/Vomiting';
label CHM2I03a = '3 Month: Alcohol Withdrawal: Autonomic
Hyperactivity';
label CHM2I05a = '3 Month: Alcohol Withdrawal: Insomnia';
label CHM2I06a = '3 Month: Alcohol Withdrawal: Anxiety';
label CHM2I09a = '3 Month: Alcohol Withdrawal: Perceptual Distortions';
label CHM2I10a = '3 Month: Alcohol Withdrawal: Seizures';
label CHM1I01a = 'Drinks/Uses Another Substance to avoid withdrawal';
label C4NWD1='3 Month: Alcohol: Withdrawal';

if PHA3E01a=0 or (PHA6I01a=0 and pha3f01 not ge 10) then p4nwd1=0;
label PHA3E01a = 'Alcohol: Ever Use';
label PHA6I01a = 'Alcohol: Used Daily';
label PHA3F01a = 'Alcohol: Frequency of Drinking Episodes';
label P4NWD1 = '3 Month: Alcohol: Withdrawal';
```



```
if C4NWD1=1 or P4NWD1=1 then J4NWD1=1;  
else if C4NWD1ne . or P4NWD1ne . then J4NWD1=0;  
  
label J4NWD1='3 Month: Alcohol: Withdrawal';
```

## J4NCUT1: 12 Month: Cut Down

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

### DESCRIPTION

---

Definition: Persistent desire or there are unsuccessful efforts to cut down or control alcohol use.

Informant: Child report is default.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

### RAW VARIABLE(S)

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| <b>CHM0I01a</b> (3 Month: Alcohol: Tried to Cut Down)      | Y           | Y           |
| <b>CHM0E01a</b> (3 Month: Alcohol: Ever Tried to Cut Down) | Y           | Y           |
| <b>CHM0O01</b> (Alcohol: Onset of Ever Tried to Cut Down)  | Y           | Y           |
| <b>CHL8E01a</b> (Alcohol: Ever Desire to Cut Down)         | Y           | Y           |
| <b>CHL8O01</b> (Alcohol: Onset of Desire to Cut Down)      | Y           | Y           |

---

## SAMPLE INTERVIEW SECTION

### Definitions and questions

#### DESIRE TO CUT DOWN

The subject has at certain times felt that s/he would like to reduce his/her alcohol intake. There is no requirement that s/he should have actually done so.

*Do you want to cut down on how much alcohol you drink?*

*Have you (since the last interview) wanted to? When was the first time?*

#### ADVISED TO CUT DOWN

Parents, friends, professionals, or others have told or advised the subject to reduce his/her alcohol intake, on at least one occasion

*Has anyone (since the last interview) told you that you should cut down*

*Who?  
When was the first time?  
What do your parents think?*

#### ATTEMPTS TO CUT DOWN

Actual efforts at reduced alcohol intake or abstention made, lasting at least 8 hours, but which proved unsuccessful at permanently reducing intake

*Have you (since the last interview) actually tried to cut down on how much alcohol you drink?*

*Why was that?  
How many times have you tried?  
When was the first time?  
What about in the last 3 months?  
For how long?  
Did you substitute other substances while you were cutting down on alcohol?*

### Coding rules

#### SLTI: DESIRE TO CUT DOWN

- 0 - No desire to cut down
- 2 - Wishes to cut down

#### STLI: ADVISED TO CUT DOWN

- 0 - Never advised by parents or others to cut down
- 2 - Advised to cut down

#### STLI: TRIED TO CUT DOWN

- 0 - Has never made attempt to cut down.
- 2 - Has made attempt at some time to cut down.

#### TRIED TO CUT DOWN

- 0 - No attempt in last 3 months to cut down.
- 2 - Made attempt in last 3 months to cut down.

#### HOURS

### Codes

CHL8E01  
Intensity

CHL9O01  
Onset

CHL9E01  
Intensity

CHL9O01  
Onset

CHM0E01  
Intensity

CHM0V01  
Frequency

CHM0O01  
Onset

CHM0I01

CHM0D01  
Duration

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 24.21      | 1590 | 0.20       | 13   |
| 0 | 75.41      | 5036 | 91.84      | 1960 |
| 1 | 0.38       | 48   | 7.96       | 159  |

Missing data notes:

---

## OTHER VARIABLES

---

None.

---

## SAS CODE

---

```
*Child-reported cutting down.;
if CHM0I01a ge 2 or (CHL8E01a ge 2 and . lt CHL8001a le 365) or
  (CHM0E01a ge 2 and . lt CHM0001 le 365) then do;
  if CHM0I01a ge 2 then C4NCUT1=1;
  else if CHL8E01a ge 2 and . lt CHL8001a le 365 then do;
    C4NCUT1=1;
    C4OCUT1=(agedays-CHL8001a);
  end;

  else if CHM0E01a ge 2 and . lt CHM0001 le 365 then do;
    C4NCUT1=1;
    C4OCUT1=min(C4OCUT1,(agedays-CHM0001));
  end;
end;

else if CHL8E01a=0 or CHM0E01a=0 or CHM0I01a ne . then C4NCUT1=0;
else if CHL8E01a = . and CHM0E01a = . then C4NCUT1=.;

label CHM0I01a = '3 Month: Alcohol: Tried to Cut Down';
label CHM0E01a = 'Alcohol: Ever Tried to Cut Down';
label CHM0001 = 'Alcohol: Onset of Ever Tried to Cut Down';
label CHL8E01a = 'Alcohol: Ever Desire to cut down';
label CHL8001 = 'Alcohol: Onset of Desire to cut down';

label C4NCUT1='12 Month: Alcohol: Tried to cut down'
```

JALCUSEWKE: Ever: Alcohol Use Weekly

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Ever used alcohol weekly (at least once a week for a month).

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|                                      | <u>CAPA</u> | <u>YAPA</u> |
|--------------------------------------|-------------|-------------|
| P/CHA5E01a (Ever alcohol use weekly) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

### Definitions and questions

#### USE OF ALCOHOL WITHOUT PERMISSION FROM A RESPONSIBLE ADULT

Drinking alcohol without permission from a responsible adult, whether alcohol obtained legally or illegally.

*Have you (since the last interview) drunk alcohol without permission?*

*When was that?*

*What about in the last 3 months?*

*How often have you done it?*

*Have you (since the last interview) drunk alcohol on 5 consecutive days in the last 3 months?*

*Do you usually drink alcohol on your own or with other people?*

*Did you (since the last interview) drink alcohol on your own?*

*When did you start?*

#### DRINKING WEEKLY

One a week for a month.

### Coding rules

#### SLTI: USE WITHOUT PERMISSION

0 - Has never drunk without permission

2 - Has drunk alcohol without permission at some time

#### USE WITHOUT PERMISSION

0 - Has not drunk alcohol without permission during last 3 months

2 - Has drunk alcohol without permission at during the last three months

#### SLTI: USED WEEKLY

0 - No

2 - Yes

#### USED WEEKLY IN LAST 3 MONTHS

0 - No

2 - Yes

### Codes

CHA4E01

Intensity

Ever:CHA4I01

Intensity

Ever:CHA4F01

Frequency

Ever:CHA4O01

Onset

Ever:CHA5E01

Ever:CHA5O01

Onset

CHA5I01

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.06       | 4    | 0.32       | 19   |
| 0 | 99.17      | 6582 | 68.58      | 1522 |
| 1 | 0.77       | 88   | 31.10      | 591  |

Missing data notes:

---

## OTHER VARIABLES

---

For **JALCUSEWKEE**, the highest value to date is retained across waves. Therefore, if the **JALCUSEWKEE** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

---

## SAS CODE

---

```
*Child-reported of ever use weekly;
if CHA5E01a ge 1 then calcusewke=1;
else if CHA5E01a ne . then calcusewke=0;
label calcusewke='Child-reported ever alcohol use weekly';
label CHA5E01a = 'Alcohol: Ever Used weekly (at least once a week for a
month)';

*Parent-reported of ever use weekly;
if PHA5E01a ge 1 then palcusewke=1;
else if PHA5E01a ne . then palcusewke=0;
label palcusewke='Parent-reported alcohol use weekly';
label PHA5E01a = 'Alcohol: Ever Used weekly (at least once a week for a
month)';

*Joint report of ever use weekly;
jalcusewke= calcusewke;
if (calcusewke eq .) or (calcusewke=0 and palcusewke=1) then
jalcusewke= palcusewke;
label jalcusewke = 'EVER: Alcohol Use Weekly';

****Retain highest value of jalcusewke across waves****;
```

```
jalcusewkee=max(jalcusewke, jalcusewkee);  
label jalcusewkee ='Highest Value: Ever Used alcohol weekly';
```



JALCUSEWK3: 3 Month: Alcohol Use Weekly

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Used alcohol weekly (at least once a week for a month) in the last 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| P/CHA5I01a (Alcohol use weekly in the last 3 months) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

### Definitions and questions

#### USE OF ALCOHOL WITHOUT PERMISSION FROM A RESPONSIBLE ADULT

Drinking alcohol without permission from a responsible adult, whether alcohol obtained legally or illegally.

*Have you (since the last interview) drunk alcohol without permission?*

*When was that?*

*What about in the last 3 months?*

*How often have you done it?*

*Have you (since the last interview) drunk alcohol on 5 consecutive days in the last 3 months?*

*Do you usually drink alcohol on your own or with other people?*

*Did you (since the last interview) drink alcohol on your own?*

*When did you start?*

#### DRINKING WEEKLY

One a week for a month.

### Coding rules

#### SLTI: USE WITHOUT PERMISSION

0 - Has never drunk without permission

2 - Has drunk alcohol without permission at some time

#### USE WITHOUT PERMISSION

0 - Has not drunk alcohol without permission during last 3 months

2 - Has drunk alcohol without permission at during the last three months

#### SLTI: USED WEEKLY

0 - No

2 - Yes

#### USED WEEKLY IN LAST 3 MONTHS

0 - No

2 - Yes

### Codes

CHA4E01  
Intensity

Ever:CHA4I01  
Intensity

Ever:CHA4F01  
Frequency

Ever:CHA4O01  
Onset

Ever:CHA5E01

Ever:CHA5O01  
Onset

CHA5I01

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 0.06       | 4    | 0.36       | 21   |
| 0 | 99.33      | 6614 | 75.34      | 1666 |
| 1 | 0.61       | 56   | 24.29      | 445  |

Missing data notes:

---

## OTHER VARIABLES

---

**JALCUSEWK33:** Highest value: 3 Month: Alcohol use weekly

- For **JALCUSEWK33**, the highest value to date is retained across waves. Therefore, if the **JALCUSEWK33** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
jalcusewk33=max(jalcusewk3, jalcusewk33);  
label jalcusewk33 ='Highest Value: 3 Month: Alcohol Use Weekly';
```

---

## SAS CODE

---

```
*Child-reported of use weekly in last 3 months;  
if CHA5I01a ge 1 then calcusewk3=1;  
else if CHA5I01a ne . then calcusewk3=0;  
label calcusewk3='Child-reported alcohol use weekly in last 3 months';  
label CHA5I01a = 'Alcohol: Used weekly in last 3 months';  
  
*Parent-reported of use weekly in last 3 months;  
if PHA5I01a ge 1 then palcusewk3=1;  
else if PHA5I01a ne . then palcusewk3=0;  
label palcusewk3='Parent-reported alcohol use weekly in last 3 months';  
label PHA5I01a = 'Alcohol: Used weekly in last 3 months';  
  
*Joint report of use weekly in last 3 months;  
jalcusewk3= calcusewk3;  
if (calcusewk3 eq .) or (calcusewk3=0 and palcusewk3=1) then  
jalcusewk3= palcusewk3;  
label jalcusewk3 ='3 Month: Alcohol Use Weekly';
```

JALCUSEDLYE: Ever: Alcohol Use Daily

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Ever used alcohol daily (at least 5 days per week for a month).

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|                                       | <u>CAPA</u> | <u>YAPA</u> |
|---------------------------------------|-------------|-------------|
| P/CHA6E01a (Alcohol: Ever used daily) | Y           | Y           |

---

## SAMPLE INTERVIEW SECTION

---

YAPA (GSMS) 2.0.0

**Definitions and questions**

**DRINKING DAILY**

5 days per week for a month

**SOURCE OF ALCOHOL**

Code the means by which the subject obtained the alcohol drunk without permission.

More than one means may have been employed during the last 3 months, in which case include each one.

*Where did the drink come from?*

*Did you ever provide any yourself?*

*Where did you get it from?*

*Have you ever stolen alcohol from anywhere?*

*Where from?*

*What about during the last 3 months?*

*Where you caught?*

*What happened?*

**Coding rules**

**STL: USED DAILY**

0 - No

2 - Yes

**USED DAILY IN LAST 3 MONTHS**

0 - No

2 - Yes

**TAKEN FROM HOME**

0 - No

2 - Yes

**PROVIDED BY FRIEND**

0 - No

2 - Yes

**BROUGHT BY SUBJECT**

0 - No

2 - Yes

**STOLEN BY SUBJECT**

0 - No

2 - Yes

**Codes**

CHA6E01

CHA6O01

Onset

CHA6I01

Intensity

Ever:CHA7I01

Ever:CHA7I02

Ever:CHA7I03

Ever:CHA7I04

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA     |      | YAPA     |      |
|---|----------|------|----------|------|
|   | Weighted | N    | Weighted | N    |
|   | %        |      | %        |      |
| . | 0.00     | 0    | 0.12     | 8    |
| 0 | 99.92    | 6659 | 93.09    | 1967 |
| 1 | 0.08     | 15   | 6.79     | 157  |

Missing data notes:

---

## OTHER VARIABLES

---

**JALCUSEDLYEE:** Highest Value: Ever: Alcohol use daily (5 days per week for a month) to date

- For **JALCUSEDLYEE**, the highest value to date is retained across waves. Therefore, if the **JALCUSEDLYEE** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
jalcusedlyee=max(jalcusedlye, jalcusedlyee);  
label jalcusedlyee = 'Highest Value: Ever: Alcohol use daily (5 days per  
week for a month) to date';
```

---

## SAS CODE

---

```
*Child-reported of ever use daily;  
if CHA6E01a ge 1 then calcusedlye=1;  
else if CHA6E01a ne . then calcusedlye=0;  
label calcusedlye='Child-reported ever alcohol use daily';  
label CHA6E01a = 'Alcohol: Ever used daily';  
  
*Parent-reported of ever use daily;  
if PHA6E01a ge 1 then palcusedlye=1;  
else if PHA6E01a ne . then palcusedlye=0;  
label palcusedlye='Parent-reported ever alcohol use daily';
```

```
label PHA6E01a = 'Alcohol: Ever used daily';

*Joint report of ever use daily;
jalcusedlye= calcusedlye;
if (calcusedlye eq .) or (calcusedlye=0 and palcusedlye=1) then
jalcusedlye= palcusedlye;
label jalcusedlye = 'Ever: Alcohol Use Daily';
```

JALCUSEDLY3: 3 Month: Alcohol Use Daily

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Used alcohol daily (at least 5 days per week for a month) in the last 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|   | <u>CAPA</u> | <u>YAPA</u> |
|---|-------------|-------------|
| P/CHA6I01a (Alcohol: Used daily in last 3 months) | Y           | Y           |



# SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

## Definitions and questions

**DRINKING DAILY**  
5 days per week for a month

## SOURCE OF ALCOHOL

Code the means by which the subject obtained the alcohol drunk without permission.

More than one means may have been employed during the last 3 months, in which case include each one.

*Where did the drink come from?*

*Did you ever provide any yourself?*

*Where did you get it from?*

*Have you ever stolen alcohol from anywhere?*

*Where from?*

*What about during the last 3 months?*

*Where you caught?*

*What happened?*

## Coding rules

### STL: USED DAILY

0 - No  
2 - Yes

### USED DAILY IN LAST 3 MONTHS

0 - No  
2 - Yes

### TAKEN FROM HOME

0 - No  
2 - Yes

### PROVIDED BY FRIEND

0 - No  
2 - Yes

### BROUGHT BY SUBJECT

0 - No  
2 - Yes

### STOLEN BY SUBJECT

0 - No  
2 - Yes

## Codes

CHA6E01

CHA6O01

Onset

CHA6I01

Intensity

Ever:CHA7I01

Ever:CHA7I02

Ever:CHA7I03

Ever:CHA7I04

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA<br>Weighted<br>% | N    | YAPA<br>Weighted<br>% | N    |
|---|-----------------------|------|-----------------------|------|
| . | 0                     | 0    | 0.12                  | 8    |
| 0 | 99.99                 | 6671 | 95.32                 | 2035 |
| 1 | 0.01                  | 3    | 4.56                  | 89   |

---

## OTHER VARIABLES

---

**JALCUSEDLY33:** Highest Value: 3 Month: Alcohol use daily (5 days per week for a month) to date

- For **JALCUSEDLY33**, the highest value to date is retained across waves. Therefore, if the **JALCUSEDLY33** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
jalcusedly33=max(jalcusedly3, jalcusedly33);  
label jalcusedly33 = 'Highest Value: 3 Month: Alcohol Use Daily (5 days  
per week for a month) to date';
```

---

## SAS CODE

---

```
*Child-reported of used alcohol daily in last 3 months;  
if CHA6I01a ge 1 then calcusedly3=1;  
else if CHA6I01a ne . then calcusedly3=0;  
label calcusedly3='Child-reported alcohol use daily in last 3 months';  
label CHA6E01a = 'Alcohol: Used daily in last 3 months';  
  
*Parent-reported of use daily in last 3 months;  
if PHA6I01a ge 1 then palcusedly3=1;  
else if PHA6I01a ne . then palcusedly3=0;  
label palcusedly3='Parent-reported alcohol use daily in last 3 months';  
label PHA6E01a = 'Alcohol: Used daily in last 3 months';  
  
*Joint report of use daily in last 3 months;  
jalcusedly3= calcusedly3;  
if (calcusedly3 eq .) or (calcusedly3=0 and palcusedly3=1) then  
jalcusedly3= palcusedly3;  
label jalcusedly3 = '3 Month: Alcohol Use Daily';
```

CALCDRUNKE: Ever: Drunk

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Ever drunk.

Informant: Child report is default.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|                                 | <u>CAPA</u> | <u>YAPA</u> |
|---------------------------------|-------------|-------------|
| CHA8E01a (Alcohol: Ever: Drunk) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**ALCOHOL INTOXICATION**

Alcohol ingestion associated with any of the following behavioral or psychological changes: slurred speech, incoordination, unsteady gait, nystagmus, flushed face.

*Have you (since the last interview) been drunk?*

*When was the first time?*

*What about during the last three months?*

*How often?*

*Tell me about the last time?*

*How much did you have to drink?*

*How drunk did you get?*

*Did you get sick to your stomach?*

*Or vomit?*

*How often did you vomit?*

*Did you pass out?*

*Was your speech slurred?*

*How was your coordination?*

*Did you have trouble walking straight?*

*Did you fall down at all?*

*Or bump into things?*

*Or knock anything over?*

*Could you move your arms and hands properly?*

*Could you fix your eyes on things properly?*

*OR were they jerking about?*

*Do you know if your face was red?*

*Did you start to believe any strange or unusual things?*

**Coding rules**

**STLI: DRUNK**

0 - No

2 - Says has been drunk at some time

**DRUNK IN LAST 3 MONTHS**

0 - No

2 - Says has been drunk at some time

**NUMBER OF TIMES DRUNK; CODE NUMBER OF TIMES DRUNK IN THE PAST 3 MONTHS**

**NAUSEA; CODE NUMBER OF TIMES VOMITED WHILE DRUNK IN THE PAST 3 MONTHS**

**PASSED OUT; CODE NUMBER OF TIMES PASSED OUT WHILE DRUNK IN PAST 3 MONTHS**

**SLURRED SPEECH**

0 - Absent

2 - Present

**INCOORDINATION**

0 - Absent

2 - Present

**UNSTEADY GAIT**

0 - Absent

2 - Present

**NYSTAGMUS**

0 - Absent

2 - Present

**FLUSHED FACE**

0 - Absent

2 - Present

**DELUSIONS**

0 - Absent

2 - Present

**INTOXICATED IN LAST 3 MONTHS**

**Codes**

CHA8E01  
Intensity

Ever:CHA8I01

CHA8F01

Ever:CHA8F01

Ever:CHA8F03

Ever:CHA9X01

Ever:CHA9X02

Ever:CHA9X03

Ever:CHA9X04

Ever:CHA9X05

Ever:CHL7I01

Ever:CHA9F01

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 4.45       | 271  | 0.91       | 17   |
| 0 | 90.39      | 6009 | 43.55      | 942  |
| 1 | 5.16       | 394  | 55.54      | 1173 |

Missing data notes:

---

## OTHER VARIABLES

---

**CALCDRUNKEE:** Highest Value: Ever: Drunk

- For **CALCDRUNKEE**, the highest value to date is retained across waves. Therefore, if the **CALCDRUNKEE** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
calcdrunkee=max(calcdrunke, calcdrunkee);  
label calcdrunkee='Highest Value: Ever: Drunk';
```

---

## SAS CODE

---

```
*BASED SOLELY ON CHILD REPORT AS THERE IS NO PHA8E01 - Parent-reported  
EVER: drunk;  
if CHA8E01a ge 1 then calcdrunke=1;  
else if CHA8E01a ne . then calcdrunke=0;  
label calcdrunke='Child-reported EVER: drunk';  
label CHA8E01a = 'Alcohol: Ever: Drunk';
```

CALCDRUNK3: 3 Month: Drunk

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Drunk in past 3 months.

Informant: Child report is default.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| CHA8I01a (Alcohol: Drunk in past 3 months) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**ALCOHOL INTOXICATION**

Alcohol ingestion associated with any of the following behavioral or psychological changes: slurred speech, incoordination, unsteady gait, nystagmus, flushed face.

*Have you (since the last interview) been drunk?*

*When was the first time?*

*What about during the last three months?*

*How often?*

*Tell me about the last time?*

*How much did you have to drink?*

*How drunk did you get?*

*Did you get sick to your stomach?*

*Or vomit?*

*How often did you vomit?*

*Did you pass out?*

*Was your speech slurred?*

*How was your coordination?*

*Did you have trouble walking straight?*

*Did you fall down at all?*

*Or bump into things?*

*Or knock anything over?*

*Could you move your arms and hands properly?*

*Could you fix your eyes on things properly?*

*OR were they jerking about?*

*Do you know if your face was red?*

*Did you start to believe any strange or unusual things?*

**Coding rules**

**STLI: DRUNK**

0 - No

2 - Says has been drunk at some time

**DRUNK IN LAST 3 MONTHS**

0 - No

2 - Says has been drunk at some time

**NUMBER OF TIMES DRUNK; CODE NUMBER OF TIMES DRUNK IN THE PAST 3 MONTHS**

**NAUSEA; CODE NUMBER OF TIMES VOMITED WHILE DRUNK IN THE PAST 3 MONTHS**

**PASSED OUT; CODE NUMBER OF TIMES PASSED OUT WHILE DRUNK IN PAST 3 MONTHS**

**SLURRED SPEECH**

0 - Absent

2 - Present

**INCOORDINATION**

0 - Absent

2 - Present

**UNSTEADY GAIT**

0 - Absent

2 - Present

**NYSTAGMUS**

0 - Absent

2 - Present

**FLUSHED FACE**

0 - Absent

2 - Present

**DELUSIONS**

0 - Absent

2 - Present

**INTOXICATED IN LAST 3 MONTHS**

**Codes**

CHA8E01

Intensity

Ever:CHA8I01

CHA8F01

Ever:CHA8F01

Ever:CHA8F03

Ever:CHA9X01

Ever:CHA9X02

Ever:CHA9X03

Ever:CHA9X04

Ever:CHA9X05

Ever:CHL7I01

Ever:CHA9F01

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

|   | CAPA       |      | YAPA       |      |
|---|------------|------|------------|------|
|   | Weighted % | N    | Weighted % | N    |
| . | 4.45       | 272  | 1.15       | 31   |
| 0 | 92.92      | 6193 | 65.40      | 1430 |
| 1 | 2.63       | 209  | 33.45      | 671  |

Missing data notes:

---

## OTHER VARIABLES

---

**CALCDRUNK33:** Highest Value: 3 Month: Drunk

- For **CALCDRUNK33**, the highest value to date is retained across waves. Therefore, if the **CALCDRUNK33** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
calcdrunk33=max(calcdrunk3, calcdrunk33);  
label calcdrunk33='Highest Value: 3 Month: Drunk';
```

---

## SAS CODE

---

```
*BASED SOLELY ON CHILD REPORT AS THERE IS NO PHA8I01 - Parent-reported  
Drunk in past 3 months;  
if CHA8I01a ge 1 then calcdrunk3=1;  
else if CHA8I01a ne . then calcdrunk3=0;  
label calcdrunk3='Child-reported drunk in past 3 months';  
label CHA8I01a = '3 Month: Drunk';
```



**CALCDRUNKFREQ3: 3 Month: Frequency of Drunkenness**

[Description](#)  
[Raw Variable\(s\)](#)  
[CAPA Interview Section](#)  
[Glossary Notes](#)  
[Additional Variables](#)  
[N, Weighted Prevalence, and Missing Data](#)  
[Citations](#)  
[SAS CODE](#)

---

**DESCRIPTION**

---

Definition: Frequency of drunkenness in the past 3 months.

Informant: Child report is default.

| <u>CAPA</u> | <u>YAPA</u> |
|-------------|-------------|
| Y           | Y           |

---

**RAW VARIABLE(S)**

---

|  | <u>CAPA</u> | <u>YAPA</u> |
|--|-------------|-------------|
| CHA8F01a (Alcohol: Number of times drunk in past 3 months) | Y           | Y           |

## SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

**Definitions and questions**

**ALCOHOL INTOXICATION**

Alcohol ingestion associated with any of the following behavioral or psychological changes: slurred speech, incoordination, unsteady gait, nystagmus, flushed face.

*Have you (since the last interview) been drunk?*

*When was the first time?*

*What about during the last three months?*

*How often?*

*Tell me about the last time?*

*How much did you have to drink?*

*How drunk did you get?*

*Did you get sick to your stomach?*

*Or vomit?*

*How often did you vomit?*

*Did you pass out?*

*Was your speech slurred?*

*How was your coordination?*

*Did you have trouble walking straight?*

*Did you fall down at all?*

*Or bump into things?*

*Or knock anything over?*

*Could you move your arms and hands properly?*

*Could you fix your eyes on things properly?*

*OR were they jerking about?*

*Do you know if your face was red?*

*Did you start to believe any strange or unusual things?*

**Coding rules**

**STLI: DRUNK**

0 - No

2 - Says has been drunk at some time

**DRUNK IN LAST 3 MONTHS**

0 - No

2 - Says has been drunk at some time

**NUMBER OF TIMES DRUNK; CODE NUMBER OF TIMES DRUNK IN THE PAST 3 MONTHS**

**NAUSEA; CODE NUMBER OF TIMES VOMITED WHILE DRUNK IN THE PAST 3 MONTHS**

**PASSED OUT; CODE NUMBER OF TIMES PASSED OUT WHILE DRUNK IN PAST 3 MONTHS**

**SLURRED SPEECH**

0 - Absent

2 - Present

**INCOORDINATION**

0 - Absent

2 - Present

**UNSTEADY GAIT**

0 - Absent

2 - Present

**NYSTAGMUS**

0 - Absent

2 - Present

**FLUSHED FACE**

0 - Absent

2 - Present

**DELUSIONS**

0 - Absent

2 - Present

**INTOXICATED IN LAST 3 MONTHS**

**Codes**

CHA8E01

Intensity

Ever:CHA8I01

CHA8F01

Ever:CHA8F01

Ever:CHA8F03

Ever:CHA9X01

Ever:CHA9X02

Ever:CHA9X03

Ever:CHA9X04

Ever:CHA9X05

Ever:CHL7I01

Ever:CHA9F01

---

## GLOSSARY NOTES

---

None.

---

## N, WEIGHTED PREVALENCE, and MISSING DATA

---

| CAPA                |      | YAPA                |      |
|---------------------|------|---------------------|------|
| Weighted<br>Medians | N    | Weighted<br>Medians | N    |
| 0.00                | 6639 | 0.00                | 2131 |

---

## OTHER VARIABLES

---

**CALCDRUNKFREQ33:** Highest Value: 3 Month: Frequency of Drunkenness to date

- For **CALCDRUNKFREQ33**, the highest value to date is retained across waves. Therefore, if the **CALCDRUNKFREQ33** variable ever equaled one, then the subject will be assigned a 1 for all remaining waves.

```
calcdrunkfreq33=max(calcdrunkfreq3, calcdrunkfreq33);  
label calcdrunkfreq33='Highest Value: 3 Month: Frequency of Drunkenness  
to date';
```

---

## SAS CODE

---

```
*BASED SOLELY ON CHILD REPORT AS THERE IS NO PHA8F01 - Parent-reported  
Drunk in past 3 months;  
if CHA8F01a ge 1 then calcdrunkfreq3=CHA8F01a;  
else if CHA8F01a ne . then calcdrunkfreq3=0;  
label calcdrunkfreq3='3 Month: Frequency of Drunkenness';  
label CHA8F01a = 'Alcohol: Number of times drunk in past 3 months';
```