

Substance Use Variable List

Name	Label	3-month	Ever
CCANONS	Age of Onset: Cannabis Use		X
CCANWKONS	Age of Onset: Weekly Cannabis Use		X
CCANDLYONSE	Age of Onset: Daily Cannabis Use		X
JCANUSE	Ever: Cannabis Use		X
J4NUSE3	3 Month: Cannabis Use	X	
CCANWKUSE	Ever: Weekly Cannabis Use		X
CCANWKUSE3	3 Month: Weekly Cannabis Use	X	
CCANDLYUSE	Ever: Daily Cannabis Use		X
CCANUSEDLY3	3 Month: Daily Cannabis Use	X	
CCANFREQ	3 Month: Max Cannabis Use Frequency	X	
JCANDEAL	Ever: Dealt Cannabis		X
J4_SDP3	3 Month: Cannabis Dependence	X	
J4_ABU3	3 Month: Cannabis Abuse	X	
JCANMAL	3 Month: Cannabis-Related Maladaptive Behavior	X	
JCANMAL1	3 Month: Subjective Need/Craving	X	
JCANMAL2	3 Month: Use to Improve Mood	X	
JCANMAL3	3 Month: Much Time Spent in Cannabis-related Activities	X	
JCANMAL4	3 Month: Tolerance	X	
JCANMAL5	3 Month: Overconsumption	X	
JCANMAL6	3 Month: Uncontrollable Use	X	
JCANMAL7	3 Month: Narrowed Use Repertoire	X	

JCANMAL8	3 Month: Morning Use	X	
JCANMAL9	3 Month: Disinhibited Aggression	X	
JCANMAL10	3 Month: Disinhibited Sexuality	X	
JCANMAL11	3 Month: Poor Judgment	X	
JCANMAL12	3 Month: Social problems at Home	X	
JCANMAL13	3 Month: Social problems with Friends	X	
JCANMAL14	3 Month: Reduction in Other Activities	X	
JCANMAL15	3 Month: Affected School/Work	X	
JCANMAL16	3 Month: Dangerous Activities	X	
JCANMAL17	3 Month: Cannabis-related Crime	X	
JCANMAL18	3 Month: Trouble with the Law	X	
JCANMAL19	3 Month: Mood Lability	X	
JCANMAL20	3 Month: Physical Problems	X	
JCANMAL21	3 Month: Blackouts	X	

CCANONS: Age of Onset: Cannabis

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Age of onset of cannabis use in days.

Informant: Only self report was collected.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
CHB0E01a (Ever used cannabis)	Y	Y
CHB0O01 (Onset of cannabis use)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

CANNABIS SECTION

When questioning about drugs, substitute the name the subject uses for them.

CANNABIS USE WEEKLY

Earlier you said that you have smoked marijuana...

Have you smoked pot as often as once a week?

For as much as a straight month?

Have you smoked pot weekly in the last 3 months?

When did that start?

CANNABIS USE DAILY

Have you ever used "marijuana" daily; at least 5 days a week for a month or more?

When did you start using at that level?

Have you used "marijuana" daily in the last 3 months?

Coding rules

EVER: USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH)

0 = No

2 = Yes

USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH) IN THE LAST 3 MONTHS

0 = No

2 = Yes

EVER: CANNABIS USE DAILY

0 = Absent

2 = Present

CANNABIS USE DAILY IN PP

0 = Absent

2 = Present

Codes

Ever:CHC5E01
Intensity

Ever:CHC5O01
Onset

CHC5I01
Intensity

Ever:CHC6E01
Intensity

Ever:CHC6O01
Onset

CHC6I01
Intensity

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

CAPA		YAPA	
Weighted	N	Weight	N
Median		Median	
13.71	518	16.51	862

OTHER VARIABLES

Ccanonse: Lowest age of onset: cannabis use to date

```
ccononse=min(ccanons, ccanonse);  
label ccononse='Lowest Age of Onset: Cannabis Use to date';
```

SAS CODE

```
*BASED SOLELY ON CHILD REPORT AS THERE IS NO PHB0001: Parent-reported  
onset of cannabis use;  
ccanons=.;  
if CHB0E01a ge 1 and (agedays > 0 and CHB0001 > 0) then ccanons  
=(agedays-CHB0001);  
label ccanons='Age of Onset: Cannabis Use';  
label CHB0E01a = 'EVER: cannabis use';  
label CHB0001 = 'Onset of Cannabis use';
```

CCANWKONS: Age of Onset: Weekly Cannabis Use

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Age of Onset of weekly cannabis use in days.

Informant: Only self report was collected.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
CHB0E01a (Ever used cannabis)	Y	Y
CHC5O01 (Onset of ever cannabis use weekly)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

CANNABIS SECTION

When questioning about drugs, substitute the name the subject uses for them.

CANNABIS USE WEEKLY

Earlier you said that you have smoked marijuana... Have you smoked pot as often as once a week? For as much as a straight month? Have you smoked pot weekly in the last 3 months? When did that start?

CANNABIS USE DAILY

Have you ever used "marijuana" daily; at least 5 days a week for a month or more? When did you start using at that level? Have you used "marijuana" daily in the last 3 months?

Coding rules

EVER: USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH)

- 0 = No
- 2 = Yes

USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH) IN THE LAST 3 MONTHS

- 0 = No
- 2 = Yes

EVER: CANNABIS USE DAILY

- 0 = Absent
- 2 = Present

CANNABIS USE DAILY IN PP

- 0 = Absent
- 2 = Present

Codes

Ever:CHC5E01
Intensity

Ever:CHC5O01
Onset

CHC5I01
Intensity

Ever:CHC6E01
Intensity

Ever:CHC6O01
Onset

CHC6I01
Intensity

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

CAPA		YAPA	
Weighted	N	Weight	N
Median		Median	
14.56	161	17.51	503

OTHER VARIABLES

Ccanwkonse: Lowest age of onset of weekly cannabis use to date

```
cconwkonse=min(cconwkons, cconwkonse);  
label cconwkonse='Lowest age Onset of Weekly Cannabis Use to date';
```

SAS CODE

```
*BASED SOLELY ON CHILD REPORT AS THERE IS NO PHC5001 - Parent-reported  
Onset of Ever Used Weekly;  
cconwkons=.;  
if CHB0E01a ge 1 and (agedays > 0 and CHC5001 > 0) then ccononswk  
=(agedays-CHC5001);  
label cconwkons='Age of Onset: Weekly Cannabis Use';  
label CHB0E01a = 'EVER: cannabis use';  
label CHC5001 = 'Onset of Ever used weekly';
```


CCANDLYONS: Onset of Weekly Cannabis Use

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Age of onset of daily cannabis use in days.

Informant: Only self report was collected.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
CHB0E01a (Ever used cannabis)	Y	Y
CHC6O01 (Onset of ever cannabis use daily)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

CANNABIS SECTION

When questioning about drugs, substitute the name the subject uses for them.

CANNABIS USE WEEKLY

Earlier you said that you have smoked marijuana... Have you smoked pot as often as once a week? For as much as a straight month? Have you smoked pot weekly in the last 3 months? When did that start?

CANNABIS USE DAILY

Have you ever used "marijuana" daily; at least 5 days a week for a month or more? When did you start using at that level? Have you used "marijuana" daily in the last 3 months?

Coding rules

EVER: USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH)

- 0 = No
- 2 = Yes

USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH) IN THE LAST 3 MONTHS

- 0 = No
- 2 = Yes

EVER: CANNABIS USE DAILY

- 0 = Absent
- 2 = Present

CANNABIS USE DAILY IN PP

- 0 = Absent
- 2 = Present

Codes

Ever:CHC5E01
Intensity

Ever:CHC5O01
Onset

CHC5I01
Intensity

Ever:CHC6E01
Intensity

Ever:CHC6O01
Onset

CHC6I01
Intensity

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

CAPA		YAPA	
Weighted	N	Weight	N
Median		Median	
14.78	71	17.51	324

OTHER VARIABLES

Ccandlyonse: Lowest age of onset of weekly cannabis use to date

```
ccandlyonse=min(ccandlyons, ccandlyonse);  
label ccandlyonse='Lowest age of Onset of Weekly Cannabis Use to date';
```

SAS CODE

```
*BASED SOLELY ON CHILD REPORT AS THERE IS NO PHC6001 - Parent-reported  
Onset of Ever Used Daily;  
ccandlyons=.;  
if CHB0E01a ge 1 and (agedays > 0 and CHC6001 > 0) then ccandlyons  
=(agedays-CHC6001);  
label ccandlyons='Child-reported of Onset of Weekly Cannabis Use';  
label CHB0E01a = 'EVER: cannabis use';  
label CHC6001 = 'Onset for ever used cannabis daily';
```

JCANUSE: Ever: Cannabis Use

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Ever used cannabis.

Informant: Child report is default. Use parent report if child denies initiation, but parent reports it.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CHB0E01a (Ever used cannabis)	Y	Y

SAMPLE INTERVIEW SECTION

Wave P eYAPA 2.0.3

Definitions and questions

DRUG USE

Code all drugs (since the last interview) used by the subject

DRUGS

Have you ever experimented with any drugs?

What about with your friends?

Has anyone ever given you any drugs?

What did you do?

I have a list of drugs here that you might have come across. Is it OK if I ask you about them?

CANNABIS USE

Marijuana, weed, pot, grass, hash, Thai stick.

Have you ever tried smoking pot?

Have you used marijuana in the last 3 months?

When was the first time you ever used marijuana?

COCAINE USE

Coke

Have you ever tried cocaine?

When did you first try?

Have you used it in the last 3 months?

Coding rules

DRUG USE

0 - No

2 - Yes

CANNABIS USE

0 - No

2 - Yes

CANNABIS USE IN LAST 3 MONTHS

0 - No

2 - Yes

COCAINE USE

0 - No

2 - Yes

COCAINE USE

0 - No

2 - Yes

Codes

Ever:CHBXXX 00 Intensity

Ever:CHB0E01 Intensity

CHB0I01 Intensity

Ever:CHB0O01 Onset

/ /

Ever:CHB1E01 Intensity

CHB1I01 Intensity

Ever:CHB1O01 Onset

/ /

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.18	14	1.20	34
0	92.91	6070	58.31	1220
1	6.92	590	40.49	878

OTHER VARIABLES

Jcanusee: Ever used cannabis to date

```
jcanusee=max(jcanuse, jcanusee);  
label jcanusee = 'Ever used cannabis to date';
```

SAS CODE

```
*Child-reported ever use without permission;  
if CHB0E01a ge 1 then ccanuse=1;  
else if CHB0E01a ne . then ccanuse=0;  
label ccanuse='Child-reported ever cannabis use';  
label CHB0E01a = 'EVER: cannabis use';  
  
*Parent-reported ever use without permission (not available after wave  
8 / age 17);  
if PHB0E01a ge 1 then pcanuse=1;  
else if PHB0E01a ne . then pcanuse=0;  
label pcanuse='Parent-reported ever cannabis use';  
label PHB0E01a = 'EVER: cannabis use';  
  
*Joint report of use without permission;  
jcanuse= ccanuse;  
if (ccanuse eq .) or (ccanuse=0 and pcanuse=1) then jcanuse= pcanuse;  
label jcanuse = 'Ever used cannabis';
```

J4NUSE3: 3 Month: Cannabis Use

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Used cannabis within the past three months.

Informant: Child report is default. Use parent report if child denies initiation, but parent reports it.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CHB0I01a (Cannabis use in last 3 months)	Y	Y

SAMPLE INTERVIEW SECTION

Wave P eYAPA 2.0.3

Definitions and questions

DRUG USE

Code all drugs (since the last interview) used by the subject

DRUGS

Have you ever experimented with any drugs?

What about with your friends?

Has anyone ever given you any drugs?

What did you do?

I have a list of drugs here that you might have come across. Is it OK if I ask you about them?

CANNABIS USE

Marijuana, weed, pot, grass, hash, Thai stick.

Have you ever tried smoking pot?

Have you used marijuana in the last 3 months?

When was the first time you ever used marijuana?

COCAINE USE

Coke

Have you ever tried cocaine?

When did you first try?

Have you used it in the last 3 months?

Coding rules

DRUG USE

0 - No

2 - Yes

CANNABIS USE

0 - No

2 - Yes

CANNABIS USE IN LAST 3 MONTHS

0 - No

2 - Yes

COCAINE USE

0 - No

2 - Yes

COCAINE USE

0 - No

2 - Yes

Codes

Ever:CHBXXX 00 Intensity

Ever:CHB0E01 Intensity

CHB0I01 Intensity

Ever:CHB0O01 Onset

/ /

Ever:CHB1E01 Intensity

CHB1I01 Intensity

Ever:CHB1O01 Onset

/ /

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.18	15	1.29	39
0	96.06	6337	75.87	1602
1	3.76	322	22.84	491

OTHER VARIABLES

J4NUSE33: 3 Month: Cannabis use to date

```
J4NUSE33=max(J4NUSE3, J4NUSE33);  
label J4NUSE33 = '3 month: Cannabis use to date';
```

SAS CODE

```
*Child-reported ever use within past three months;  
if CHB0I01a ge 1 then C4NUSE3=1;  
else if CHB0I01a ne . then C4NUSE3=0;  
label C4NUSE3='Child-reported cannabis use w/in past 3 months';  
label CHB0I01a = 'Cannabis use: Last 3 months' ;  
  
*Parent-reported ever use without permission (not available after wave  
8 / age 17);  
if PHB0I01a ge 1 then P4NUSE3=1;  
else if PHB0I01a ne . then P4NUSE3=0;  
label P4NUSE3='Parent-reported cannabis use w/in past 3 months';  
label PHB0I01a = 'Cannabis use: Last 3 months' ;  
  
*Joint report of use without permission;  
J4NUSE3= C4NUSE3;  
if (C4NUSE3 eq .) or (C4NUSE3=0 and P4NUSE3=1) then J4NUSE3= P4NUSE3;  
label J4NUSE3 = '3 Month: Cannabis use';
```

CCANWKUSE: Ever: Weekly Cannabis Use

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Ever used cannabis weekly (at least 1 day per week for a month).

Informant: Only self report was collected.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
CHC5E01a (Ever used cannabis weekly, at least 1 day per week for a month)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

CANNABIS SECTION

When questioning about drugs, substitute the name the subject uses for them.

CANNABIS USE WEEKLY

Earlier you said that you have smoked marijuana...

Have you smoked pot as often as once a week?

For as much as a straight month?

Have you smoked pot weekly in the last 3 months?

When did that start?

CANNABIS USE DAILY

Have you ever used "marijuana" daily; at least 5 days a week for a month or more?

When did you start using at that level?

Have you used "marijuana" daily in the last 3 months?

Coding rules

EVER: USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH)

0 = No

2 = Yes

USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH) IN THE LAST 3 MONTHS

0 = No

2 = Yes

EVER: CANNABIS USE DAILY

0 = Absent

2 = Present

CANNABIS USE DAILY IN PP

0 = Absent

2 = Present

Codes

Ever:CHC5E01
Intensity

Ever:CHC5O01
Onset

CHC5I01
Intensity

Ever:CHC6E01
Intensity

Ever:CHC6O01
Onset

CHC6I01
Intensity

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.72	34	0.00	0
0	97.44	6476	78.33	1616
1	1.85	164	21.67	516

OTHER VARIABLES

Ccanwkusee: Ever: Weekly Cannabis Use to date

```
CCANWKUSEE=max(CCANWKUSE, CCANWKUSEE);  
label CCANWKUSEE = 'Ever: Weekly Cannabis Use to date';
```

SAS CODE

```
*BASED SOLELY ON CHILD-REPORT AS PHC5E01 - Parent-reported Ever Used  
Weekly does not exist;  
if CHC5E01a ge 1 then CCANWKUSE=1;  
else if CHC5E01a ne . then CCANWKUSE=0;  
label CCANWKUSE='Ever: Weekly Cannabis Use';  
label CHC5E01a = 'Ever Used weekly (at least 1 day per week for a  
month)';
```

CCANWKUSE3: 3 Month: Weekly Cannabis Use

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Used cannabis weekly (at least 1 day per week for a month) in the last 3 months.

Informant: Only self report was collected.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
CHC5I01a (Ever used cannabis weekly, at least 1 day per week for a month, in the last 3 months)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

CANNABIS SECTION

When questioning about drugs, substitute the name the subject uses for them.

CANNABIS USE WEEKLY

Earlier you said that you have smoked marijuana... Have you smoked pot as often as once a week? For as much as a straight month? Have you smoked pot weekly in the last 3 months? When did that start?

CANNABIS USE DAILY

Have you ever used "marijuana" daily; at least 5 days a week for a month or more? When did you start using at that level? Have you used "marijuana" daily in the last 3 months?

Coding rules

EVER: USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH)

- 0 = No
- 2 = Yes

USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH) IN THE LAST 3 MONTHS

- 0 = No
- 2 = Yes

EVER: CANNABIS USE DAILY

- 0 = Absent
- 2 = Present

CANNABIS USE DAILY IN PP

- 0 = Absent
- 2 = Present

Codes

Ever:CHC5E01
Intensity

Ever:CHC5O01
Onset

CHC5I01
Intensity

Ever:CHC6E01
Intensity

Ever:CHC6O01
Onset

CHC6I01
Intensity

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.72	34	0.00	0
0	98.06	6533	87.89	1838
1	1.22	107	12.11	294

OTHER VARIABLES

Ccanwkuse33: 3 Month: Weekly Cannabis Use to date

```
CCANWKUSE33=max(CCANWKUSE3, CCANWKUSE33);  
label CCANWKUSE33 = '3 Month: Weekly Cannabis Use to date';
```

SAS CODE

```
*BASED SOLELY ON CHILD-REPORT AS PHC5I01 - Parent-reported used weekly  
does not exist;  
if CHC5I01a ge 1 then CCANWKUSE3=1;  
else if CHC5I01a ne . then CCANWKUSE3=0;  
label CCANWKUSE3='3 Month: Weekly Cannabis Use';  
label CHC5I01a = 'Used weekly (at least 1 day per week for a month) in  
the last 3 months';
```

CCANDLYUSEE: Ever: Daily Cannabis Use

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Used cannabis daily (at least 5 days per week for a month).

Informant: Only self report was collected.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
CHC6E01a (Ever used cannabis daily, at least 5 days per week for a month)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

CANNABIS SECTION

When questioning about drugs, substitute the name the subject uses for them.

CANNABIS USE WEEKLY

Earlier you said that you have smoked marijuana... Have you smoked pot as often as once a week? For as much as a straight month? Have you smoked pot weekly in the last 3 months? When did that start?

CANNABIS USE DAILY

Have you ever used "marijuana" daily; at least 5 days a week for a month or more? When did you start using at that level? Have you used "marijuana" daily in the last 3 months?

Coding rules

EVER: USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH)

- 0 = No
- 2 = Yes

USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH) IN THE LAST 3 MONTHS

- 0 = No
- 2 = Yes

EVER: CANNABIS USE DAILY

- 0 = Absent
- 2 = Present

CANNABIS USE DAILY IN PP

- 0 = Absent
- 2 = Present

Codes

Ever:CHC5E01
Intensity

Ever:CHC5O01
Onset

CHC5I01
Intensity

Ever:CHC6E01
Intensity

Ever:CHC6O01
Onset

CHC6I01
Intensity

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.72	34	0.00	0
0	98.76	6568	87.03	1803
1	0.53	72	12.97	329

OTHER VARIABLES

Ccandlyusee: Daily Cannabis Use to date

```
CCANDLYUSEE=max(CCANDLYUSE, CCANDLYUSEE);  
label CCANDLYUSEE ='Ever: Daily Cannabis Use to date';
```

SAS CODE

```
*BASED SOLELY ON CHILD-REPORT AS PHC5E01-Parent-reported ever used  
daily does not exist;  
if CHC6E01a ge 1 then CCANDLYUSE=1;  
else if CHC6E01a ne . then CCANDLYUSE=0;  
label CCANDLYUSE='Ever: Daily Cannabis Use';  
label CHC6E01a = 'Ever used daily (at least 5 days per week for a  
month)';
```

CCANUSEDLY3: 3 Month: Daily Cannabis Use

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Used cannabis daily (at least 5 days per week for a month) within the last 3 months.

Informant: Only self report was collected.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
CHC6I01a (Used cannabis daily, at least 5 days per week for a month, within the last 3 months)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

CANNABIS SECTION

When questioning about drugs, substitute the name the subject uses for them.

CANNABIS USE WEEKLY

*Earlier you said that you have smoked marijuana...
Have you smoked pot as often as once a week?
For as much as a straight month?
Have you smoked pot weekly in the last 3 months?
When did that start?*

CANNABIS USE DAILY

*Have you ever used "marijuana" daily; at least 5 days a week for a month or more?
When did you start using at that level?
Have you used "marijuana" daily in the last 3 months?*

Coding rules

EVER: USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH)

- 0 = No
- 2 = Yes

USED WEEKLY (AT LEAST 1 DAY PER WEEK FOR A MONTH) IN THE LAST 3 MONTHS

- 0 = No
- 2 = Yes

EVER: CANNABIS USE DAILY

- 0 = Absent
- 2 = Present

CANNABIS USE DAILY IN PP

- 0 = Absent
- 2 = Present

Codes

Ever:CHC5E01
Intensity

Ever:CHC5O01
Onset

CHC5I01
Intensity

Ever:CHC6E01
Intensity

Ever:CHC6O01
Onset

CHC6I01
Intensity

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.72	34	0.00	0
0	98.96	6597	92.79	1952
1	0.32	43	7.21	180

OTHER VARIABLES

CCANUSEDLY33: 3 Month: Daily Cannabis Use to date

```
CCANUSEDLY33=max(CCANUSEDLY3, CCANUSEDLY33);  
label CCANUSEDLY33 = 'Ever: 3 Month: Daily Cannabis Use to date';
```

SAS CODE

```
*BASED SOLELY ON CHILD-REPORT AS PHC5E01-Parent-reported ever used  
daily does not exist;  
if CHC6I01a ge 1 then CCANUSEDLY3=1;  
else if CHC6I01a ne . then CCANUSEDLY3=0;  
label CCANUSEDLY3='3 Month: Daily Cannabis Use';  
label CHC6I01a = 'Used daily (at least 5 days per week for a month)  
within the last 3 months';
```

CCANFREQ: 3 Month: Max Cannabis Use Frequency

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Frequency of cannabis use in past 3 months.

Informant: Only self report was collected.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
CHB0I01a (Used cannabis in past 3 months)	Y	Y
CHC8F01a (Frequency of cannabis intoxication)	Y	Y

SAMPLE INTERVIEW SECTION

Wave P eYAPA 2.0.3

Definitions and questions

DRUG USE

Code all drugs (since the last interview) used by the subject

DRUGS

Have you ever experimented with any drugs?

What about with your friends?

Has anyone ever given you any drugs?

What did you do?

I have a list of drugs here that you might have come across. Is it OK if I ask you about them?

CANNABIS USE

Marijuana, weed, pot, grass, hash, Thai stick.

Have you ever tried smoking pot?

Have you used marijuana in the last 3 months?

When was the first time you ever used marijuana?

COCAINE USE

Coke

Have you ever tried cocaine?

When did you first try?

Have you used it in the last 3 months?

Coding rules

DRUG USE

0 - No

2 - Yes

CANNABIS USE

0 - No

2 - Yes

CANNABIS USE IN LAST 3 MONTHS

0 - No

2 - Yes

COCAINE USE

0 - No

2 - Yes

COCAINE USE

0 - No

2 - Yes

Codes

*Ever:CHBXXX 00
Intensity*

*Ever:CHB0E01
Intensity*

*CHB0I01
Intensity*

*Ever:CHB0O01
Onset*

*Ever:CHB1E01
Intensity*

*CHB1I01
Intensity*

*Ever:CHB1O01
Onset*


GLOSSARY NOTES

None.


N, WEIGHTED PREVALENCE, and MISSING DATA

CAPA		YAPA	
Weighted Median	N	Weight Median	N
2.00	279	10.00	479

CCANFREQ where Age > 18



CCANFREQ where Age > 17 and < 23



OTHER VARIABLES

Ccanfrege: 3 Month: Max Cannabis Use Frequency to Date

```
ccanfrege=max(ccanfreq, ccanfrege);  
label ccanfrege = '3 Month: Max Cannabis Use Frequency to date';
```

SAS CODE

```
*BASED SOLELY ON CHILD-REPORT AS PHC8F01-Parent-report of frequency of  
cannabis intoxication does not exist;  
*Child-reported frequency in past 3 months;  
if CHB0I01a ge 1 then ccanfreq=CHC8F01a;  
else ccanfreq= . ;  
  
label ccanfreq='3 Month: Max Cannabis Use Frequency';  
label CHB0I01a = 'Cannabis use: Last 3 months';  
label CHC8F01a = 'Child-reported cannabis use: Frequency of cannabis  
intoxication';
```

JCANDEAL: Ever: Dealt Cannabis

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Ever dealt cannabis.

Informant: Child report is default. Use parent report if child denies initiation, but parent reports it.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

P/CHC4E01a (Ever dealt cannabis)

<u>CAPA</u>	<u>YAPA</u>
Y	Y

SAMPLE INTERVIEW SECTION

Wave P eYAPA 2.0.3

Definitions and questions

DEALING DRUGS
 The subject sells illegal drugs to others, gets others to sell drugs for him/her, or gives drugs to others in exchange for goods(including weapons) and services (including sexual favors).

ALSO CODE UNDER SUBSTANCE RELATED CRIME IN THE MALADAPTIVE BEHAVIOR SECTION

Have you ever sold/dealt drugs to anyone?

Have you sold/dealt drugs in the last 3 months?

Or gotten anyone else to sell drugs for you?

Or given anyone drugs in exchange for something you wanted?

What kind of drugs?
How many times?
What were the drugs worth?

Cannabis (Marijuana, weed, pot, grass)?

Cocaine or crack?

Amphetamines (uppers, speed), Ice, or Meth?

Heroin, morphine, opium, other opioids?
What about ecstasy or oxycodone?

LSD, PCP, or Magic Mushrooms?

Sedatives (barbiturates) such as Xanax, Klonopin, or Valium?

When was the first time you ever sold any type of drug?

What about in the last 3 months?

How much were the drugs worth that you sold in the last 3 months?

Coding rules

EVER SOLD DRUGS
 0 = No
 2 = Yes

EVER: DEALT CANNABIS
 2 = 1-5 occasions only
 3 = 6 or more occasions.
 4 = As 3, but value of drugs> \$1,000 over last 12 mos.

EVER: DEALT COCAINE, CRACK
 2 = 1-5 occasions only
 3 = 6 or more occasions.
 4 = As 3, but value of drugs> \$1,000 over last 12 mos.

EVER: AMPHETAMINES, ICE, METH
 2 = 1-5 occasions only
 3 = 6 or more occasions.
 4 = As 3, but value of drugs> \$1,000 over last 12 mos.

EVER: DEALT HEROIN/OTHER OPIODS/ECSTASY/OXYCODONE
 2 = 1-5 occasions only
 3 = 6 or more occasions.
 4 = As 3, but value of drugs> \$1,000 over last 12 mos.

EVER: DEALT HALLUCINOGENS
 2 = 1-5 occasions only
 3 = 6 or more occasions.
 4 = As 3, but value of drugs> \$1,000 over last 12 mos.

EVER: SEDATIVES
 2 = 1-5 occasions only
 3 = 6 or more occasions.
 4 = As 3, but value of drugs> \$1,000 over last 12 mos.

Codes

Ever:CHC4I90 Intensity

Ever:CHC4E01

Ever:CHC4E02

Ever:CHC4E03

Ever:CHC4E04

Ever:CHC4E05

Ever:CHC4E06

Ever:CHC4O01 Onset

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.08	7	0.78	29
0	98.87	6592	93.38	1963
1	1.05	75	5.84	140

OTHER VARIABLES

Jcandeale: Ever: Dealt Cannabis to date

```
jcandeale=max(jcandeal, jcandeale);  
label jcandeale = 'Ever: Dealt Cannabis to date';
```

SAS CODE

```
*Child-reported ever dealing;  
if CHC4E01a ge 1 then ccandeal=1;  
else if CHC4E01a ne . then ccandeal=0;  
label ccandeal = 'Child-reported ever dealt cannabis';  
label CHC4E01a = 'Ever: Dealt Cannabis';  
  
**Create parent report of dealing frequency in past 3 months;  
if PHC4E01a ge 1 then pcandeal=1;  
else if PHC4E01a ne . then pcandeal=0;  
label pcandeal='Parent-reported ever dealt cannabis';  
label PHC4E01a = 'Ever: Dealt Cannabis';  
  
jcandeal= ccandeal;  
if (ccandeal eq .) or  
(CHC4E01a eq 0 and PHC4E01a GE 1) then jcandeal= pcandeal;  
label jcandeal = 'Ever: Dealt Cannabis';  
label CHC4E01a = 'Ever: Dealt cannabis';  
label PHC4E01a = 'Ever: Dealt cannabis';
```

J4_SDP3: 3 Month: Cannabis Dependence

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: A maladaptive pattern of cannabis use, leading to clinically significant impairment or distress, as manifested by three or more of the following criteria:

1. Tolerance:
 - Tolerance to cannabis is manifested as either a need for markedly increased amounts of cannabis to achieve intoxication, or a markedly diminished effect with continued use of the same amount of cannabis.
2. Greater use of cannabis than intended:
 - Cannabis was often taken in larger amounts or over a longer period than was intended.
3. Unsuccessful efforts to cut down or control cannabis use:
 - Persistent desire or unsuccessful efforts to cut down or control cannabis use.
4. Great deal of time spent in using cannabis, or recovering from hangovers.
5. Cannabis caused reduction in social, occupational or recreational activities:
 - Important social, occupational, or recreational activities given up or reduced because of cannabis use.
6. Continued using cannabis despite knowing it caused significant problems:
 - Continued cannabis use is continued despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been worsened by cannabis.

DSM-IV Criterion for Cannabis Dependence	Corresponding CAPA/YAPA Variable
1. Tolerance	P/CIA3I03a
2. Cannabis is often taken in larger amounts or over a longer period than was intended.	P/CIA4I03a P/CIA5I03a
3. There is a persistent desire or there are unsuccessful efforts to cut down or control cannabis use.	J4NCUT3
4. A great deal of time spent in using cannabis, or recovering from hangovers.	P/CIA2I03
5. Important social, occupational, or recreational activities are given up or reduced because of cannabis use.	P/CIB3I03
6. Continued cannabis use is continued despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been worsened by cannabis.	P/CIB9I03a

Informant: Child report is default. Use parent report if child denies initiation, but parent reports it.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA3I03a (Cannabis tolerance)	Y	Y
P/CIA4I03a (Intensity of cannabis involved in overconsumption)	Y	Y

P/CIA5I03a (Intensity of cannabis involved in “uncontrollable use”)	Y	Y
J4NCUT3 (Tried to cut down on cannabis)	Y	Y
P/CIA2I03 (Intensity of cannabis involved in time spent in “substance” - related behavior)	Y	Y
P/CIB3I03 (Intensity of cannabis involved in reduced activities)	Y	Y
P/CIB9I03a (Intensity of cannabis involved in physical problems)	Y	Y

SAMPLE INTERVIEW SECTION

Wave P eYAPA 2.0.3

Definitions and questions

TOLERANCE

The need for increased intake of "substance" (by at least 50%) to produce previously experienced psychological or behavioral changes associated with "substance" use.

Do you need to use more "substance" than you used to, to have the same effect?

Are you able to tolerate larger amounts of "substance" than you used to?

*How much more?
When did you start to need more?*

Coding rules

TOLERANCE

0 - Does not show tolerance.

2 - Needs to use "substance" at least 50% more than previously to obtain desired effect or can tolerate at least 50% more than previously.

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine/Crack
- 4 - Amphet./Ice/Meth
- 5 - Inhalants
- 6 - Heroin/Opioids/X/Oxy
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIA3/07
Intensity

CIA3/07
Onset

CIA3/02

CIA3/03

CIA3/04

CIA3/05

CIA3/06

CIA3/07

CIA3/08

CIA3/09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.75	6644	98.13	2077
1	0.25	30	1.87	55

OTHER VARIABLES


J4NSDP3: Number of Cannabis dependence symptoms

```
j4nsdp3 = sum((CIA3I03a ge 1 or PIA3I03a ge 1), (CIA5I03a ge 1 or  
PIA5I03a ge 1 or CIA4I03a ge 1 or PIA4I03a ge 1), (CIA2I03a ge 1 or  
PIA2I03a ge 1), (CIB3I03a ge 1 or PIB3I03a ge 1), (CIB9I03a ge 1 or  
PIB9I03a ge 1), j4ncut3);
```


```
label j4nsdp3='N of Cannabis dependence symptoms';
```

CAPA		YAPA	
Weighted Median	N	Weighted Median	N
0.00	6674	0.00	2132

J4NSDP3 where Age > 18



J4NSDP3 where Age > 17 and < 23



SAS CODE

```
if j4nsdp3 ge 3 then j4_sdp3=1;  
else if j4nsdp3 ne . then j4_sdp3=0;  
label j4_sdp3='3 Month: Cannabis Dependence';
```

J4_ABU3: 3 Month: Cannabis Abuse

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: A destructive pattern of cannabis use, leading to significant social, occupational, or medical impairment, as manifested by one or more of the following:

1. Recurrent cannabis use resulting in failure to fulfill major role obligations at work or school.
2. Recurrent cannabis use in situations in which it is physically hazardous (e.g., driving an automobile).
3. Recurrent cannabis-related legal problems (e.g., arrests for cannabis possession).
4. Continued cannabis use despite persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the cannabis (e.g., arguments with spouse or parents over the possession of cannabis in the home or its use in the presence of children).

DSM-IV Criterion for Cannabis Dependence	Corresponding CAPA/YAPA Variable
1. Recurrent cannabis use resulting in failure to fulfill major role obligations	P/CIB4I03a

-
- at work or school.
 - 2. Recurrent cannabis use in situations in which it is physically hazardous (e.g., driving an automobile). **P/CIB5I03a**
 - 3. Recurrent cannabis-related legal problems (e.g., arrests for cannabis possession). **P/CIB6I05a**
P/CIB7I03a
 - 4. Continued cannabis use despite persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the cannabis (e.g., arguments with spouse or parents over the possession of cannabis in the home or its use in the presence of children). **P/CIA8I03a**
P/CIA9I03a
P/CIB1I03a
P/CIB2I03a
P/CIB0I03a
P/CIB8I03a
-

Informant: Child report is default. Use parent report if child denies initiation, but parent reports it.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIB4I03a (Intensity of cannabis problems involved in affecting school/work)	Y	Y
P/CIB5I03a (Intensity of cannabis involved in dangerous activities)	Y	Y
P/CIB6I05a (Intensity of cannabis involved in “substance”-related crime)	Y	Y
P/CIB7I03a (Intensity of cannabis involved in trouble with the law)	Y	Y
P/CIA8I03a (Intensity of cannabis involved in disinhibited aggression)	Y	Y
P/CIA9I03a (Intensity of cannabis involved in disinhibited sexuality)	Y	Y
P/CIB1I03a (Intensity of cannabis involved in social	Y	Y

problems in family)		
P/CIB2I03a (Intensity of cannabis involved in social problems with friends)	Y	Y
P/CIB0I03a (Intensity of cannabis involved in poor judgment)	Y	Y
P/CIB8I03a (Intensity of cannabis involved in mood lability)	Y	Y

SAMPLE INTERVIEW SECTION

Wave P eYAPA 2.0.3

Definitions and questions

SCHOOL/COLLEGE/UNIVERSITY/WORK AFFECTED

Negative effects on school/college/university or work, performance and/or achievement that have resulted from "substance" use.

CODE AS IN INCAPACITY SECTION.

Has your education or work ever been affected because you were using "substance"?

When was that?
What happened?
What about during the last 3 months?
Have you ever been to school/college/university or work when you were "high (drunk)"?

What happened?
Have you gotten into any trouble there because "substance" was involved?

What happened?
Have you neglected your studies or work because of "substance"?

Have you missed any classes or work because of "substance use"?

How much?
When was that?
What about in the last 3 months?

Coding rules

SCHOOL/WORK AFFECTED

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

MISSED SCHOOL

MISSED WORK

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine/Crack
- 4 - Amphet./Ice/Meth
- 5 - Inhalants
- 6 - Heroin/Opioids/X/Oxy
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB4I01
Intensity

CIB4O01
Onset

CIB4F01

CIB4F02

CIB4I02

CIB4I03

CIB4I04

CIB4I05

CIB4I06

CIB4I07

CIB4I08

CIB4I09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA


	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.05	6586	90.09	1949
1	0.95	88	9.91	183

OTHER VARIABLES


J4NABU3: Number of Cannabis Abuse symptoms

```
j4nabu3= sum((CIB4I03a ge 1 or PIB4I03a ge 1),  
             (CIB5I03a ge 1 or PIB5I03a ge 1),  
             (CIB6I05a ge 1 or PIB6I05a ge 1 or CIB7I03a ge 1 or  
             PIB7I03a ge 1), (CIA8I02 ge 1 or PIA8I02 ge 1 or CIA9I02 ge 1 or  
             PIA9I02 ge 1 or CIB1I02 ge 1 or PIB1I02 ge 1 or CIB2I02 ge 1 or PIB2I02  
             ge 1 or CIB0I02 ge 1 or PIB0I02 ge 1 or CIB8I02 ge 1 or PIB8I02 ge 1));  
label j4nabu3='N of Cannabis Abuse symptoms';
```


J4NABU3 where Age > 18



J4NABU3 where Age > 17 and < 23



SAS CODE

```
if j4nabu3 ge 1 then j4_abu3=1;  
else if j4nabu3 ne . then j4_abu3=0;  
label j4_abu3='3 Month: Cannabis Abuse';
```

JCANMAL: 3 Month: Cannabis-Related Maladaptive Behavior

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Any maladaptive behavior in last 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA0I03a (Intensity of cannabis involved in subjective need for substance)	Y	Y
P/CIA1I03a (Intensity of cannabis involved in uses substance to improve mood)	Y	Y
P/CIA2I03a (Intensity of cannabis involved in time spent in "substance"-related behavior)	Y	Y
P/CIA3I03a (Intensity of cannabis involved in tolerance)	Y	Y
P/CIA4I03a (Intensity of cannabis involved in overconsumption)	Y	Y
P/CIA5I03a (Intensity of cannabis involved in uncontrollable "substance" use)	Y	Y
P/CIA6I03a (Intensity of cannabis involved in narrowed "substance" use repertoire)	Y	Y

P/CIA7I03a (Intensity of cannabis involved in morning "substance" use)	Y	Y
P/CIA8I03a (Intensity of cannabis involved in disinhibited aggression)	Y	Y
P/CIA9I03a (Intensity of cannabis involved in disinhibited sexuality)	Y	Y
P/CIB0I03a (Intensity of cannabis involved in poor judgment)	Y	Y
P/CIB1I03a (Intensity of cannabis involved in social problems in family)	Y	Y
P/CIB2I03a (Intensity of cannabis involved in social problems with friends)	Y	Y
P/CIB3I03a (Intensity of cannabis involved in reduced activities)	Y	Y
P/CIB4I03a (Intensity of cannabis involved in affected school/work)	Y	Y
P/CIB5I03a (Intensity of cannabis involved in dangerous activities)	Y	Y
P/CIB6I05a (Intensity of cannabis involved in "substance"-related crime)	Y	Y
P/CIB7I03a (Intensity of cannabis involved in trouble with the law)	Y	Y
P/CIB8I03a (Intensity of cannabis involved in mood lability)	Y	Y
P/CIB9I03a (Intensity of cannabis involved in physical problems)	Y	Y
P/CIC0I03a (Intensity of cannabis involved in blackouts)	Y	Y

SAMPLE INTERVIEW SECTION

Wave P eYAPA 2.0.3

Definitions and questions

SUBJECTIVE NEED FOR "SUBSTANCE"

A feeling of need or craving to consume "substance", that is, at least sometimes, intrusive into other thoughts or activities, and cannot always be controlled except through using "substance".

Do you sometimes need "substance" to help you get through the day?

Does it bother you if you don't have "substance" on any given day?

Do you crave it?

When did that start?

How often in the last 3 months?

When do you have your first "substance" of the day?

Do you miss it if you can't get "substance" ?

What happens if you don't get "substance"?

Coding rules

SUBJECTIVE NEED FOR "SUBSTANCE"

- 0 - Absent
- 2 - At least some days feels uncontrollable need for substance, intrusive into at least 2 activities, unless satisfied
- 3 - Most days feels uncontrollable need for substance, intrusive into at least 2 activities, unless satisfied

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine/Crack
- 4 - Amphet./Ice/Meth
- 5 - Inhalants
- 6 - Heroin/Opioids/X/Oxy
- 7 - Hallucinogens
- 8 - Sedatives

Codes

- CIA0107
Intensity
- CIA0F01
Frequency
- CIA0001
Onset
- CIA0102
- CIA0103
- CIA0104
- CIA0105
- CIA0106
- CIA0107
- CIA0108
- CIA0109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	98.16	6514	86.47	1833
1	1.84	160	13.53	299

OTHER VARIABLES

Cmalsum4: 3 Month: Sum of non-diagnostic maladaptive behaviors

Cmalsum5: 3 Month: Any of non-diagnostic maladaptive behaviors

JCANMALE: Ever: 3 Month: Cannabis-related maladaptive behavior

```
JCANMALE= max (JCANMAL, JCANMALE);
```

```
label JCANMALE='Ever: 3 Month: Cannabis-Related Maladaptive Behavior';
```

```
cmalsum4 = sum (JCANMAL1, JCANMAL2, JCANMAL7, JCANMAL8, JALCMAL21);
```

```
label cmalsum4 = '3 month: Sum of non-diagnostic maladaptive behaviors';
```

```
if cmalsum4 ge 1 then cmalsum5 = 1;
```

```
else if cmalsum4 ne . then cmalsum5 = 0;
```

```
label cmalsum5 = '3 month: Any non-diagnostic maladaptive behaviors ';
```

None.

SAS CODE

```
**Sum of child-reported of any maladaptive behavior;
```

```
JCANMAL= sum (CIA0I03a, CIA1I03a, CIA2I03a, CIA3I03a, CIA4I03a,  
CIA5I03a, CIA6I03a, CIA7I03a,  
CIA8I03a, CIA9I03a, CIB0I03a, CIB1I03a, CIB2I03a, CIB3I03a, CIB4I03a,  
CIB5I03a, CIB6I05a,  
CIB7I03a, CIB8I03a, CIB9I03a, CIC0I03a);
```

```
label CIA0I03a = 'Intensity of cannabis involved in subjective need for  
substance';
```

```

label CIA1I03a = 'Intensity of cannabis involved in uses substance to
improve mood';
label CIA2I03a = 'Intensity of cannabis involved in time spent in
"substance"-related behavior';
label CIA3I03a = 'Intensity of cannabis involved in tolerance';
label CIA4I03a = 'Intensity of cannabis involved in overconsumption';
label CIA5I03a = 'Intensity of cannabis involved in uncontrollable
"substance" use';
label CIA6I03a = 'Intensity of cannabis involved in narrowed
"substance" use repertoire';
label CIA7I03a = 'Intensity of cannabis involved in morning "substance"
use';
label CIA8I03a = 'Intensity of cannabis involved in disinhibited
aggression';
label CIA9I03a = 'Intensity of cannabis involved in disinhibited
sexuality';
label CIB0I03a = 'Intensity of cannabis involved in poor judgment';
label CIB1I03a = 'Intensity of cannabis involved in social problems in
family';
label CIB2I03a = 'Intensity of cannabis involved in social problems
with friends';
label CIB3I03a = 'Intensity of cannabis involved in reduced
activities';
label CIB4I03a = 'Intensity of cannabis involved in affected
school/work';
label CIB5I03a = 'Intensity of cannabis involved in dangerous
activities';
label CIB6I05a = 'Intensity of cannabis involved in "substance"-related
crime';
label CIB7I03a = 'Intensity of cannabis involved in trouble with the
law';
label CIB8I03a = 'Intensity of cannabis involved in mood lability';
label CIB9I03a = 'Intensity of cannabis involved in physical
problems';
label CIC0I03a = 'Intensity of cannabis involved in blackouts';

**P/CMD0I11  P/CMD1I11could not be included here;

**Dichotomize child-reported any maladaptive behavior;
if CCANMAL ge 1 then CCANMAL=1;
else if CCANMAL ne . then CCANMAL = 0;

**Sum of parent-reported of any maladaptive behavior;
PCANMAL= sum (PIA0I03a, PIA1I03a, PIA2I03a, PIA3I03a, PIA4I03a,
PIA5I03a, PIA6I03a, PIA7I03a,
PIA8I03a, PIA9I03a, PIB0I03a, PIB1I03a, PIB2I03a, PIB3I03a, PIB4I03a,
PIB5I03a, PIB6I05a,
PIB7I03a, PIB8I03a, PIB9I03a, PIC0I03a);

**Dichotomize child-reported any maladaptive behavior/impairment;
if PCANMAL ge 1 then PCANMAL=1;
else if PCANMAL ne . then PCANMAL = 0;

*Array to create joint reports for all of the impairment variables
above;
array csub  CCANMAL;
      array psub  PCANMAL;

```

```
array jsub JCANMAL;

do over jsub;
  if csub=1 then jsub=1;
  else if (csub=. and psub ge 1) or (csub=0 and psub ge 1) then
jsub=1;
  else if csub ne . or psub ne . then jsub=0;
  end;

label JCANMAL='3 Month: Cannabis-Related Maladaptive Behavior';
```


JCANMAL1: 3 Month: Subjective Need/Craving

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Subjective need for cannabis within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIA0I03a (Maladaptive behavior: Intensity of cannabis involved in subjective need for "substance")	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

SUBJECTIVE NEED FOR "SUBSTANCE"

A feeling of need or craving to consume "substance", that is, at least sometimes, intrusive into other thoughts or activities, and cannot always be controlled except through using "substance".

Do you sometimes need "substance" to help you get through the day?

When did that start?

How often in the last 3 months?

When do you have your first "substance" of the day?

Do you miss it if you can't get "substance" ?

What happens if you don't get "substance"?

Coding rules

SUBJECTIVE NEED FOR "SUBSTANCE"

2 - On at least some days feels an uncontrollable craving for "substance" that intrudes into thoughts or other activities, unless satisfied.

3 - Nearly every day feels an uncontrollable craving for "substance" that is intrusive into nearly every activity, unless satisfied.

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIA0I01

CIA0F01
Frequency

CIA0O01
Onset

 / /

CIA0I02

CIA0I03

CIA0I04

CIA0I05

CIA0I06

CIA0I07

CIA0I08

CIA0I09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	4.45	274	0	0
0	95.31	6372	96.78	2038
1	0.24	28	3.22	94

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA0I03a ge 1 then CCANMAL1=1;
else if CIA0I03a ne . then CCANMAL1=0;
label CCANMAL1= 'Maladaptive behavior: Child-reported any maladaptive
behavior involving subject need for "substance in past 3 mos';
label CIA0I03a = 'Maladaptive behavior: Intensity of cannabis involved
in subjective need for "substance"';

*Parent-reported;
if PIA0I03a ge 1 then PCANMAL1=1;
else if PIA0I03a ne . then PCANMAL1=0;
label PCANMAL1= 'Maladaptive behavior: Parent-reported any maladaptive
behavior involving subject need for "substance in past 3 mos';
label PIA0I03a = 'Maladaptive behavior: Intensity of cannabis involved
in subjective need for "substance"';

*Joint report;
JCANMAL1= CALCMAL1;
if (CCANMAL1 eq .) or (CCANMAL1=0 and PCANMAL1=1) then JALCMAL1=
PCANMAL1;
label JCANMAL1 = '3 Month: Subjective Need/Craving';
```

JCANMAL2: 3 Month: Use to Improve Mood

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Uses cannabis to improve mood within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIA1I03a (Maladaptive behavior: Intensity of cannabis to improve mood)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

USES "SUBSTANCE" TO IMPROVE MOOD

The subject described using "substance" in an attempt to relieve dysphoria, anxiety, or irritability, or to induce an increased feeling of well-being.

Do you sometimes use "substance" to cheer yourself up when you feel low?

Or to make yourself feel less anxious?

When did that start?

How often does that happen?

Is that usually why you use "substance"?

Coding rules

USES "SUBSTANCE" TO IMPROVE MOOD

2 - Sometimes uses "substance" to improve mood (< 50% of the time)

3 - Usually uses "substance" to improve mood (> 50% of the time)

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CLAI101
Intensity

CLAI101
Frequency

CLAI001
Onset

CLAI102

CLAI103

CLAI104

CLAI105

CLAI106

CLAI107

CLAI108

CLAI109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.37	6616	95.06	2013
1	0.63	58	4.94	119

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA1I03a ge 1 then CCANMAL2=1;
else if CIA1I03a ne . then CCANMAL2=0;
label CALCMAL2= 'Maladaptive behavior: Child-reported any maladaptive
behavior involving uses "substance" to improve mood in past 3 mos';
label CIA1I03a = 'Maladaptive behavior: Intensity of cannabis involved
to improve mood';
*Parent-reported;
if PIA1I03a ge 1 then PCANMAL2=1;
else if PIA1I03a ne . then PCANMAL2=0;
label PALCMAL2= 'Maladaptive behavior: Parent-reported any maladaptive
behavior involving uses "substance" to improve mood in past 3 mos';
label PIA1I03a = 'Maladaptive behavior: Intensity of cannabis involved
to improve mood';

*Joint report;
JCANMAL2= CCANMAL2;
if (CCANMAL2 eq .) or (CCANMAL2=0 and PCANMAL2=1) then JCANMAL2=
PCANMAL2;
label JCANMAL2 = '3 Month: Use to Improve Mood';
```

JCANMAL3: 3 Month: Much Time Spent in Cannabis-related Activities

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Time spent in cannabis-related behavior within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL3 is part of diagnostic criteria for cannabis dependence.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA2I03a (Maladaptive behavior: Intensity of cannabis involved in time spent in “substance-related behavior)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

TIME SPENT IN "SUBSTANCE" RELATED BEHAVIOR

Amount of time spent in "substance" related behavior including activities associated with getting and consuming "substance" and recovering from the effects of using "substance".

How much time do you spend using "substance"?

Or getting "substance"?

Or getting it ready to use?

Or recovering from the effects of using it ?

COST OF SUBSTANCES PER WEEK IN LAST 3 MONTHS

How much did you spend per week in the last 3 months on drugs and alcohol?

How do you pay for your use of "substance"?

Where do you get the money?

Coding rules

TIME SPENT

- 0 = < 1 hour per day
- 2 = 1-3 hours per day
- 3 = > 3 hours per day

SUBSTANCE LIST

- 1 = Alcohol
- 2 = Cannabis
- 3 = Cocaine Etc.
- 4 = Amphetamines Etc.
- 5 = Inhalants
- 6 = Heroin/Other Opioids
- 7 = Hallucinogens
- 8 = Sedatives

COST PER WEEK FOR ALL SUBSTANCES COMBINED

Codes

CIA2I01
Intensity

CIA2I02

CIA2I03

CIA2I04

CIA2I05

CIA2I06

CIA2I07

CIA2I08

CIA2I09

CIA2X01

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.17	2
0	99.40	6603	90.42	1918
1	0.60	71	9.41	212

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA2I03a ge 1 then CCANMAL3=1;
else if CIA2I03a ne . then CCANMAL3=0;
label CCANMAL3= 'Maladaptive behavior: Child-reported any maladaptive
behavior involved in time spent in "substance"-related behavior in past
3 mos';
label CIA2I03a = 'Maladaptive behavior: Intensity of cannabis involved
in time spent in "substance"-related behavior';

*Parent-reported;
if PIA2I03a ge 1 then PCANMAL3=1;
else if PIA2I03a ne . then PCANMAL3=0;
label PCANMAL3= 'Maladaptive behavior: Parent-reported any maladaptive
behavior involved in time spent in substance-related behavior in past 3
mos';
label PIA2I03a = 'Maladaptive behavior: Intensity of cannabis involved
in time spent in substance-related behavior';

*Joint report;
JCANMAL3= CCANMAL3;
if (CCANMAL3 eq .) or (CCANMAL3=0 and PCANMAL3=1) then JCANMAL3=
PCANMAL3;
label JCANMAL3 = '3 Month: Much Time Spent in Cannabis -related
Activities';
```

JCANMAL4: 3 Month: Tolerance

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Tolerance to cannabis within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL4 is part of diagnostic criteria for cannabis dependence.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA3I03a (Maladaptive behavior: Intensity of cannabis involved in tolerance)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

TOLERANCE

The need for increased intake of "substance" (by at least 50%) to reduce previously experienced psychological or behavioral changes associated with "substance" use.

Do you need to use more "substance" than you used to, to have the same effect?

Are you able to tolerate larger amounts of "substance" than you used to?

How much more?

When did you start to need more?

Coding rules

TOLERANCE

0 = Does not show tolerance.

2 = Needs to use "substance" at least 50% more than previously to obtain desired effect or can tolerate at least 50% more than previously.

SUBSTANCE LIST

1 = Alcohol

2 = Cannabls

3 = Cocaine Etc.

4 = Amphetamines Etc.

5 = Inhalants

6 = Heroin/Other Opioids

7 = Hallucnogens

8 = Sedatives

Codes

CIA3I01
Intensity

CIA3O01
Onset

CIA3I02

CIA3I03

CIA3I04

CIA3I05

CIA3I06

CIA3I07

CIA3I08

CIA3I09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.42	6620	95.09	2042
1	0.58	54	4.91	90

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA3I03a ge 1 then CCANMAL4=1;
else if CIA3I03a ne . then CCANMAL4=0;
label CCANMAL4= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in tolerance in past 3 mos';
label CIA3I03a = 'Maladaptive behavior: Intensity of cannabis involved
in tolerance';

*Parent-reported;
if PIA3I03a ge 1 then PCANMAL4=1;
else if PIA3I03a ne . then PCANMAL4=0;
label PCANMAL4= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in tolerance in past 3 mos';
label PIA3I03a = 'Maladaptive behavior: Intensity of cannabis involved
in tolerance';

*Joint report;
JCANMAL4= CCANMAL4;
if (CCANMAL4 eq .) or (CCANMAL4=0 and PCANMAL4=1) then JCANMAL4=
PCANMAL4;
label JCANMAL4 = '3 Month: Tolerance ';
```

JCANMAL5: 3 Month: Overconsumption

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Overconsumption of cannabis within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL5 is part of diagnostic criteria for cannabis dependence.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA4I03a (Maladaptive behavior: Intensity of cannabis involved in overconsumption)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

OVERCONSUMPTION

Consumption of more "substance" than intended on a particular occasion. If regular overconsumption is present, consider carefully whether the subject's behavior also conforms to the definition of a Narrowed "Substance" Use Repertoire.

Do you sometimes use more "substance" than you mean to?

*How often has that happened in the last 3 months?
When did that start?*

Coding rules

OVERCONSUMPTION

0 = Has not used "substance" more than meant to.

2 = Sometimes uses "substance" more than meant to.

SUBSTANCE LIST

1 = Alcohol

2 = Cannabis

3 = Cocaine Etc.

4 = Amphetamines Etc.

5 = Inhalants

6 = Heroin/Other Opioids

7 = Hallucinogens

8 = Sedatives

Codes

CIA4I01

Intensity

CIA4F01

Frequency

CIA4O01

Onset

CIA4I02

CIA4I03

CIA4I04

CIA4I05

CIA4I06

CIA4I07

CIA4I08

CIA4I09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.02	1
0	99.72	6650	98.09	2084
1	0.28	24	1.89	47

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA4I03a ge 1 then CCANMAL5=1;
else if CIA4I03a ne . then CCANMAL5=0;
label CCANMAL5= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in overconsumption in past 3 mos';
label CIA4I03a = 'Maladaptive behavior: Intensity of cannabis involved
in overconsumption';

*Parent-reported;
if PIA4I03a ge 1 then PCANMAL5=1;
else if PIA4I03a ne . then PCANMAL5=0;
label PCANMAL5= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in overconsumption in past 3 mos';
label PIA4I03a = 'Maladaptive behavior: Intensity of cannabis involved
in overconsumption';

*Joint report;
JCANMAL5= CCANMAL5;
if (CCANMAL5 eq .) or (CCANMAL5=0 and PCANMAL5=1) then JCANMAL5=
PCANMAL5;
label JCANMAL5 = '3 Month: Overconsumption ';
```

JCANMAL6: 3 Month: Uncontrollable Use

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Uncontrollable cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL6 is part of diagnostic criteria for cannabis dependence.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA5I03a (Maladaptive behavior: Intensity of cannabis involved in uncontrollable “substance” use)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

UNCONTROLLABLE "SUBSTANCE" USE

Episodes in which, whatever his/her original intentions, the subject keeps on using "substance" until unable to use "substance" any more, either because of the unavailability of further "substance" or because of physical incapability (e.g. severe nausea).

If you once start using "substance", do you ever find that you just can't stop until all the "substance" is gone?

Or until you physically can't take any more (e.g. because of unconsciousness, vomiting, "sore lungs", etc.)?

Do you ever use "substance" just because it's there?

*How often does that happen?
When did that start?*

Coding rules

UNCONTROLLABLE SUBSTANCE USE

0 = Never unable to resist using "substance" until no further "substance" available or unable to use "substance" any more.

2 = Sometimes (

3 = Usually (> 50% of the time) unable to stop until no further "substance" available or unable to use "substance" any more.

SUBSTANCE LIST

- 1 = Alcohol
- 2 = Cannabis
- 3 = Cocaine Etc.
- 4 = Amphetamines Etc.
- 5 = Inhalants
- 6 = Heroin/Other Opioids
- 7 = Hallucinogens
- 8 = Sedatives

Codes

CIA5I01
Intensity

CIA5F01
Frequency

CIA5O01
Onset

CIA5I02

CIA5I03

CIA5I04

CIA5I05

CIA5I06

CIA5I07

CIA5I08

CIA5I09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.62	6642	97.95	2098
1	0.38	32	2.05	34

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA5I03a ge 1 then CCANMAL6=1;
else if CIA5I03a ne . then CCANMAL6=0;
label CCANMAL6= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in uncontrollable "substance" use in past 3 mos';
label CIA5I03a = 'Maladaptive behavior: Intensity of cannabis involved
in uncontrollable "substance" use';

*Parent-reported;
if PIA5I03a ge 1 then PCANMAL6=1;
else if PIA5I03a ne . then PCANMAL6=0;
label PCANMAL6= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in uncontrollable "substance" use in past 3 mos';
label PIA5I03a = 'Maladaptive behavior: Intensity of cannabis involved
in uncontrollable "substance" use';

*Joint report;
JCANMAL6= CCANMAL6;
if (CCANMAL6 eq .) or (CCANMAL6=0 and PCANMAL6=1) then JCANMAL6=
PCANMAL6;
label JCANMAL6 = '3 Month: Uncontrollable Use';
```

JCANMAL7: 3 Month: Narrowed Use Repertoire

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Narrowed cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA6I03a (Maladaptive behavior: Intensity of cannabis involved in narrowed "substance" use)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

NARROWED "SUBSTANCE" USE REPERTOIRE

The subject's tends to use "substance" in the same way in any situation, even when a particular pattern may be inappropriate. For instance using "substance" heavily when on a first date, or using "substance" as much whether alone or in company. Subject is unable to have a repertoire of substance using behaviors; patterns of heavy use are no longer differentiated by enviornment.

Do you "get high (drunk) (use substance)" in inappropriate circumstances?

Like where?

Do have different patterns of using "substance" in different situations?

Do you vary how you use "substances" depending on the situation?

When did that start to happen?

Like when you go on a date, as compared with when you are with your friends?

Coding rules

NARROED "SUBSTANCE" USE REPERTOIRE

0 - No

2 - Yes

SUBSTANCE LIST

1 - Alcohol

2 - Cannabls

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

Codes

CIA6I01
Intensity

CIA6O01
Onset

 / /

CIA6I02

CIA6I03

CIA6I04

CIA6I05

CIA6I06

CIA6I07

CIA6I08

CIA6I09

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.83	6653	97.99	2090
1	0.17	21	2.01	42

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA6I03a ge 1 then CCANMAL7=1;
else if CIA6I03a ne . then CCANMAL7=0;
label CCANMAL7= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in narrowed "substance" use repertoire in past 3
mos';
label CIA6I03a = 'Maladaptive behavior: Intensity of cannabis involved
in narrowed "substance" use repertoire';

*Parent-reported;
if PIA6I03a ge 1 then PCANMAL7=1;
else if PIA6I03a ne . then PCANMAL7=0;
label PCANMAL7= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in narrowed "substance" use repertoire in past 3
mos';
label PIA6I03a = 'Maladaptive behavior: Intensity of cannabis involved
in narrowed "substance" use repertoire';

*Joint report;
JCANMAL7= CCANMAL7;
if (CCANMAL7 eq .) or (CCANMAL7=0 and PCANMAL7=1) then JCANMAL7=
PCANMAL7;
label JCANMAL7 = '3 Month: Narrowed Use Repertoire';
```

JCANMAL8: 3 Month: Morning Use

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Morning cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA7I03a (Maladaptive behavior: Intensity of cannabis involved in morning "substance" use)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

MORNING "SUBSTANCE" USE
Use of "substance" within 2 hours of rising.
Do you use "substance" in the morning?
How often in the last 3 months?
When did that start?
Do you feel you need it in the morning?
Did you take anything else instead?

Coding rules

MORNING SUBSTANCE USE

- 0 - No
- 2 - Yes

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

- CIA7I01
Intensity
- CIA7F01
Frequency
- CIA7O01
Onset
- CIA7I02
- CIA7I03
- CIA7I04
- CIA7I05
- CIA7I06
- CIA7I07
- CIA7I08
- CIA7I09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.34	6603	94.03	1992
1	0.66	71	5.97	140

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA7I03a ge 1 then CCANMAL8=1;
else if CIA7I03a ne . then CCANMAL8=0;
label CCANMAL8= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in morning "substance" use in past 3 mos';
label CIA7I03a = 'Maladaptive behavior: Intensity of cannabis involved
in morning "substance" use';

*Parent-reported;
if PIA7I03a ge 1 then PCANMAL8=1;
else if PIA7I03a ne . then PCANMAL8=0;
label PCANMAL8= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in morning "substance" use in past 3 mos';
label PIA7I03a = 'Maladaptive behavior: Intensity of cannabis involved
in morning "substance" use';

*Joint report;
JCANMAL8= CCANMAL8;
if (CCANMAL8 eq .) or (CCANMAL8=0 and PCANMAL8=1) then JCANMAL8=
PCANMAL8;
label JCANMAL8 = '3 Month: Morning Use';
```


JCANMAL9: 3 Month: Disinhibited Aggression

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Disinhibited aggression with cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL9 is part of diagnostic criteria for cannabis abuse.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIA8I03a (Maladaptive behavior: Intensity of cannabis involved in disinhibited aggression)	Y	Y

SAMPLE INTERVIEW SECTION

Definitions and questions

DISINHIBITED AGGRESSION

After using "substance" the subject has been verbally or physically aggressive in a way that is not characteristic of his/her behavior when not intoxicated.

Have you gotten into any arguments when you were "high (drunk)"?

When you've used a lot of "substance" do you get bad-tempered or angry?

More than usual?
How often in last 3 months?
When did that start?

Have you gotten into any physical fights when you were "high (drunk)" in the last 3 months?

How often?
When did that start?

Coding rules

DISINHIBITED AGGRESSION

0 - Not unusually aggressive when under the influence of "substance".

2 - Has been atypically verbally aggressive when under the influence of "substance" during last 3 months.

3 - Has been atypically physically aggressive when under the influence of "substance" during last 3 months.

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIA8I01
Intensity

CIA8F01
Frequency

CIA8O01
Onset

CIA8I02

CIA8I03

CIA8I04

CIA8I05

CIA8I06

CIA8I07

CIA8I08

CIA8I09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.78	6663	99.90	2125
1	0.22	11	0.10	7

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA8I03a ge 1 then CCANMAL9=1;
else if CIA8I03a ne . then CCANMAL9=0;
label CCANMAL9= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in disinhibited aggression in past 3 mos';
label CIA8I03a = 'Maladaptive behavior: Intensity of cannabis involved
in disinhibited aggression';

*Parent-reported;
if PIA8I03a ge 1 then PCANMAL9=1;
else if PIA8I03a ne . then PCANMAL9=0;
label PCANMAL9= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in disinhibited aggression in past 3 mos';
label PIA8I03a = 'Maladaptive behavior: Intensity of cannabis involved
in disinhibited aggression';

*Joint report;
JCANMAL9= CCANMAL9;
if (CCANMAL9 eq .) or (CCANMAL9=0 and PCANMAL9=1) then JCANMAL9=
PCANMAL9;
label JCANMAL9 = '3 Month: Disinhibited Aggression';
```

JCANMAL10: 3 Month: Disinhibited Sexuality

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Disinhibited sexuality with cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL10 is part of diagnostic criteria for cannabis abuse.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIA9I03a (Maladaptive behavior: Intensity of cannabis involved in disinhibited sexuality)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

DISINHIBITED SEXUALITY

After using "substance" the subject is sexually provocative, or forward in a way that is not characteristic of his/her behavior when not intoxicated.

Have you made a pass at anyone when you were "high (drunk)"?

Have you tried to pick anyone up when you were "high (drunk)"?

What happened?
Is that the sort of thing that you would do when you hadn't been using "substance"?
How often in the last 3 months?
When did that start?

Coding rules

DISINHIBITED SEXUALITY

0 - No episodes of disinhibited sexuality during last 3 months.

2 - Has been atypically sexually disinhibited while under the influence of "substance" during the last 3 months.

3 - Has sexually assaulted someone while under the influence of "substance", during the last 3 months.

SUBSTANCE LIST

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

Codes

CIA9T01
Intensity

CIA9F01
Frequency

CIA9O01
Onset

CIA9T02

CIA9T03

CIA9T04

CIA9T05

CIA9T06

CIA9T07

CIA9T08

CIA9T09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.83	6664	98.61	2107
1	0.17	10	1.39	25

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIA9I03a ge 1 then CCANMAL10=1;
else if CIA9I03a ne . then CCANMAL10=0;
label CCANMAL10= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in disinhibited sexuality in past 3 mos';
label CIA9I03a = 'Maladaptive behavior: Intensity of cannabis involved
in disinhibited sexuality';

*Parent-reported;
if PIA9I03a ge 1 then PCANMAL10=1;
else if PIA9I03a ne . then PCANMAL10=0;
label PCANMAL10= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in disinhibited sexuality in past 3 mos';
label PIA9I03a = 'Maladaptive behavior: Intensity of cannabis involved
in disinhibited sexuality';

*Joint report;
JCANMAL10= CCANMAL10;
if (CCANMAL10 eq .) or (CCANMAL10=0 and PCANMAL10=1) then JCANMAL10=
PCANMAL10;
label JCANMAL10 ='3 Month: Disinhibited Sexuality';
```

JCANMAL11: 3 Month: Poor Judgment

- [Description](#)
- [Raw Variable\(s\)](#)
- [CAPA Interview Section](#)
- [Glossary Notes](#)
- [Additional Variables](#)
- [N, Weighted Prevalence, and Missing Data](#)
- [Citations](#)
- [SAS CODE](#)

DESCRIPTION

- Definition: Poor judgment due to cannabis use within the past 3 months.
- Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.
- Note: JCANMAL11 is part of diagnostic criteria for cannabis abuse.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIB0I03a (Maladaptive behavior: Intensity of cannabis involved in poor judgment)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

POOR JUDGMENT

After using "substance", the subject shows poor judgment, as defined in the Mania section.

Uncharacteristic behaviors performed with disregard for possible negative consequences.

Did you do anything that you regret?

Or did anything that seemed really stupid afterwards?

What?

How often in the last 3 months has something that you regretted happened?

When did that start?

Coding rules

POOR JUDGMENT

- 0 - Absent
- 2 - Treatment for alcohol.
- 3 - Treatment for drugs.
- 4 - Treatment for both.

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB0101
Intensity

CIB0F01
Frequency

CIB0O01
Onset

CIB0102

CIB0103

CIB0104

CIB0105

CIB0106

CIB0107

CIB0108

CIB0109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.80	6663	99.45	2118
1	0.20	11	0.55	14

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB0I03a ge 1 then CCANMAL11=1;
else if CIB0I03a ne . then CCANMAL11=0;
label CCANMAL11= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in poor judgment in past 3 mos';
label CIB0I03a = 'Maladaptive behavior: Intensity of cannabis involved
in poor judgment';

*Parent-reported;
if PIB0I03a ge 1 then PCANMAL11=1;
else if PIB0I03a ne . then PCANMAL11=0;
label PCANMAL11= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in poor judgment in past 3 mos';
label PIB0I03a = 'Maladaptive behavior: Intensity of cannabis involved
in poor judgment';

*Joint report;
JCANMAL11= CCANMAL11;
if (CCANMAL11 eq .) or (CCANMAL11=0 and PCANMAL11=1) then JCANMAL11=
PCANMAL11;
label JCANMAL11 = '3 Month: Poor Judgment';
```

JCANMAL12: 3 Month: Social problems at Home

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Social problems at home due to cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL12 is part of diagnostic criteria for cannabis abuse.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIB1I03a (Maladaptive behavior: Intensity of cannabis involved in social problems in family)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

SOCIAL PROBLEMS AT HOME

Relationship problems with parents or siblings that have resulted from "substance" use.

CODE AS IN INCAPACITY SECTION.

Coding rules

SOCIAL PROBLEMS IN FAMILY

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB1101
Intensity

CIB1001
Offset

CIB1102

CIB1103

CIB1104

CIB1105

CIB1106

CIB1107

CIB1108

CIB1109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.79	6654	99.31	2118
1	0.21	20	0.69	14

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB1I03a ge 1 then CCANMAL12=1;
else if CIB1I03a ne . then CCANMAL12=0;
label CCANMAL12= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in social problems in family in past 3 mos';
label CIB1I03a = 'Maladaptive behavior: Intensity of cannabis involved
in social problems in family';

*Parent-reported;
if PIB1I03a ge 1 then PCANMAL12=1;
else if PIB1I03a ne . then PCANMAL12=0;
label PCANMAL12= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in social problems in family in past 3 mos';
label PIB1I03a = 'Maladaptive behavior: Intensity of cannabis involved
in social problems in family';

*Joint report;
JCANMAL12= CCANMAL12;
if (CCANMAL12 eq .) or (CCANMAL12=0 and PCANMAL12=1) then JCANMAL12=
PCANMAL12;
label JCANMAL12 ='3 Month: Social problems at Home';
```

JCANMAL13: 3 Month: Social problems with Friends

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Social problems with friends due to cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL13 is part of diagnostic criteria for cannabis abuse.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIB2I03a (Maladaptive behavior: Intensity of cannabis involved in social problems with friends)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

SOCIAL PROBLEMS WITH FRIENDS

Relationship problems with peers that have resulted from "substance use".

CODE AS IN INCAPACITY SECTION.

What do your friends think?

Has it caused any trouble with your friends or other people your own age?

What happened?

When did that start?

Have you lost any friends because of using "substance"?

Have you changed your friends since you've been using "substance"?

Coding rules

SOCIAL PROBLEM WITH FRIENDS

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB2101
Intensity

CIB2O01
Onset

CIB2102

CIB2103

CIB2104

CIB2105

CIB2106

CIB2107

CIB2108

CIB2109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.96	6666	99.77	2128
1	0.04	8	0.23	4

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB2I03a ge 1 then CCANMAL13=1;
else if CIB2I03a ne . then CCANMAL13=0;
label CCANMAL13= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in social problems with friends in past 3 mos';
label CIB2I03a = 'Maladaptive behavior: Intensity of cannabis involved
in social problems with friends';

*Parent-reported;
if PIB2I03a ge 1 then PCANMAL13=1;
else if PIB2I03a ne . then PCANMAL13=0;
label PCANMAL13= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in social problems with friends in past 3 mos';
label PIB2I03a = 'Maladaptive behavior: Intensity of cannabis involved
in social problems with friends';

*Joint report;
JCANMAL13= CCANMAL13;
if (CCANMAL13 eq .) or (CCANMAL13=0 and PCANMAL13=1) then JCANMAL13=
PCANMAL13;
label JCANMAL13 = '3 Month: Social problems with Friends';
```

JCANMAL14: 3 Month: Reduction in Other Activities

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Reduced activities due to cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL14 is part of diagnostic criteria for cannabis dependence.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIB3I03a (Maladaptive behavior: Intensity of cannabis involved in reduced activities)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

REDUCED ACTIVITIES

A reduction in activities that has resulted from "substance" use.

Have you stopped doing any things that you used to enjoy because of using "substance"?

What?

Why did you stop?

Have you given up anything else?

When did that start?

Coding rules

REDUCED ACTIVITIES

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB3101
Intensity

CIB3O01
Onset

CIB3102

CIB3103

CIB3104

CIB3105

CIB3106

CIB3107

CIB3108

CIB3109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.98	6670	99.93	2126
1	0.02	4	0.07	6

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB3I03a ge 1 then CCANMAL14=1;
else if CIB3I03a ne . then CCANMAL14=0;
label CCANMAL14= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in reduced activities in past 3 mos';
label CIB3I03a = 'Maladaptive behavior: Intensity of cannabis involved
in reduced activities';

*Parent-reported;
if PIB3I03a ge 1 then PCANMAL14=1;
else if PIB3I03a ne . then PCANMAL14=0;
label PCANMAL14= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in reduced activities in past 3 mos';
label PIB3I03a = 'Maladaptive behavior: Intensity of cannabis involved
in reduced activities';

*Joint report;
JCANMAL14= CCANMAL14;
if (CCANMAL14 eq .) or (CCANMAL14=0 and PCANMAL14=1) then JCANMAL14=
PCANMAL14;
label JCANMAL14 = '3 Month: Reduction in Other Activities';
```

JCANMAL15: 3 Month: Affected School/Work

[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)

DESCRIPTION

Definition: Affected school/work due to cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL15 is part of diagnostic criteria for cannabis abuse.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIB4I03a (Maladaptive behavior: Intensity of cannabis involved in affected school/work)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

SCHOOL/WORK AFFECTED

Negative effects on school/work, performance and/or achievement that have resulted from "substance" use.

CODE AS IN INCAPACITY SECTION.

Has your school/work ever been affected because you were using "substance"?

When was that?

What happened?

What about during the last 3 months?

Have you ever been to school/work when you were "high (drunk)"?

What happened?

Have you gotten into any trouble at school or elsewhere where "substance" was involved?

What happened?

Have you neglected your work because of "substance"?

Have you missed any school because of "substance use"?

How much?

When was that?

What about in the last 3 months?

Coding rules

SCHOOL/WORK AFFECTED

- 0 - Absent
- 2 - Partial Incapacity
- 3 - Complete Incapacity

MISSED SCHOOL

MISSED WORK

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB4I01
Intensity

CIB4O01
Onset

CIB4F01

CIB4F02

CIB4I02

CIB4I03

CIB4I04

CIB4I05

CIB4I06

CIB4I07

CIB4I08

CIB4I09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.55	6638	98.33	2104
1	0.45	36	1.67	28

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB4I03a ge 1 then CCANMAL15=1;
else if CIB4I03a ne . then CCANMAL15=0;
label CCANMAL15= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in affected school/work in past 3 mos';
label CIB4I03a = 'Maladaptive behavior: Intensity of cannabis involved
in affected school/work';

*Parent-reported;
if PIB4I03a ge 1 then PCANMAL15=1;
else if PIB4I03a ne . then PCANMAL15=0;
label PCANMAL15= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in affected school/work in past 3 mos';
label PIB4I03a = 'Maladaptive behavior: Intensity of cannabis involved
in affected school/work';

*Joint report;
JCANMAL15= CCANMAL15;
if (CCANMAL15 eq .) or (CCANMAL15=0 and PCANMAL15=1) then JCANMAL15=
PCANMAL15;
label JCANMAL15 = '3 Month: Affected School/Work';
```

JCANMAL16: 3 Month: Dangerous Activities

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Dangerous activities due to cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL16 is part of diagnostic criteria for cannabis abuse.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIB5I03a (Maladaptive behavior: Intensity of cannabis involved in dangerous activities)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

DANGEROUS ACTIVITIES

Activities that physically endanger either the subject or others, undertaken while intoxicated, such as driving while intoxicated, or operating machinery while intoxicated.

Have you done any dangerous things when you were "high (drunk)" in the last 3 months/

Like driving?
What happend?
How often in the ast 3 months?
When did that start?

Coding rules

DANGEROUS ACTIVITIES

- 0 - No
- 2 - Yes

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB5101
Intensity

CIB5F01
Frequency

CIB5O01
Onset

CIB5102

CIB5103

CIB5104

CIB5105

CIB5106

CIB5107

CIB5108

CIB5109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.85	6665	98.33	2098
1	0.15	9	1.67	34

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB5I03a ge 1 then CCANMAL16=1;
else if CIB5I03a ne . then CCANMAL16=0;
label CCANMAL16= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in dangerous activities in past 3 mos';
label CIB5I03a = 'Maladaptive behavior: Intensity of cannabis involved
in dangerous activities';

*Parent-reported;
if PIB5I03a ge 1 then PCANMAL16=1;
else if PIB5I03a ne . then PCANMAL16=0;
label PCANMAL16= 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in dangerous activities in past 3 mos';
label PIB5I03a = 'Maladaptive behavior: Intensity of cannabis involved
in dangerous activities';

*Joint report;
JCANMAL16= CCANMAL16;
if (CCANMAL16 eq .) or (CCANMAL16=0 and PCANMAL16=1) then JCANMAL16=
PCANMAL16;
label JCANMAL16 = '3 Month: Dangerous Activities';
```


JCANMAL17: 3 Month: Cannabis-related Crime

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Cannabis related crime due to cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL17 is part of diagnostic criteria for cannabis abuse.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIB6I05a (Maladaptive behavior: Intensity of cannabis involved in "substance"-related crime)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

"SUBSTANCE" RELATED CRIME

Illegal activities undertaken either to obtain "substance", or associated with intoxication with "substance".

PROSTITUTION IS ALSO CODED AS SEXUAL ACTIVITY FOR GAIN.

DEALING IS ALSO CODED AS DEALING DRUGS.

Have you done anything illegal while you were "high" in the last 3 months?

What did you do?
Did you get caught?
What happened?
When was the first time?
Have you ever stolen to get money for "substance"?
Or stolen any "substance"?

Have you ever ben a runner or dealer to get money for "substance"?

Have you ever had sex with anyone to get "substance"?

Coding rules

"SUBSTANCE" RELATED CRIME

- 0 - No
- 2 - Yes

DEALING

- 0 - No
- 2 - Yes

PROSTITUTION

- 0 - No
- 2 - Yes

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucnogens
- 8 - Sedatives

Codes

CIB6101
Intensity

CIB6001
Onset

CIB6102

CIB6103

CIB6104

CIB6105

CIB6106

CIB6107

CIB6108

CIB6109

CIB6110

CIB6111

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.79	6652	98.85	2102
1	0.21	22	1.15	30

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB6I05a ge 1 then CCANMAL17=1;
else if CIB6I05a ne . then CCANMAL17=0;
label CCANMAL17= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in "substance"-related crime in past 3 mos';
label CIB6I05a = 'Maladaptive behavior: Intensity of cannabis involved
in "substance"-related crime';

*Parent-reported;
if PIB6I05a ge 1 then PCANMAL17=1;
else if PIB6I05a ne . then PCANMAL17=0;
label PCANMAL17 = 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in "substance"-related crime in past 3 mos';
label PIB6I05a = 'Maladaptive behavior: Intensity of cannabis involved
in "substance"-related crime';

*Joint report;
JCANMAL17= CCANMAL17;
if (CCANMAL17 eq .) or (CCANMAL17=0 and PCANMAL17=1) then JCANMAL17=
PCANMAL17;
label JCANMAL17 = '3 Month: Cannabis-related Crime';
```

JCANMAL18: 3 Month: Trouble with the Law

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Trouble with the law due to cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL18 is part of diagnostic criteria for cannabis abuse.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIB7I03a (Maladaptive behavior: Intensity of cannabis involved in trouble with the law)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

TROUBLE WITH THE LAW

Any involvement with the police associated with using "substance".

Have you been in trouble with the police in the last 3 months on account of using "substance"?

What happened?

When did that start?

Coding rules

TROUBLE WITH LAW

0 - No

2 - Yes

SUBSTANCE LIST

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

Codes

CIB7101

Intensity

Ever: CIB7001

Onset

CIB7102

CIB7103

CIB7104

CIB7105

CIB7106

CIB7107

CIB7108

CIB7109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.93	6660	99.20	2109
1	0.07	14	0.80	23

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB7I03a ge 1 then CCANMAL18=1;
else if CIB7I03a ne . then CCANMAL18=0;
label CCANMAL18= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in trouble with the law in past 3 mos';
label CIB7I03a = 'Maladaptive behavior: Intensity of cannabis involved
in trouble with the law';

*Parent-reported;
if PIB7I03a ge 1 then PCANMAL18=1;
else if PIB7I03a ne . then PCANMAL18=0;
label PCANMAL18 = 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in trouble with the law in past 3 mos';
label PIB7I03a = 'Maladaptive behavior: Intensity of cannabis involved
in trouble with the law';

*Joint report;
JCANMAL18= CCANMAL18;
if (CCANMAL18 eq .) or (CCANMAL18=0 and PCANMAL18=1) then JCANMAL18=
PCANMAL18;
label JCANMAL18 = '3 Month: Trouble with the Law';
```

JCANMAL19: 3 Month: Mood Lability

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Mood lability due to cannabis use within past the 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL19 is part of diagnostic criteria for cannabis abuse.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIB8I03a (Maladaptive behavior: Intensity of cannabis involved in mood lability)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

MOOD LABILITY

Unstable mood swings, often from excessive joviality to maudlin misery or anxiety. Mood lability should only be coded here if it is sufficiently pronounced as to lead to effects that seem inappropriate to the situation (such as copious, apparently unprovoked, weeping in a bar), or appear to have interfered with the normal course of conversation or activities.

Did your mood change at all when you were high?

How did you feel?
What was it like?
Was your mood very up and down?
What about in the last 3 months?
When did that start?

Coding rules

MOOD LABILITY

0 - Absent

2 - Symptom Intrusive Into at least 2 activities and uncontrollable at least some of the time.

3 - Symptom Intrusive Into almost all activities and hardly ever controllable.

SUBSTANCE LIST

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

Codes

CIB8101
Intensity

CIB8O01
Onset

CIB8102

CIB8103

CIB8104

CIB8105

CIB8106

CIB8107

CIB8108

CIB8109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.93	6671	99.79	2129
1	0.07	3	0.21	3

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB8I03a ge 1 then CCANMAL19=1;
else if CIB8I03a ne . then CCANMAL19=0;
label CCANMAL19= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in mood lability in past 3 mos';
label CIB8I03a = 'Maladaptive behavior: Intensity of cannabis involved
in mood lability';

*Parent-reported;
if PIB8I03a ge 1 then PCANMAL19=1;
else if PIB8I03a ne . then PCANMAL19=0;
label PCANMAL19 = 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in mood lability in past 3 mos';
label PIB8I03a = 'Maladaptive behavior: Intensity of cannabis involved
in mood lability';

*Joint report;
JCANMAL19= CCANMAL19;
if (CCANMAL19 eq .) or (CCANMAL19=0 and PCANMAL19=1) then JCANMAL19=
PCANMAL19;
label JCANMAL19 = '3 Month: Mood Lability';
```

JCANMAL20: 3 Month: Physical Problems

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Physical problems due to cannabis use within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

Note: JCANMAL20 is part of diagnostic criteria for cannabis dependence.

CAPA	YAPA
Y	Y

RAW VARIABLE(S)

	CAPA	YAPA
P/CIB9I03a (Maladaptive behavior: Intensity of cannabis involved in physical problems)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

PHYSICAL PROBLEMS

Include any physical problems that either stem directly from intoxication (such as those resulting from injuries from an accident while intoxicated), or that a physician has told the subject are related to "substance" use.

MAKE WRITTEN NOTE OF NATURE OF PHYSICAL PROBLEMS.

Have you had any other physical problems on account of "substance" in the last 3 months?

When did that start?

Did anyone tell you that using "substance" was responsible?

Were you hospitalized because of it?

Did you carry on using "substance" anyway?

Coding rules

PHYSICAL PROBLEMS

- 0 - Absent
- 2 - Symptom occurs or increases in response to cues prompting recall or reliving of the "life event".

SUBSTANCE LIST

- 1 - Alcohol
- 2 - Cannabis
- 3 - Cocaine Etc.
- 4 - Amphetamines Etc.
- 5 - Inhalants
- 6 - Heroin/Other Opioids
- 7 - Hallucinogens
- 8 - Sedatives

Codes

CIB9101
Intensity

Ever: CIB9001
Onset

CIB9102

CIB9103

CIB9104

CIB9105

CIB9106

CIB9107

CIB9108

CIB9109

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.00	0	0.00	0
0	99.99	6673	99.98	2131
1	0.01	1	0.02	1

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIB9I03a ge 1 then CCANMAL20=1;
else if CIB9I03a ne . then CCANMAL20=0;
label CCANMAL20= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in physical problems in past 3 mos';
label CIB9I03a = 'Maladaptive behavior: Intensity of cannabis involved
in physical problems';

*Parent-reported;
if PIB9I03a ge 1 then PCANMAL20=1;
else if PIB9I03a ne . then PCANMAL20=0;
label PCANMAL20 = 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in physical problems in past 3 mos';
label PIB9I03a = 'Maladaptive behavior: Intensity of cannabis involved
in physical problems';

*Joint report;
JCANMAL20= CCANMAL20;
if (CCANMAL20 eq .) or (CCANMAL20=0 and PCANMAL20=1) then JCANMAL20=
PCANMAL20;
label JCANMAL20 = '3 Month: Physical Problems';
```

JCANMAL21: 3 Month: Blackouts

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

DESCRIPTION

Definition: Blackouts within the past 3 months.

Informant: Child report is default. Use parent report if: a) child report is missing, b) child denies presence of a possible problem, but parent reports it.

<u>CAPA</u>	<u>YAPA</u>
Y	Y

RAW VARIABLE(S)

	<u>CAPA</u>	<u>YAPA</u>
P/CIC0I03a (Maladaptive behavior: Intensity of cannabis involved in blackouts)	Y	Y

SAMPLE INTERVIEW SECTION

YAPA (GSMS) 2.0.0

Definitions and questions

BLACKOUTS

Episodes of amnesia lasting at least 1 hour that occur in relation to bouts of heavy "substance" use.

Have there been any times when you couldn't remember what had happened when you were using "substance"?

Tell me about it?

When did that start?

Has it happened in the last 3 months?

How often?

How long was the period that you couldn't remember?

Coding rules

STLI: BLACKOUTS

0 - No

2 - Yes

BLACKOUTS

0 - No

2 - Yes

HOURS : MINUTES

SUBSTANCE LIST

1 - Alcohol

2 - Cannabis

3 - Cocaine Etc.

4 - Amphetamines Etc.

5 - Inhalants

6 - Heroin/Other Opioids

7 - Hallucinogens

8 - Sedatives

Codes

Ever:CIC0E01

CIC0i01

CIC0F01
Frequency

CIC0D01
Duration

CIC0O01
Onset

 / /

CIC0i02

CIC0i03

CIC0i04

CIC0i05

CIC0i06

CIC0i07

CIC0i08

CIC0i09

GLOSSARY NOTES

None.

N, WEIGHTED PREVALENCE, and MISSING DATA

	CAPA		YAPA	
	Weighted %	N	Weighted %	N
.	0.01	2	0.43	16
0	99.91	6665	99.09	2106
1	0.08	7	0.48	10

OTHER VARIABLES

None.

SAS CODE

```
*Child-reported;
if CIC0I03a ge 1 then CCANMAL21=1;
else if CIC0I03a ne . then CCANMAL21=0;
label CCANMAL21= 'Maladaptive behavior: Child-reported intensity of
cannabis involved in blackouts in past 3 mos';
label CIC0I03a = 'Maladaptive behavior: Intensity of cannabis involved
in blackouts';

*Parent-reported;
if PIC0I03a ge 1 then PCANMAL21=1;
else if PIC0I03a ne . then PCANMAL21=0;
label PCANMAL21 = 'Maladaptive behavior: Parent-reported intensity of
cannabis involved in blackouts in past 3 mos';
label PIC0I03a = 'Maladaptive behavior: Intensity of cannabis involved
in blackouts';

*Joint report;
JCANMAL21= CCANMAL21;
if (CCANMAL21 eq .) or (CCANMAL21=0 and PCANMAL21=1) then JCANMAL21=
PCANMAL21;
label JCANMAL21 = '3 Month: Blackouts';
```