

Panic Disorder Variable List

(symptoms and diagnoses)

Name	Label	Symptom	Diagnosis
J4NPAN1	Palpitations, pounding heart, or accelerated heart rate.	X	
J4NPAN2	Sweating.	X	
J4NPAN3	Trembling or shaking.	X	
J4NPAN4	Sensations of shortness of breath or smothering.	X	
J4NPAN5	Feeling of choking.	X	
J4NPAN6	Chest pain or discomfort.	X	
J4NPAN7	Nausea or abdominal distress.	X	
J4NPAN8	Feeling dizzy, unsteady, lightheaded, or faint.	X	
J4NPAN9	Derealization (feelings of unreality) or depersonalization.	X	
J4NPAN10	Fear of losing control or going crazy.	X	
J4NPAN11	Fear of dying.	X	
J4NPAN12	Paresthesias (numbness or tingling sensations).	X	
J4NPAN13	Chills or hot flushes.	X	
J4 PAN	Panic disorder		X

J4NPAN1: Palpitations, pounding heart, or accelerated heart rate

Panic Disorder Variable List

Description

Raw Variable(s)

CAPA Interview Section

Glossary Notes

Additional Variables

N, Weighted Prevalence, and Missing Data

Citations

SAS CODE

Panic Disorder (symptom list)

DESCRIPTION

DSM-IV definition: Palpitations, pounding heart, or accelerated heart rate

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	Y	Y	Y
Available (school)	Y	Y	Y
Available (elsewhere)	Y	Y	Y
90 th % Cutoff	1	1	1

RAW VARIABLE(S)

	PAPA	CAPA	YAPA		
p/cce5i06 (palpitations / tachycardia)	1.3 Y	1.4 Y	2.0.3 Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

IF PANIC ATTACKS PRESENT, ASK ABOUT ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS.

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS

Autonomic symptoms accompanied by subjective anxious affect.

**When s/he is "worried," "anxious," or frightened, does it affect him/her physically at all?*

**What do you notice?*

**What does s/he tell you?*

**Does s/he get dizzy or giddy or faint?*

**Does it affect his/her breathing?*

**How?*

**Does it affect his/her heart?*

**Does s/he get a pain in his/her chest?*

**Does s/he get sweaty?*

**Or feel sick?*

Coding rules

0 = No
2 = Yes

DIZZINESS/FAINTNESS

CHOKING/SMOTHERING

DIFFICULTY BREATHING

RAPID BREATHING

PALPITATIONS/TACHYCARDIA

TIGHTNESS OR PAIN IN CHEST

SWEATING

NAUSEA

Codes

PCE5I01
Intensity

PCE5I03
Intensity

PCE5I04
Intensity

PCE5I05
Intensity

PCE5I06
Intensity

PCE5I07
Intensity

PCE5I08
Intensity

PCE5I09
Intensity

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	8.20	30	20.06	1338	.02	1
.	8.20	30	0	0	.02	1
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
.L	0	0	20.06	1338	0	0
0	83.47	365	79.84	5323	96.87	2697
1	8.33	34	.11	13	3.11	90

Missing data notes:

- PAPA: no notes.
- CAPA: .L used for wave 1 because data was not available.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;  
if pce5i06 ge 2 then p4npan1=1;  
else if pce5i06 ne . then p4npan1=0;  
label p4npan1='panic:palpitations/tachycardia';  
  
j4npan1 = p4npan1;  
  
label j4npan1='panic:palpitations/tachycardia';  
*****SAS Code for CAPA*****;  
if yapa ne 1 then do;
```

```
if      pce5i06=2      then p4npan1=1;
else if pce5i06 ne . then p4npan1=0;
label p4npan1='panic:palpitations/tachycardia';

if      cce5i06=2      then c4npan1=1;
else if cce5i06 ne . then c4npan1=0;
label c4npan1='panic:palpitations/tachycardia';

if p4npan1 = 1 or c4npan1 = 1 then j4npan1 = 1;
else if p4npan1 ne . or c4npan1 ne . then j4npan1 = 0;

if wave = 1 then j4npan1 = .L;

label j4npan1='panic:palpitations/tachycardia';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

if      cce5i06=2      then c4npan1=1;
else if cce5i06 ne . then c4npan1=0;
label c4npan1='panic:palpitations/tachycardia';

j4npan1 = c4npan1;

label j4npan1='panic:palpitations/tachycardia';

end;
```

J4NPAN2: Sweating

[Panic Disorder Variable List](#)

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

[Panic Disorder \(symptom list\)](#)

DESCRIPTION

DSM-IV definition: Sweating.

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA			CAPA	YAPA
	1.3	1.4	2.0.3		
Available (home)	Y	Y	Y	Y	Y
Available (school)	Y	Y	Y	Y	Y
Available (elsewhere)	Y	Y	Y	Y	Y
90 th % Cutoff	1	1	1	1	1

RAW VARIABLE(S)

		PAPA		CAPA	YAPA
p/cce5i08 (sweating)	1.3	1.4	2.0.3		
	Y	Y	Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

IF PANIC ATTACKS PRESENT, ASK ABOUT ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS.

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS

Autonomic symptoms accompanied by subjective anxious affect.

**When s/he is "worried," "anxious," or frightened, does it affect him/her physically at all?*

**What do you notice?*

**What does s/he tell you?*

**Does s/he get dizzy or giddy or faint?*

**Does it affect his/her breathing?*

**How?*

**Does it affect his/her heart?*

**Does s/he get a pain in his/her chest?*

**Does s/he get sweaty?*

**Or feel sick?*

Coding rules

0 = No
2 = Yes

DIZZINESS/FAINTNESS

CHOKING/SMOTHERING

DIFFICULTY BREATHING

RAPID BREATHING

PALPITATIONS/TACHYCARDIA

TIGHTNESS OR PAIN IN CHEST

SWEATING

NAUSEA

Codes

PCE5I01
Intensity

PCE5I03
Intensity

PCE5I04
Intensity

PCE5I05
Intensity

PCE5I06
Intensity

PCE5I07
Intensity

PCE5I08
Intensity

PCE5I09
Intensity

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	8.32	31	20.06	1338	0	0
.	8.32	31	0	0	0	0
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
.L	0	0	20.06	1338	0	0
0	90.48	391	79.82	5320	97.4	2695
1	1.20	7	.13	16	2.96	93

Missing data notes:

- PAPA: no notes.
- CAPA: .L used for wave 1 because data was not available.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```

*****SAS Code for PAPA*****;

if      pce5i08 ge 2      then p4npan2=1;
else if pce5i08 ne . then p4npan2=0;
label p4npan2='panic:sweating';

j4npan2 = p4npan2;

label j4npan2='panic:sweating';
*****SAS Code for CAPA*****;
if yapa ne 1 then do;

if      pce5i08=2      then p4npan2=1;
else if pce5i08 ne . then p4npan2=0;
label p4npan2='panic:sweating';

if      cce5i08=2      then c4npan2=1;
else if cce5i08 ne . then c4npan2=0;
label c4npan2='panic:sweating';

if p4npan2 = 1 or c4npan2 = 1 then j4npan2 = 1;
else if p4npan2 ne . or c4npan2 ne . then j4npan2 = 0;

if wave = 1 then j4npan2 = .L;

label j4npan2='panic:sweating';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

if      cce5i08=2      then c4npan2=1;
else if cce5i08 ne . then c4npan2=0;
label c4npan2='panic:sweating';

j4npan2 = c4npan2;

label j4npan2='panic:sweating';

end;

```

J4NPAN3: Trembling or shaking

Panic Disorder Variable List

Description

Raw Variable(s)

CAPA Interview Section

Glossary Notes

Additional Variables

N, Weighted Prevalence, and Missing Data

Citations

SAS CODE

Panic Disorder (symptom list)

DESCRIPTION

DSM-IV definition: Trembling or shaking.

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	Y	Y	Y
Available (school)	Y	Y	Y
Available (elsewhere)	Y	Y	Y
90 th % Cutoff	1	1	1

RAW VARIABLE(S)

		PAPA		CAPA	YAPA
	1.3	1.4	2.0.3		
p/cce5i13 (trembling/shaking/twitching)	Y	Y	Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACK continued.....

**Does it affect his/her stomach?*

**Does s/he get shaky or twitchy?*

**Does s/he get flushed?*

**Does s/he get chills?*

**Does s/he have funny feelings in his/her fingers or toes?*

**Does his/her stomach churn?*

Does it only happen in certain situations?

Or can it happen any time?

Coding rules

BUTTERFLIES/PAINS IN THE STOMACH

TREMBLING/SHAKING/TWITCHING

FLUSHING OR CHILLS

PARAESTHESIAE

ABDOMINAL CHURNING

Codes

PCE5I11
Intensity

PCE5I13
Intensity

PCE5I14
Intensity

PCE5I16
Intensity

PCE5I18
Intensity

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	3.92	30	20.06	1338	.01	1
.	3.92	30	0	0	.01	1
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
.L	0	0	20.06	1338	0	0
0	87.88	375	79.71	5315	97.57	2712
1	8.20	24	.23	21	2.48	75

Missing data notes:

- PAPA: no notes.
- CAPA: .L used for wave 1 because data was not available.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;  
  
if pce5i13 ge 2 then p4npan3=1;  
else if pce5i13 ne . then p4npan3=0;  
label p4npan3='panic:trembling/shaking/sweating';  
  
j4npan3 = p4npan3;  
  
label j4npan3='panic:trembling/shaking/sweating';  
*****SAS Code for CAPA*****;
```

```
if yapa ne 1 then do;

if      pce5i13=2      then p4npan3=1;
else if pce5i13 ne . then p4npan3=0;
label p4npan3='panic:trembling/shaking/sweating';

if      cce5i13=2      then c4npan3=1;
else if cce5i13 ne . then c4npan3=0;
label c4npan3='panic:trembling/shaking/sweating';

if p4npan3 = 1 or c4npan3 = 1 then j4npan3 = 1;
else if p4npan3 ne . or c4npan3 ne . then j4npan3 = 0;

if wave = 1 then j4npan3 = .L;

label j4npan3='panic:trembling/shaking/sweating';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

if      cce5i13=2      then c4npan3=1;
else if cce5i13 ne . then c4npan3=0;
label c4npan3='panic:trembling/shaking/sweating';

j4npan3 = c4npan3;

label j4npan3='panic:trembling/shaking/sweating';

end;
```

J4NPAN4: Sensations of shortness of breath or smothering

[Panic Disorder Variable List](#)

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

[Panic Disorder \(symptom list\)](#)

DESCRIPTION

DSM-IV definition: Sensations of shortness of breath or smothering.

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	Y	Y	Y
Available (school)	Y	Y	Y
Available (elsewhere)	Y	Y	Y
90 th % Cutoff	1	1	1

RAW VARIABLE(S)

	PAPA	CAPA	YAPA		
	1.3	1.4	2.0.3		
p/cce5i03 (choking / smothering)	Y	N	N	Y	Y
p/cce5i04 (difficulty breathing)	Y	N	N	Y	Y
p/cce5i05 (rapid breathing)	Y	N	N	Y	Y
p/cce5i22 (sensations of shortening of breath or smothering)	N	Y	Y	N	N

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

IF PANIC ATTACKS PRESENT, ASK ABOUT ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS.

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS

Autonomic symptoms accompanied by subjective anxious affect.

**When s/he is "worried," "anxious," or frightened, does it affect him/her physically at all?*

**What do you notice?*

**What does s/he tell you?*

**Does s/he get dizzy or giddy or faint?*

**Does it affect his/her breathing?*

**How?*

**Does it affect his/her heart?*

**Does s/he get a pain in his/her chest?*

**Does s/he get sweaty?*

**Or feel sick?*

Coding rules

0 = No
2 = Yes

DIZZINESS/FAINTNESS

CHOKING/SMOTHERING

DIFFICULTY BREATHING

RAPID BREATHING

PALPITATIONS/TACHYCARDIA

TIGHTNESS OR PAIN IN CHEST

SWEATING

NAUSEA

Codes

PCE5I01
Intensity

PCE5I03
Intensity

PCE5I04
Intensity

PCE5I05
Intensity

PCE5I06
Intensity

PCE5I07
Intensity

PCE5I08
Intensity

PCE5I09
Intensity

Definitions and questions

ANXIOUS AUTONOMIC SYMPTOMS

Autonomic symptoms accompanied by subjective anxious affect (occurs when child is frightened, worried or nervous).

When s/he is "anxious" or frightened, does it affect him/her physically at all?

*What do you notice?
What does s/he tell you?*

Do his/her muscles get tensed up?

Does s/he get jumpy?

*Keyed up?
Agitated?
On edge?*

Does s/he get restless?

Does s/he become more "wild" when s/he is scared or anxious?

Does s/he get dizzy or giddy or faint?

Does it affect his/her breathing?

Does s/he act as if s/he is choking?

Does s/he get butterflies in his/her stomach?

Does s/he get stomach pains?

Does s/he get sensations of shortness of breath?

Or feel as if s/he is smothering?

Does it affect his/her heart?

Does s/he complain of his/her heart beating hard or fast?

Can you feel his/her heart beating fast?

Does s/he complain of a pain in his/her chest?

Does s/he get sweaty?

Coding rules

AUTONOMIC SYMPTOMS

0 = Absent

2 = Present

MUSCLE TENSION

0 = Absent

2 = Present

JUMPINESS

0 = Absent

2 = Present

RESTLESSNESS

0 = Absent

2 = Present

DIZZINESS/FAINTNESS

0 = Absent

2 = Present

FEELINGS OF CHOKING

0 = Absent

2 = Present

BUTTERFLIES OR PAIN IN THE STOMACH

0 = Absent

2 = Present

SENSATIONS OF SHORTNESS OF BREATH OR SMOTHERING

0 = Absent

2 = Present

PALPITATIONS, POUNDING HEART, OR ACCELERATED HEART RATE

0 = Absent

2 = Present

CHEST PAIN OR DISCOMFORT

0 = Absent

2 = Present

SWEATING

0 = Absent

2 = Present

Codes

PCD0I90
Intensity

PCD0I14

PCD0I20

PCD0I21

PCE5I01

PCE5I23

PCE5I11

PCE5I22

PCE5I06

PCE5I07

PCE5I08

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	8.20	30	20.06	1338	0	0
.	8.20	30	0	0	0	0
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
.L	0	0	20.06	1338	0	0
0	87.72	382	79.71	5307	95.95	96.76
1	4.08	17	.23	29	4.05	3.24

Missing data notes:

- PAPA: no notes.
- CAPA: .L used for wave 1 because data was not available.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;
```

```
if version='1.3' then do;
```

```

if      pce5i04 ge 2      or
        pce5i05 ge 2      then p4npan4=1;
else if pce5i04 ne . or
        pce5i05 ne . then p4npan4=0;
end;

if version in ('1.4','2.0.3') then do;
if      pce5i22 ge 2      then p4npan4=1;
else if pce5i22 ne . then p4npan4=0;
end;

label p4npan4='panic:difficulty or rapid breathing';

j4npan4 = p4npan4;

label j4npan4='panic:difficulty or rapid breathing';

*****SAS Code for CAPA*****;
if yapa ne 1 then do;

if      pce5i03=2      or pce5i04=2      or
        pce5i05=2      then p4npan4=1;
else if pce5i03 ne . or pce5i04 ne . or
        pce5i05 ne . then p4npan4=0;
label p4npan4='panic:choking/diff.breathing';

if      cce5i03=2      or cce5i04=2      or
        cce5i05=2      then c4npan4=1;
else if cce5i03 ne . or cce5i04 ne . or
        cce5i05 ne . then c4npan4=0;
label c4npan4='panic:choking/diff.breathing';

if p4npan4 = 1 or c4npan4 = 1 then j4npan4 = 1;
else if p4npan4 ne . or c4npan4 ne . then j4npan4 = 0;

if wave = 1 then j4npan4 = .L;

label j4npan4='panic:choking/diff.breathing';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;
if      cce5i03=2      or cce5i04=2      or
        cce5i05=2      then c4npan4=1;
else if cce5i03 ne . or cce5i04 ne . or
        cce5i05 ne . then c4npan4=0;
label c4npan4='panic:choking/diff.breathing';

j4npan4 = c4npan4;

label j4npan4='panic:choking/diff.breathing';

end;

```

J4NPAN5: Feeling of choking

[Panic Disorder Variable List](#)

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

[Panic Disorder \(symptom list\)](#)

DESCRIPTION

DSM-IV definition: Feeling of choking.

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	Y	Y	Y
Available (school)	Y	Y	Y
Available (elsewhere)	Y	Y	Y
90 th % Cutoff	1	1	1

RAW VARIABLE(S)

	PAPA	CAPA	YAPA		
	1.3	1.4	2.0.3		
p/cce5i03 (choking/smothering)	Y	N	N	Y	Y
p/cce5i23 (feelings of choking)	N	Y	Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

IF PANIC ATTACKS PRESENT, ASK ABOUT ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS.

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS

Autonomic symptoms accompanied by subjective anxious affect.

**When s/he is "worried," "anxious," or frightened, does it affect him/her physically at all?*

**What do you notice?*

**What does s/he tell you?*

**Does s/he get dizzy or giddy or faint?*

**Does it affect his/her breathing?*

**How?*

**Does it affect his/her heart?*

**Does s/he get a pain in his/her chest?*

**Does s/he get sweaty?*

**Or feel sick?*

Coding rules

0 = No
2 = Yes

DIZZINESS/FAINTNESS

CHOKING/SMOTHERING

DIFFICULTY BREATHING

RAPID BREATHING

PALPITATIONS/TACHYCARDIA

TIGHTNESS OR PAIN IN CHEST

SWEATING

NAUSEA

Codes

PCE5I01
Intensity

PCE5I03
Intensity

PCE5I04
Intensity

PCE5I05
Intensity

PCE5I06
Intensity

PCE5I07
Intensity

PCE5I08
Intensity

PCE5I09
Intensity

Definitions and questions

ANXIOUS AUTONOMIC SYMPTOMS

Autonomic symptoms accompanied by subjective anxious affect (occurs when child is frightened, worried or nervous).

When s/he is "anxious" or frightened, does it affect him/her physically at all?

*What do you notice?
What does s/he tell you?*

Do his/her muscles get tensed up?

Does s/he get jumpy?

*Keyed up?
Agitated?
On edge?*

Does s/he get restless?

Does s/he become more "wild" when s/he is scared or anxious?

Does s/he get dizzy or giddy or faint?

Does it affect his/her breathing?

Does s/he act as if s/he is choking?

Does s/he get butterflies in his/her stomach?

Does s/he get stomach pains?

Does s/he get sensations of shortness of breath?

Or feel as if s/he is smothering?

Does it affect his/her heart?

Does s/he complain of his/her heart beating hard or fast?

Can you feel his/her heart beating fast?

Does s/he complain of a pain in his/her chest?

Does s/he get sweaty?

Coding rules

AUTONOMIC SYMPTOMS

0 = Absent

2 = Present

MUSCLE TENSION

0 = Absent

2 = Present

JUMPINESS

0 = Absent

2 = Present

RESTLESSNESS

0 = Absent

2 = Present

DIZZINESS/FAINTNESS

0 = Absent

2 = Present

FEELINGS OF CHOKING

0 = Absent

2 = Present

BUTTERFLIES OR PAIN IN THE STOMACH

0 = Absent

2 = Present

SENSATIONS OF SHORTNESS OF BREATH OR SMOTHERING

0 = Absent

2 = Present

PALPITATIONS, POUNDING HEART, OR ACCELERATED HEART RATE

0 = Absent

2 = Present

CHEST PAIN OR DISCOMFORT

0 = Absent

2 = Present

SWEATING

0 = Absent

2 = Present

Codes

PCD0I90
Intensity

PCD0I14

PCD0I20

PCD0I21

PCE5I01

PCE5I23

PCE5I11

PCE5I22

PCE5I06

PCE5I07

PCE5I08

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	8.20	30	20.06	1338	0	0
.	8.20	30	0	0	0	0
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
.L	0	0	20.06	1338	0	0
0	91.80	399	79.80	5324	97.64	2701
1	0	0	.14	12	2.36	87

Missing data notes:

- PAPA: no notes.
- CAPA: .L used for wave 1 because data was not available.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;  
  
if version='1.3' then do;  
if pce5i03 ge 2 then p4npan5=1;  
else if pce5i03 ne . then p4npan5=0;  
end;  
  
if version in ('1.4','2.0.3') then do;  
if pce5i23 ge 2 then p4npan5=1;  
else if pce5i23 ne . then p4npan5=0;
```

```
end;

label p4npan5='panic:choking/smothering';

j4npan5 = p4npan5;

label j4npan5='panic:choking/smothering';

*****SAS Code for CAPA*****;
if yapa ne 1 then do;

if pce5i03=2 then p4npan5=1;
else if pce5i03 ne . then p4npan5=0;
label p4npan5='panic:choking/smothering';

if cce5i03=2 then c4npan5=1;
else if cce5i03 ne . then c4npan5=0;
label c4npan5='panic:choking/smothering';

if p4npan5 = 1 or c4npan5 = 1 then j4npan5 = 1;
else if p4npan5 ne . or c4npan5 ne . then j4npan5 = 0;

if wave = 1 then j4npan5 = .L;

label j4npan5='panic:choking/smothering';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

if cce5i03=2 then c4npan5=1;
else if cce5i03 ne . then c4npan5=0;
label c4npan5='panic:choking/smothering';

j4npan5 = c4npan5;

label j4npan5='panic:choking/smothering';

end;
```


J4NPAN6: Chest pain or discomfort

[Panic Disorder Variable List](#)

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

[Panic Disorder \(symptom list\)](#)

DESCRIPTION

DSM-IV definition: Chest pain or discomfort.

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	N	Y	Y
Available (school)	N	Y	Y
Available (elsewhere)	N	Y	Y
90 th % Cutoff	N/A	1	1

RAW VARIABLE(S)

	PAPA	CAPA	YAPA		
p/cce5i07 (tightness or pain in chest)	1.3 Y	1.4 Y	2.0.3 Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

IF PANIC ATTACKS PRESENT, ASK ABOUT ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS.

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS

Autonomic symptoms accompanied by subjective anxious affect.

**When s/he is "worried," "anxious," or frightened, does it affect him/her physically at all?*

**What do you notice?*

**What does s/he tell you?*

**Does s/he get dizzy or giddy or faint?*

**Does it affect his/her breathing?*

**How?*

**Does it affect his/her heart?*

**Does s/he get a pain in his/her chest?*

**Does s/he get sweaty?*

**Or feel sick?*

Coding rules

0 = No
2 = Yes

DIZZINESS/FAINTNESS

CHOKING/SMOTHERING

DIFFICULTY BREATHING

RAPID BREATHING

PALPITATIONS/TACHYCARDIA

TIGHTNESS OR PAIN IN CHEST

SWEATING

NAUSEA

Codes

PCE5I01
Intensity

PCE5I03
Intensity

PCE5I04
Intensity

PCE5I05
Intensity

PCE5I06
Intensity

PCE5I07
Intensity

PCE5I08
Intensity

PCE5I09
Intensity



GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	8.20	30	20.06	1338	0	0
.	8.20	30	0	0	0	0
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
.L	0	0	20.06	1338	0	0
0	91.80	398	79.85	5326	97.68	2731
1	0	1	.10	10	2.32	57

Missing data notes:

- PAPA: no notes.
- CAPA: .L used for wave 1 because data was not available.
- YAPA: no notes

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;  
  
if      pce5i07 ge 2      then p4npan6=1;  
else if pce5i07 ne . then p4npan6=0;  
label p4npan6='panic:tightness/chest pain';  
  
j4npan6 = p4npan6;  
  
label j4npan6='panic:tightness/chest pain';
```

```
*****SAS Code for CAPA*****;  
if yapa ne 1 then do;  
  
  if pce5i07=2 then p4npan6=1;  
  else if pce5i07 ne . then p4npan6=0;  
  label p4npan6='panic:tightness/chest pain';  
  
  if cce5i07=2 then c4npan6=1;  
  else if cce5i07 ne . then c4npan6=0;  
  label c4npan6='panic:tightness/chest pain';  
  
  if p4npan6 = 1 or c4npan6 = 1 then j4npan6 = 1;  
  else if p4npan6 ne . or c4npan6 ne . then j4npan6 = 0;  
  
  if wave = 1 then j4npan6 = .L;  
  
  label j4npan6='panic:tightness/chest pain';  
  
end;  
  
*****SAS Code for YAPA*****;  
  
if YAPA = 1 then do;  
  
  if cce5i07=2 then c4npan6=1;  
  else if cce5i07 ne . then c4npan6=0;  
  label c4npan6='panic:tightness/chest pain';  
  
  j4npan6 = c4npan6;  
  
  label j4npan6='panic:tightness/chest pain';  
  
end;
```

J4NPAN7: Nausea or abdominal distress

Panic Disorder Variable List

Description

Raw Variable(s)

CAPA Interview Section

Glossary Notes

Additional Variables

N, Weighted Prevalence, and Missing Data

Citations

SAS CODE

Panic Disorder (symptom list)

DESCRIPTION

DSM-IV definition: Nausea or abdominal distress.

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	Y	Y	Y
Available (school)	Y	Y	Y
Available (elsewhere)	Y	Y	Y
90 th % Cutoff	1	1	1

RAW VARIABLE(S)

	PAPA	CAPA	YAPA
	1.3	1.4	2.0.3
p/cce5i09 (nausea)	Y	Y	Y
p/cce5i11 (butterflies / pains in the stomach)	Y	Y	Y
p/cce5i13 (trembling / shaking / twitching)	Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

IF PANIC ATTACKS PRESENT, ASK ABOUT ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS.

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS

Autonomic symptoms accompanied by subjective anxious affect.

**When s/he is "worried," "anxious," or frightened, does it affect him/her physically at all?*

**What do you notice?*

**What does s/he tell you?*

**Does s/he get dizzy or giddy or faint?*

**Does it affect his/her breathing?*

**How?*

**Does it affect his/her heart?*

**Does s/he get a pain in his/her chest?*

**Does s/he get sweaty?*

**Or feel sick?*

Coding rules

0 = No
2 = Yes

DIZZINESS/FAINTNESS

CHOKING/SMOTHERING

DIFFICULTY BREATHING

RAPID BREATHING

PALPITATIONS/TACHYCARDIA

TIGHTNESS OR PAIN IN CHEST

SWEATING

NAUSEA

Codes

PCE5I01
Intensity

PCE5I03
Intensity

PCE5I04
Intensity

PCE5I05
Intensity

PCE5I06
Intensity

PCE5I07
Intensity

PCE5I08
Intensity

PCE5I09
Intensity

Definitions and questions

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACK
continued.....

**Does it affect his/her stomach?*

**Does s/he get shaky or twitchy?*

**Does s/he get flushed?*

**Does s/he get chills?*

**Does s/he have funny feelings in his/her fingers or toes?*

**Does his/her stomach churn?*

Does it only happen in certain situations?

Or can it happen any time?

Coding rules

BUTTERFLIES/PAINS IN THE STOMACH

TREMBLING/SHAKING/TWITCHING

FLUSHING OR CHILLS

PARAESTHESIAE

ABDOMINAL CHURNING

Codes

PCE5I11
Intensity

PCE5I13
Intensity

PCE5I14
Intensity

PCE5I16
Intensity

PCE5I18
Intensity

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA		CAPA		YAPA	
Missing (total)	8.20	30	20.06	1338	0	0
.	8.20	30	0	0	0	0
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
.L	0	0	20.06	1338	0	0
0	0	398	79.75	5315	97.12	2709
1	91.80	1	.19	21	2.88	79

Missing data notes:

- PAPA: no notes.
- CAPA: .L used for wave 1 because data was not available.
- YAPA: no notes

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;  
  
if version='1.3' then do;  
if pce5i09 ge 2 then p4npan7=1;  
else if pce5i09 ne . then p4npan7=0;  
end;
```

```

if version in ('1.4','2.0.3') then do;
if      pce5i09 ge 2      or
      pce5i11 ge 2      or
      pce5i18 ge 2      then p4npan7=1;
else if pce5i09 ne . or
      pce5i11 ne . or
      pce5i18 ne . then p4npan7=0;
end;

label p4npan7='panic:Nausea/butterflies';

j4npan7 = p4npan7;

label j4npan7='panic:Nausea/butterflies';

*****SAS Code for CAPA*****;
if yapa ne 1 then do;

if      pce5i09=2      or
      pce5i11=2      then p4npan7=1;
else if pce5i09 ne . or
      pce5i11 ne . then p4npan7=0;
label p4npan7='panic:Nausea/butterflies';

if      cce5i09=2      or
      cce5i11=2      then c4npan7=1;
else if cce5i09 ne . or
      cce5i11 ne . then c4npan7=0;
label c4npan7='panic:Nausea/butterflies';

if p4npan7 = 1 or c4npan7 = 1 then j4npan7 = 1;
else if p4npan7 ne . or c4npan7 ne . then j4npan7 = 0;

if wave = 1 then j4npan7 = .L;

label j4npan7='panic:Nausea/butterflies';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

if      cce5i09=2      or
      cce5i11=2      then c4npan7=1;
else if cce5i09 ne . or
      cce5i11 ne . then c4npan7=0;
label c4npan7='panic:Nausea/butterflies';

ij4npan7 = c4npan7;

label j4npan7='panic:Nausea/butterflies';

end;

```

J4NPAN8: Feeling dizzy, unsteady, lightheaded, or faint

[Panic Disorder Variable List](#)

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

[Panic Disorder \(symptom list\)](#)

DESCRIPTION

DSM-IV definition: Feeling dizzy, unsteady, lightheaded, or faint.

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	Y	Y	Y
Available (school)	Y	Y	Y
Available (elsewhere)	Y	Y	Y
90 th % Cutoff	1	1	1

No papa variable for version 1.3.

RAW VARIABLE(S)

		PAPA		CAPA	YAPA
	1.3	1.4	2.0.3		
p/cce5i01 (dizziness / faintness)	Y	Y	Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

IF PANIC ATTACKS PRESENT, ASK ABOUT ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS.

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACKS

Autonomic symptoms accompanied by subjective anxious affect.

**When s/he is "worried," "anxious," or frightened, does it affect him/her physically at all?*

**What do you notice?*

**What does s/he tell you?*

**Does s/he get dizzy or giddy or faint?*

**Does it affect his/her breathing?*

**How?*

**Does it affect his/her heart?*

**Does s/he get a pain in his/her chest?*

**Does s/he get sweaty?*

**Or feel sick?*

Coding rules

0 = No
2 = Yes

DIZZINESS/FAINTNESS

CHOKING/SMOTHERING

DIFFICULTY BREATHING

RAPID BREATHING

PALPITATIONS/TACHYCARDIA

TIGHTNESS OR PAIN IN CHEST

SWEATING

NAUSEA

Codes

PCE5I01
Intensity

PCE5I03
Intensity

PCE5I04
Intensity

PCE5I05
Intensity

PCE5I06
Intensity

PCE5I07
Intensity

PCE5I08
Intensity

PCE5I09
Intensity

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	100	307	20.06	1338	0	1
.	0	0	0	0	0	1
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
.L	100	307	20.06	1338	0	0
0	0	122	79.78	5319	97.56	2749
1	0	0	.17	17	2.44	38

Missing data notes:

- PAPA: .L used for version 1.3 data because the data was not available.
- CAPA: .L used for wave 1 because data was not available.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;
*** variable not in 1.3 ***;
if version='1.3' then p4npan8=.L;

if version in ('1.4','2.0.3') then do;
if pce5i01 ge 2 then p4npan8=1;
else if pce5i01 ne . then p4npan8=0;
end;
label p4npan8='panic:dizziness/faintness';
```

```
j4npan8 = p4npan8;

label j4npan8='panic:dizziness/faintness';

*****SAS Code for CAPA*****;
if yapa ne 1 then do;

if pce5i01=2 then p4npan8=1;
else if pce5i01 ne . then p4npan8=0;
label p4npan8='panic:dizziness/faintness';

if cce5i01=2 then c4npan8=1;
else if cce5i01 ne . then c4npan8=0;
label c4npan8='panic:dizziness/faintness';

if p4npan8 = 1 or c4npan8 = 1 then j4npan8 = 1;
else if p4npan8 ne . or c4npan8 ne . then j4npan8 = 0;

if wave = 1 then j4npan8 = .L;

label j4npan8='panic:dizziness/faintness';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

if cce5i01=2 then c4npan8=1;
else if cce5i01 ne . then c4npan8=0;
label c4npan8='panic:dizziness/faintness';

j4npan8 = c4npan8;

label j4npan8='panic:dizziness/faintness';

end;
```

J4NPAN9: Derealization (feelings of unreality) or depersonalization

Panic Disorder Variable List

Description

Raw Variable(s)

CAPA Interview Section

Glossary Notes

Additional Variables

N, Weighted Prevalence, and Missing Data

Citations

SAS CODE

Panic Disorder (symptom list)

DESCRIPTION

DSM-IV definition: Derealization (feelings of unreality) or depersonalization.

Informant: PAPA- no variable.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	<u>PAPA</u>	<u>CAPA</u>	<u>YAPA</u>
Available (home)	N	Y	Y
Available (school)	N	Y	Y
Available (elsewhere)	N	Y	Y
90 th % Cutoff	N/A	1	1

No variable in PAPA.

RAW VARIABLE(S)

		<u>PAPA</u>		<u>CAPA</u>	<u>YAPA</u>
	<u>1.3</u>	<u>1.4</u>	<u>2.0.3</u>		
p/ccc6i01 (derealization during panic attack)	N	N	N	Y	Y
p/ccc7i01 (depersonalization during panic attack)	N	N	N	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

DEREALIZATION DURING PANIC ATTACK

The subject experiences his/her surroundings as unreal; everything may seem colorless, artificial, or dead.

**Has s/he ever told you that when s/he gets panicky, s/he feels that things around him/her don't seem real?*

**Or that it was like a stage set with people acting like robots instead of being themselves?*

DEPERSONALIZATION DURING PANIC ATTACK

The subject feels as if s/he him/herself is unreal, that s/he is acting a part, that s/he is detached from his/her own experiences.

**Has s/he ever told you that when s/he gets panicky, s/he feels as if s/he weren't real?*

Like s/he was acting his/her life rather than being natural?

Has s/he ever said that s/he felt like s/he was outside his/her body looking at him/herself from outside?

FEAR OF LOSS OF CONTROL DURING PANIC ATTACK

Subject feels as though "going crazy" or is afraid of losing control over body or mind (e.g. urinating in public, falling down, creating a "scene")

**When s/he gets panicky, is s/he afraid of what s/he might do?*

That s/he might fall down? Or create a scene?

**Did s/he ever say that s/he felt like s/he was going crazy?*

Or losing control of his/her mind?

FEAR OF DYING DURING PANIC ATTACK

Subject feels as though s/he might die, or is afraid that s/he might die.

**When s/he gets panicky, is s/he afraid s/he might die?*

Coding rules

DEREALIZATION

0 = Absent
2 = Present as in definition

DEPERSONALIZATION

0 = Absent
2 = Present as in definition

FEAR OF LOSS OF CONTROL

0 = Absent
2 = Present as in definition

FEAR OF DYING

0 = Absent
2 = Present as in definition

Codes

PCC6I01
Intensity

PCC7I01
Intensity

PCC8I01
Intensity

PCC9I01
Intensity

GLOSSARY NOTES

No variable in PAPA.

(Notes from CAPA Glossary)

Derealization - The feeling that one's surroundings have changed and are unreal.

Depersonalization - The feeling of loss of personal identity or a feeling of being unreal.

DEREALIZATION DURING PANIC ATTACK

The subject experiences his/her surroundings as unreal; everything may seem colorless, artificial, or dead during a panic attack.

DEPERSONALIZATION DURING PANIC ATTACK

The subject feels as if s/he him/herself is unreal, that s/he is acting a part, that s/he is detached from his/her own experiences during a panic attack.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)			0	03	.02	1
.	N/A	N/A	0	0	.02	1
.C	N/A	N/A	0	0	0	0
.Y	N/A	N/A	0	0	0	0
0	N/A	N/A	99.93	6665	98.87	2749
1	N/A	N/A	.08	9	1.12	38

Missing data notes:

- PAPA: no variable.
- CAPA: no notes.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;

*** not in PAPA ***;
p4npan9=.;
label p4npan9='panic:derealization/deperson.(not in PAPA)';

j4npan9 = p4npan9;

label j4npan9='panic:derealization/deperson.(not in PAPA)';

*****SAS Code for CAPA*****;
if yapa ne 1 then do;

if      pcc6i01=2    or
      pcc7i01=2    then p4npan9=1;
else if pcc6i01 ne . or
      pcc7i01 ne . then p4npan9=0;
label p4npan9='panic:derealization/deperson.';

if      ccc6i01=2    or
      ccc7i01=2    then c4npan9=1;
else if ccc6i01 ne . or
      ccc7i01 ne . then c4npan9=0;
label c4npan9='panic:derealization/deperson.';

if p4npan9 = 1 or c4npan9 = 1 then j4npan9 = 1;
else if p4npan9 ne . or c4npan9 ne . then j4npan9 = 0;

label j4npan9='panic:derealization/deperson.';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

if      ccc6i01=2    or
      ccc7i01=2    then c4npan9=1;
else if ccc6i01 ne . or
      ccc7i01 ne . then c4npan9=0;
label c4npan9='panic:derealization/deperson.';

j4npan9 = c4npan9;
```

```
label j4npan9='panic:derealization/deperson.';  
end;
```

J4NPAN10: Fear of losing control or going crazy

Panic Disorder Variable List

Description

Raw Variable(s)

CAPA Interview Section

Glossary Notes

Additional Variables

N, Weighted Prevalence, and Missing Data

Citations

SAS CODE

Panic Disorder (symptom list)

DESCRIPTION

DSM-IV definition: Fear of losing control or going crazy.

Informant: PAPA- no variable.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	N	Y	Y
Available (school)	N	Y	Y
Available (elsewhere)	N	Y	Y
90 th % Cutoff	N/A	1	1

No variable in PAPA.

RAW VARIABLE(S)

	1.3	PAPA 1.4	2.0.3	CAPA	YAPA
p/ccc8i01 (fear of loss of control)	N	N	N	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

DEREALIZATION DURING PANIC ATTACK

The subject experiences his/her surroundings as unreal; everything may seem colorless, artificial, or dead.

**Has s/he ever told you that when s/he gets panicky, s/he feels that things around him/her don't seem real?*

**Or that it was like a stage set with people acting like robots instead of being themselves?*

DEPERSONALIZATION DURING PANIC ATTACK

The subject feels as if s/he him/herself is unreal, that s/he is acting a part, that s/he is detached from his/her own experiences.

**Has s/he ever told you that when s/he gets panicky, s/he feels as if s/he weren't real?*

Like s/he was acting his/her life rather than being natural?

Has s/he ever said that s/he felt like s/he was outside his/her body looking at him/herself from outside?

FEAR OF LOSS OF CONTROL DURING PANIC ATTACK

Subject feels as though "going crazy" or is afraid of losing control over body or mind (e.g. urinating in public, falling down, creating a "scene")

**When s/he gets panicky, is s/he afraid of what s/he might do?*

That s/he might fall down? Or create a scene?

**Did s/he ever say that s/he felt like s/he was going crazy?*

Or losing control of his/her mind?

FEAR OF DYING DURING PANIC ATTACK

Subject feels as though s/he might die, or is afraid that s/he might die.

**When s/he gets panicky, is s/he afraid s/he might die?*

Coding rules

DEREALIZATION

0 = Absent
2 = Present as in definition

DEPERSONALIZATION

0 = Absent
2 = Present as in definition

FEAR OF LOSS OF CONTROL

0 = Absent
2 = Present as in definition

FEAR OF DYING

0 = Absent
2 = Present as in definition

Codes

PCC6I01
Intensity

PCC7I01
Intensity

PCC8I01
Intensity

PCC9I01
Intensity

GLOSSARY NOTES

(Notes from CAPA Glossary)

FEAR OF LOSS OF CONTROL DURING PANIC ATTACK

Subject feels as though "going crazy" or is afraid of losing control over body or mind (e.g. urinating in public, falling down, creating a "scene").

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	N/A	N/A	0	0	.02	1
.	N/A	N/A	0	0	.02	1
.C	N/A	N/A	0	0	0	0
.Y	N/A	N/A	0	0	0	0
0	N/A	N/A	99.93	6661	98.80	2748
1	N/A	N/A	.07	13	1.18	39

Missing data notes:

- PAPA: no variable.
- CAPA: no notes.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```

*****SAS Code for PAPA*****;

*** not in PAPA ***;
p4npan10=.;
label p4npan10='panic:fear:loss of control(not in PAPA)';

j4npan10 = p4npan10;

label j4npan10='panic:fear:loss of control(not in PAPA)';

*****SAS Code for CAPA*****;
if yapa ne 1 then do;

if pcc8i01=2 then p4npan10=1;
else if pcc8i01 ne . then p4npan10=0;
label p4npan10='panic:fear:loss of control';

if ccc8i01=2 then c4npan10=1;
else if ccc8i01 ne . then c4npan10=0;
label c4npan10='panic:fear:loss of control';

if p4npan10 = 1 or c4npan10 = 1 then j4npan10 = 1;
else if p4npan10 ne . or c4npan10 ne . then j4npan10 = 0;

label j4npan10='panic:fear:loss of control';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

if ccc8i01=2 then c4npan10=1;
else if ccc8i01 ne . then c4npan10=0;
label c4npan10='panic:fear:loss of control';

j4npan10 = c4npan10;

label j4npan10='panic:fear:loss of control';

end;

```

J4NPAN11: Fear of dying

Panic Disorder Variable List

Description

Raw Variable(s)

CAPA Interview Section

Glossary Notes

Additional Variables

N, Weighted Prevalence, and Missing Data

Citations

SAS CODE

Panic Disorder (symptom list)

DESCRIPTION

DSM-IV definition: Fear of dying.

Informant: PAPA- No variable.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	N	Y	Y
Available (school)	N	Y	Y
Available (elsewhere)	N	Y	Y
90 th % Cutoff	N/A	1	1

No variable in PAPA.

RAW VARIABLE(S)

	PAPA	CAPA	YAPA		
p/ccc9i01 (fear of dying)	1.3 N	1.4 N	2.0.3 N	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

DEREALIZATION DURING PANIC ATTACK

The subject experiences his/her surroundings as unreal; everything may seem colorless, artificial, or dead.

**Has s/he ever told you that when s/he gets panicky, s/he feels that things around him/her don't seem real?*

**Or that it was like a stage set with people acting like robots instead of being themselves?*

DEPERSONALIZATION DURING PANIC ATTACK

The subject feels as if s/he him/herself is unreal, that s/he is acting a part, that s/he is detached from his/her own experiences.

**Has s/he ever told you that when s/he gets panicky, s/he feels as if s/he weren't real?*

Like s/he was acting his/her life rather than being natural?

Has s/he ever said that s/he felt like s/he was outside his/her body looking at him/herself from outside?

FEAR OF LOSS OF CONTROL DURING PANIC ATTACK

Subject feels as though "going crazy" or is afraid of losing control over body or mind (e.g. urinating in public, falling down, creating a "scene")

**When s/he gets panicky, is s/he afraid of what s/he might do?*

That s/he might fall down? Or create a scene?

**Did s/he ever say that s/he felt like s/he was going crazy?*

Or losing control of his/her mind?

FEAR OF DYING DURING PANIC ATTACK

Subject feels as though s/he might die, or is afraid that s/he might die.

**When s/he gets panicky, is s/he afraid s/he might die?*

Coding rules

DEREALIZATION

0 = Absent
2 = Present as in definition

DEPERSONALIZATION

0 = Absent
2 = Present as in definition

FEAR OF LOSS OF CONTROL

0 = Absent
2 = Present as in definition

FEAR OF DYING

0 = Absent
2 = Present as in definition

Codes

PCC6I01
Intensity

PCC7I01
Intensity

PCC8I01
Intensity

PCC9I01
Intensity

GLOSSARY NOTES

No variable in PAPA.

(Notes from CAPA Glossary)

FEAR OF DYING DURING PANIC ATTACK

The subject feels as though s/he might die, or is afraid that s/he might die during a panic attack.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	N/A	N/A	0	0	.03	2
.	N/A	N/A	0	0	.03	2
.C	N/A	N/A	0	0	0	0
.Y	N/A	N/A	0	0	0	0
0	N/A	N/A	99.96	6666	98.70	98.42
1	N/A	N/A	.04	8	1.27	1.51

Missing data notes:

- PAPA: no variable.
- CAPA: no notes.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```

*****SAS Code for PAPA*****;
*** not in PAPA ***;
p4npan11=.;
label p4npan11='panic:fear of dying(not in PAPA)';

j4npan11 = p4npan11;

label j4npan11='panic:fear of dying(not in PAPA)';

*****SAS Code for CAPA*****;
if yapa ne 1 then do;

if      pcc9i01=2      then p4npan11=1;
else if pcc9i01 ne . then p4npan11=0;
label p4npan11='panic:fear of dying';

if      ccc9i01=2      then c4npan11=1;
else if ccc9i01 ne . then c4npan11=0;
label c4npan11='panic:fear of dying';

if p4npan11 = 1 or c4npan11 = 1 then j4npan11 = 1;
else if p4npan11 ne . or c4npan11 ne . then j4npan11 = 0;

label j4npan11='panic:fear of dying';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;
if      ccc9i01=2      then c4npan11=1;
else if ccc9i01 ne . then c4npan11=0;
label c4npan11='panic:fear of dying';

j4npan11 = c4npan11;

label j4npan11='panic:fear of dying';

end;

```

J4NPAN12: Paresthesias (numbness or tingling sensations)

[Panic Disorder Variable List](#)
[Description](#)
[Raw Variable\(s\)](#)
[CAPA Interview Section](#)
[Glossary Notes](#)
[Additional Variables](#)
[N, Weighted Prevalence, and Missing Data](#)
[Citations](#)
[SAS CODE](#)
[Panic Disorder \(symptom list\)](#)

DESCRIPTION

DSM-IV definition: Paresthesias (numbness or tingling sensations).

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	Y	Y	Y
Available (school)	Y	Y	Y
Available (elsewhere)	Y	Y	Y
90 th % Cutoff	1	1	1

RAW VARIABLE(S)

	PAPA	CAPA	YAPA		
p/cce5i16 (Paresthesia)	1.3 Y	1.4 Y	2.0.3 Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACK continued.....

**Does it affect his/her stomach?*

**Does s/he get shaky or twitchy?*

**Does s/he get flushed?*

**Does s/he get chills?*

**Does s/he have funny feelings in his/her fingers or toes?*

**Does his/her stomach churn?*

Does it only happen in certain situations?

Or can it happen any time?

Coding rules

BUTTERFLIES/PAINS IN THE STOMACH

TREMBLING/SHAKING/TWITCHING

FLUSHING OR CHILLS

PARAESTHESIAE

ABDOMINAL CHURNING

Codes

PCE5I11
Intensity

PCE5I13
Intensity

PCE5I14
Intensity

PCE5I16
Intensity

PCE5I18
Intensity

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	8.20	30	20.06	1338	.02	1
.	8.20	30	20.06	1338	.02	1
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
0	91.80	398	79.86	5327	98.65	2749
1	0	1	.09	9	1.34	38

Missing data notes:

- PAPA: no notes.
- CAPA: no notes.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;  
if pce5i16 ge 2 then p4npan12=1;  
else if pce5i16 ne . then p4npan12=0;
```

```

label p4npan12='panic:paraesthesiae';

j4npan12 = p4npan12;

label j4npan12='panic:paraesthesiae';
*****SAS Code for CAPA*****;
if yapa ne 1 then do;
  if pce5i16=2 then p4npan12=1;
  else if pce5i16 ne . then p4npan12=0;
  label p4npan12='panic:paraesthesiae';

  if cce5i16=2 then c4npan12=1;
  else if cce5i16 ne . then c4npan12=0;
  label c4npan12='panic:paraesthesiae';

  if p4npan12 = 1 or c4npan12 = 1 then j4npan12 = 1;
  else if p4npan12 ne . or c4npan12 ne . then j4npan12 = 0;

label j4npan12='panic:paraesthesiae';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;
  if cce5i16=2 then c4npan12=1;
  else if cce5i16 ne . then c4npan12=0;
  label c4npan12='panic:paraesthesiae';

  j4npan12 = c4npan12;

label j4npan12='panic:paraesthesiae';

end;

```

J4NPAN13: Chills or hot flushes

[Panic Disorder Variable List](#)

[Description](#)

[Raw Variable\(s\)](#)

[CAPA Interview Section](#)

[Glossary Notes](#)

[Additional Variables](#)

[N, Weighted Prevalence, and Missing Data](#)

[Citations](#)

[SAS CODE](#)

[Panic Disorder \(symptom list\)](#)

DESCRIPTION

DSM-IV definition: Chills or hot flushes.

Informant: PAPA- Parent only.
CAPA- Parent and child either/or rule.
YAPA- Self-report.

Note:

	PAPA	CAPA	YAPA
Available (home)	N	Y	Y
Available (school)	N	Y	Y
Available (elsewhere)	N	Y	Y
90 th % Cutoff	N/A	1	1

RAW VARIABLE(S)

	PAPA	CAPA	YAPA		
p/cce5i14 (flushing or chills)	1.3 Y	1.4 Y	2.0.3 Y	Y	Y

SAMPLE INTERVIEW SECTION

Child and Adolescent Psychiatric Assessment

Definitions and questions

ANXIOUS AUTONOMIC SYMPTOMS IN PANIC ATTACK continued.....

**Does it affect his/her stomach?*

**Does s/he get shaky or twitchy?*

**Does s/he get flushed?*

**Does s/he get chills?*

**Does s/he have funny feelings in his/her fingers or toes?*

**Does his/her stomach churn?*

Does it only happen in certain situations?

Or can it happen any time?

Coding rules

BUTTERFLIES/PAINS IN THE STOMACH

TREMBLING/SHAKING/TWITCHING

FLUSHING OR CHILLS

PARAESTHESIAE

ABDOMINAL CHURNING

Codes

PCE5I11
Intensity

PCE5I13
Intensity

PCE5I14
Intensity

PCE5I16
Intensity

PCE5I18
Intensity

GLOSSARY NOTES

No symptom glossary notes.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	8.20	30	20.06	1338	.02	2
.	8.20	30	20.06	1338	.02	2
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
0	91.30	394	79.71	5316	98.42	2741
1	.51	5	.24	20	1.55	45

Missing data notes:

- PAPA: no notes.
- CAPA: no notes.
- YAPA: no notes.

OTHER VARIABLES

No symptom onset variables.

SAS CODE

```
*****SAS Code for PAPA*****;
```

```
if pce5i14 ge 2 then p4npan13=1;  
else if pce5i14 ne . then p4npan13=0;  
label p4npan13='panic:flushing/chills';
```

```
j4npan13 = p4npan13;

label j4npan13='panic:flushing/chills';
*****SAS Code for CAPA*****;
if yapa ne 1 then do;
  if pce5i14=2 then p4npan13=1;
  else if pce5i14 ne . then p4npan13=0;
  label p4npan13='panic:flushing/chills';

  if cce5i14=2 then c4npan13=1;
  else if cce5i14 ne . then c4npan13=0;
  label c4npan13='panic:flushing/chills';

  if p4npan13 = 1 or c4npan13 = 1 then j4npan13 = 1;
  else if p4npan13 ne . or c4npan13 ne . then j4npan13 = 0;

  label j4npan13='panic:flushing/chills';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

  if cce5i14=2 then c4npan13=1;
  else if cce5i14 ne . then c4npan13=0;
  label c4npan13='panic:flushing/chills';

  j4npan13 = c4npan13;

  label j4npan13='panic:flushing/chills';
end;
```

J4_PAN: Panic Disorder

Panic Disorder Variable List

Description

Symptom Variable(s)

Glossary Notes

Additional Variables

N, Weighted Prevalence, and Missing Data

Citations

SAS CODE

DESCRIPTION

DSM-IV definition:

Criteria for Panic Attack

Changes: The criteria set has been provided separately at the beginning of the Anxiety Disorders section to clarify that Panic Attacks can occur as part of the presentation of a variety of Anxiety Disorders. The DSM-III-R Panics and the threshold for Panic Attack were supported by the data reanalysis and field-trial results and remain the same for DSM-IV, but the order of Panics has been changed to reflect their frequency.

Note: A Panic Attack is not a codable disorder. Code the specific diagnosis in which the Panic Attack occurs (eg. 300.21 Panic Disorder with Agoraphobia [p.402]).

A discrete period of intense fear or discomfort, in which four (or more) or the following symptoms developed abruptly and reached a peak within 10 minutes:

- 1) palpitations, pounding heart, or accelerated heart rate.
- 2) sweating.
- 3) trembling or shaking.
- 4) sensations of shortness of breath or smothering.
- 5) feeling of choking.
- 6) chest pain or discomfort.
- 7) nausea or abdominal distress.
- 8) feeling dizzy, unsteady, lightheaded, or faint.
- 9) derealization (feelings of unreality) or depersonalization.
- 10) fear of losing control or going crazy.
- 11) fear of dying.

- 12) paresthesias (numbness or tingling sensations).
- 13) chills or hot flushes.

Informant: PAPA- Parent only.
 CAPA- Parent and child either/or rule.
 YAPA- Self-report.

Note:

PAPA	CAPA	YAPA
Y	Y	Y

SYMPTOM VARIABLE(S)

	PAPA	CAPA	YAPA
<u>j4npan1</u> (Palpitations, pounding heart, or accelerated heart rate)	Y	Y	Y
<u>j4npan2</u> (Sweating)	Y	Y	Y
<u>j4npan3</u> (Trembling or shaking)	Y	Y	Y
<u>j4npan4</u> (Sensations of shortness of breath or smothering)	Y	Y	Y
<u>j4npan5</u> (Feeling of choking)	Y	Y	Y
<u>j4npan6</u> (Chest pain or discomfort)	Y	Y	Y
<u>j4npan7</u> (Nausea or abdominal distress)	Y	Y	Y
<u>j4npan8</u> (Feeling dizzy, unsteady, lightheaded, or faint)	Y	Y	Y
<u>j4npan9</u> (Derealization - feelings of unreality or depersonalization)	N	Y	Y
<u>j4npan10</u> (Fear of losing control or going crazy)	N	Y	Y
<u>j4npan11</u> (Fear of dying)	Y	Y	Y
<u>j4npan12</u> (Paresthesias - numbness or tingling sensations)	Y	Y	Y
<u>j4npan13</u> (Chills or hot flushes)	Y	Y	Y

GLOSSARY NOTES

(Notes from CAPA Glossary)

PANIC ATTACKS

Panic attacks are discrete episodes of overwhelming Subjective Anxious Affect and autonomic symptoms, of sudden onset, that the subject usually tries to terminate by taking some definite action. The subject with a phobia of traveling may have to leave the bus. The subject who is anxious when left alone may run out of the house. Both free-floating and situational forms of anxiety may give rise to panic attacks. If so, both will be included in the rating.

Panic attacks due to delusions or hallucinations are not included.

Anxious foreboding may play a prominent part in the run up to a panic attack and should be coded separately.

0 = Absent

2 = Panic attack that is of such severity that the subject cannot continue with whatever activity s/he was engaged in at the time.

FREE FLOATING PANIC ATTACK

0 = Absent

2 = Panic attack unassociated with any particular situation.

SITUATIONAL PANIC ATTACK

0 = Absent

2 = Panic attack that occurs in certain situations/environments

DEREALIZATION DURING PANIC ATTACK

The subject experiences his/her surroundings as unreal; everything may seem colorless, artificial, or dead during a panic attack.

DEPERSONALIZATION DURING PANIC ATTACK

The subject feels as if s/he him/herself is unreal, that s/he is acting a part, that s/he is detached from his/her own experiences during a panic attack.

FEAR OF LOSS OF CONTROL DURING PANIC ATTACK

Subject feels as though "going crazy" or is afraid of losing control over body or mind (e.g. urinating in public, falling down, creating a "scene").

FEAR OF DYING DURING PANIC ATTACK

The subject feels as though s/he might die, or is afraid that s/he might die during a panic attack.

CONCERN ABOUT ADDITIONAL PANIC ATTACKS

Concern, worry or anxious affect related to the possibility that another panic attack may occur.

N, WEIGHTED PREVALENCE, AND MISSING DATA

	PAPA Weighted %	N	CAPA Weighted %	N	YAPA Weighted %	N
Missing (total)	8.20	30	0	0	0	0
.	8.20	30	0	0	0	0
.C	0	0	0	0	0	0
.Y	0	0	0	0	0	0
0	91.58	394	99.79	6649	96.53	2678
1	.23	5	.21	25	3.47	110

Missing data notes:

- PAPA: no notes.
- CAPA: no notes.
- YAPA: no notes.

OTHER VARIABLES

SAS CODE

```
*****SAS Code for PAPA*****;
```

```
p4span=sum(of p4npan1-p4npan13);  
if p4span ge 4 then p4_pan=1;  
else if p4span ne . then p4_pan=0;
```

```
label p4_pan='panic attacks: 4 or more symptoms';  
label p4npan='panic:# of symptoms';
```

```
* no PAPA onset vars ***;
```

```
p4opan=. ;  
p4dpan=. ;
```

```
label p4opan='Onset of panic symptoms(not in PAPA)';  
label p4dpan='Onset of panic DX(not in PAPA)';
```

```
j4_pan = p4_pan;  
j4opan = p4opan;  
j4dpan = p4dpan;
```

```
label j4_pan='panic attacks: 4 or more symptoms';  
label j4opan='Onset of panic symptoms(not in PAPA)';  
label j4dpan='Onset of panic DX(not in PAPA)';
```

```
*****SAS Code for CAPA*****;
```

```
if yapa ne 1 then do;
```

```
p4spann=sum(of p4npan1-p4npan13);  
label p4spann='panic:# of symptoms';
```

```
if (pcc5i01 ge 2 ) and p4spann ge 4 then do;  
  p4_pan=1;  
  if pcc5i01 ge 2 then p4opan=(agedays-pcc5o01);  
  p4dpan=p4opan;  
  end;  
else if pcc5i01 ne . or p4spann ne . then p4_pan=0;  
label p4_pan='Panic attacks';  
label p4opan='Onset age: panic attacks symptoms';  
label p4dpan='Onset age: panic attacks diagnosis';
```

```
c4spann=sum(of c4npan1-c4npan13);  
label c4spann='panic:# of symptoms';
```

```
if (ccc5i01 ge 2) and c4spann ge 4 then do;  
  c4_pan=1;  
  if ccc5i01 ge 2 then c4opan=min(c4opan,(agedays-ccc5o01));  
  c4dpan=c4opan;  
  end;  
else if ccc5i01 ne . or c4spann ne . then c4_pan=0;  
label c4_pan='Panic attacks';  
label c4opan='Onset age: panic attacks symptoms';  
label c4dpan='Onset age: panic attacks diagnosis';
```

```
if c4_pan = 1 or p4_pan = 1 then j4_pan = 1;  
else if c4_pan ne . or p4_pan ne . then j4_pan = 0;
```

```
j4opan = min(c4opan, p4opan);  
j4dpan = min(c4dpan, p4dpan);
```



```

label j4_pan='Panic attacks';
label j4opan='Onset age: panic attacks symptoms';
label j4dpan='Onset age: panic attacks diagnosis';

end;

*****SAS Code for YAPA*****;

if YAPA = 1 then do;

c4spann=sum(of c4npan1-c4npan13);
label c4spann='panic:# of symptoms';

if (ccc5i01 ge 2) and c4npann ge 4 then do;
c4_pan=1;
if ccc5i01 ge 2 then c4opan=min(c4opan,(agedays-ccc5o01));
c4dpan=c4opan;
end;
else if ccc5i01 ne . or c4npann ne . then c4_pan=0;
label c4_pan='Panic attacks';
label c4opan='Onset age: panic attacks symptoms';
label c4dpan='Onset age: panic attacks diagnosis';

if c4_pan = 1 or p4_pan = 1 then j4_pan = 1;
else if c4_pan ne . or p4_pan ne . then j4_pan = 0;

j4opan = min(c4opan, p4opan);
j4dpan = min(c4dpan, p4dpan);

label j4_pan='Panic attacks';
label j4opan='Onset age: panic attacks symptoms';
label j4dpan='Onset age: panic attacks diagnosis';

end;

```